

PK medical provider	Yes
U medical provider	Yes

Validation(s) of "address id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address id" Column	
Name	Unique
IF658 medical provider	No

Validation(s) of "first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name suffix" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "email address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "med_prov_phone" Picture Object	
Name	med_prov_phone
Comment	Contains phone information for a medical provider with relations to the PHONE table wher the phone number is stored.

Column(s) of "med_prov_phone" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
med_prov_id	NUMBER	NOT NULL	A system generated number to uniquely identify medical providers.	Yes	Yes
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	Yes
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes
extension	VARCHAR2(5)	NULL	Phone extension for the medical provider identified.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_med_prov_phone	Yes
IF1069_med_prov_phone	No

Validation(s) of "med_prov_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med_prov_id" Column	
Name	Unique
PK_med_prov_phone	Yes
IF1069_med_prov_phone	No

Validation(s) of "phone_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone_type_code" Column	
Name	Unique


PK med prov phone	Yes
IF1071 med prov phone	No

Validation(s) of "phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone id" Column	
Name	Unique
IF1072 med prov phone	No

Validation(s) of "extension" Column			
Constraint Name	Min	Max	Rule

legal / physical



Table(s) of "cps court close codes" Picture Object	
Name	cps court close codes
Comment	<p>Contains codes and descriptions regarding the court's decision for closing or continuing CPS involvement at a hearing; (i.e. Code: Description):</p> <p>1: CPS case continues; in-home services and monitoring 2: CPS case closing; no referrals 3: CPS case closing; referral(s) for community service 4: Other</p>

Column(s) of "cps court close codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
cps_court_close_code	VARCHAR2(1)	NOT NULL	<p>Contains codes regarding the court's decision for closing or continuing CPS involvement at a hearing; (i.e. Code: Description):</p> <p>1: CPS case continues; in-home services and monitoring 2: CPS case closing; no referrals 3: CPS case closing; referral(s) for community service 4: Other</p>	Yes	No
description	VARCHAR2(60)	NULL	Explanation of CPS_COURT_CLOSE_CODE.	No	No
end_date	DATE	NULL	Date on which a CPS_COURT_CLOSE_CODE is no longer valid to use.	No	No

Validation(s) of "cps court close code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps court close code" Column	
Name	Unique
PK cps court close codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "plcmnt after hrng codes" Picture Object	
Name	plcmnt after hrng codes
Comment	Contains codes and descriptions, used in CPS, for the child(ren)'s placement after, and related to, a hearing.

Column(s) of "plcmnt after hrng codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
plcmnt_after_hrng_code	VARCHAR2(1)	NOT NULL	Contains codes for the child(ren)'s placement after, and related to, a hearing.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of PLCMNT_AFTER-HRNG_CODE.	No	No
end_date	DATE	NULL	Date on which a PLCMNT_AFTER-HRNG_CODE is no longer to be used for new records.	No	No

Validation(s) of "plcmnt after hrng code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "plcmnt after hrng code" Column	
Name	Unique
PK plcmnt after hrng codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "hearing_cp_comments" Picture Object	
Name	hearing_cp_comments
Comment	Contains the comment links to the COMMENTS and HEARING_CASE_PERSON tables for the comments related to each person in the case for a hearing.

Column(s) of "hearing_cp_comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
hearing_no	NUMBER	NOT NULL	System generated number that uniquely identifies a hearing.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_hearing_cp_comments	Yes
IF1224_hearing_cp_comments	No

Validation(s) of "hearing_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "hearing_no" Column	
Name	Unique
PK_hearing_cp_comments	Yes
IF1224_hearing_cp_comments	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_hearing_cp_comments	Yes
IF1224_hearing_cp_comments	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "person id" Column	
Name	Unique
PK hearing_cp_comments	Yes
IF1224 hearing_cp_comments	No

Validation(s) of "comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment id" Column	
Name	Unique
PK hearing_cp_comments	Yes
IF1225 hearing_cp_comments	No

Table(s) of "non term reason codes" Picture Object	
Name	non term reason codes
Comment	Contains codes and descriptions for the reasons why it is not in the best interest of the child to proceed with termination of parental rights.

Column(s) of "non term reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
non_term_reas_cd	VARCHAR2(2)	NOT NULL	Contains codes for the reasons why it is not in the best interest of the child to proceed with termination of parental rights.	Yes	No
description	VARCHAR2(200)	NULL	Explanation of NON_TERM_REAS_CD.	No	No

Validation(s) of "non term reas cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "non term reas cd" Column	
Name	Unique
PK_non term reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "cp non term reasons" Picture Object	
Name	cp non term reasons
Comment	Resolves the many-to-many relationship between PETITION_CASE_PERSON and NON_TERM_REASON_CODES. Used for identifying the reason(s) why it is not in the best interest of the identified child to proceed with termination of parental rights.

Column(s) of "cp non term reasons" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
petition_id	NUMBER	NOT NULL	System generated number that uniquely identifies a court petition.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
non_term_reas_cd	VARCHAR2(2)	NOT NULL	Contains codes for the reasons why it is not in the best interest of the child to proceed with termination of parental rights.	Yes	Yes
non_term_reas_other	VARCHAR2(200)	NULL	When the non-termination reason is other, this is the text for describing "other"	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_cp_non_term_reasons	Yes
IF1222_cp_non_term_reasons	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_cp_non_term_reasons	Yes
IF1222_cp_non_term_reasons	No

Validation(s) of "petition_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition_id" Column	
Name	Unique

PK cp non term reasons	Yes
IF1222 cp non term reasons	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK cp non term reasons	Yes
IF1222 cp non term reasons	No

Validation(s) of "non term reas cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "non term reas cd" Column	
Name	Unique
PK cp non term reasons	Yes
IF1223 cp non term reasons	No

Validation(s) of "non term reas other" Column			
Constraint Name	Min	Max	Rule

Table(s) of "co legal rep" Picture Object	
Name	co legal rep
Comment	Used to determine which legal representatives are used in each county.

Column(s) of "co legal rep" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
rep_id	NUMBER	NOT NULL	System generated number that uniquely identifies a legal representative.	Yes	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
pk co legal rep	Yes
IF1130 co legal rep	No

Validation(s) of "rep id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rep id" Column	
Name	Unique
pk co legal rep	Yes
IF1129 co legal rep	No

Table(s) of "hearing_outcomes" Picture Object	
Name	hearing_outcomes
Comment	Contains codes and descriptions for decisions resulting from hearings; e.g. 1 Petition/Warrant Accepted; Youth Detained 2 Petition/Warrant Accepted; Youth Released on Bond 3 Charges Dismissed, Reduced or Held in Abeyance; Youth Released 4 Charges Reduced; Referred to Probate Court, etc.

Column(s) of "hearing_outcomes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	Yes	Yes
hearing_outcome_code	NUMBER(2)	NOT NULL	Codes for hearing outcomes pertaining to juvenile justice; e.g. (Code: Description) 1: Petition/Warrant Accepted; Youth Detained 2: Petition/Warrant Accepted; Youth Released on Bond 3: Charges Dismissed, Reduced or Held in Abeyance; Youth Released 4: Charges Reduced; Referred to Probate Court 5: Charges Waived to Circuit/Recorders Court etc.	Yes	No
description	VARCHAR2(100)	NULL	Explanation of HEARING_OUTCOME_CODE.	No	No

Validation(s) of "program_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program_code" Column	
Name	Unique
PK_hearing_outcomes	Yes
IF1219_hearing_outcomes	No

Validation(s) of "hearing_outcome_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "hearing_outcome_code" Column	
Name	Unique
PK_hearing_outcomes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Table(s) of "court ord ord type" Picture Object	
Name	court ord ord type
Comment	Identifies one or more order types for each court order.

Column(s) of "court ord ord type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
court_order_no	NUMBER	NOT NULL	System generated number that uniquely identifies a court order.	Yes	Yes
order_type_code	NUMBER(2)	NOT NULL	Codes for types of court orders; e.g. (Code: Description) 1: Emergency 2: Preliminary 3: Pretrial Conference 4: Adjudication 5: Disposition etc.	Yes	Yes
order_type_other	VARCHAR2(50)	NULL	Free-form text which is used to describe ORDER_ - TYPE_CODE when it is 'Other'	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK court ord ord type	Yes
IF802 court ord ord type	No

Validation(s) of "court order no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court order no" Column	
Name	Unique
PK court ord ord type	Yes
IF802 court ord ord type	No

Validation(s) of "order type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "order type code" Column	
Name	Unique
PK court ord ord type	Yes
IF803 court ord ord type	No

Validation(s) of "order type other" Column			
Constraint Name	Min	Max	Rule

Table(s) of "court type" Picture Object	
Name	court_type
Comment	Contains codes and descriptions for types of courts; e.g. 1 Circuit Court - Family Division 2 Probate Court A Tribal Ct-Bay Mills Chippewa Indian B Gd. Traverse Band Ottawa/Chippewa, etc.

Column(s) of "court type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
court_type_code	VARCHAR2(2)	NOT NULL	Codes for types of courts issuing an order; e.g. (Code: Description) 1: Circuit Court - Family Division 2: Probate Court 3: Circuit Court - Criminal Division 4: District Court etc.	Yes	No
description	VARCHAR2(75)	NULL	Explanation of COURT_TYPE_CODE.	No	No

Validation(s) of "court type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court type code" Column	
Name	Unique
PK court_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "petition_type" Picture Object	
Name	petition_type
Comment	Contains codes and descriptions for types of petitions; e.g. 1 Initial 2 Amended 3 Supplemental 4 Guardianship, etc.

Column(s) of "petition_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
petition_type_code	NUMBER(2)	NOT NULL	Codes for types of court petitions; e.g. (Code: Description) 1: Initial 2: Amended 3: Supplemental 4: Guardianship 5: Termination etc.	Yes	No
description	VARCHAR2(30)	NOT NULL	Explanation of the PETITION_TYPE_CODE.	No	No

Validation(s) of "petition_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition_type_code" Column	
Name	Unique
PK_petition_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "commitment" Picture Object	
Name	commitment
Comment	Contains case and child specific information like, what is the legal status of the child on a particular acceptance date, and with what commitment type.

Column(s) of "commitment" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
legal_status_cd	NUMBER(2)	NOT NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	Yes	Yes
court_order_no	NUMBER	NOT NULL	System generated number that uniquely identifies a court order.	Yes	Yes
commit_type_code	NUMBER(3)	NULL	Codes for reasons for a child's commitment; i.e. (Code: Description) 150: Delinquency 220: MCI 296: Release	No	Yes
commitment_date	DATE	NULL	Date of the child's commitment.	No	No
cmtmnt_accept_date	DATE	NULL	Date FIA took responsibility of child.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
charged_jurisdiction	VARCHAR2(2)	NULL	Contains codes for all 83 counties (numbered 1 through 83) and also the Native American tribes/bands of Michigan. It is used	No	Yes

			for the county or tribe/band from which the youth was charged and committed.		
commitment_jurisdiction	VARCHAR2(2)	NULL	Contains codes for all 83 counties (numbered 1 through 83) and also the Native American tribes/bands of Michigan. It is used for the county or tribe/band from which the youth was charged and committed.	No	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_commitment	Yes
IF805_commitment	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK_commitment	Yes
NU_commitment	No
XIF801commitment	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK_commitment	Yes
NU_commitment	No
XIF801commitment	No

Validation(s) of "legal_status_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal_status_cd" Column	
Name	Unique
PK_commitment	Yes
IF799_commitment	No

Validation(s) of "court_order_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court_order_no" Column	
Name	Unique
PK_commitment	Yes
IF805_commitment	No

Validation(s) of "commit_type_code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "commit type code" Column	
Name	Unique
IF197 commitment	No

Validation(s) of "commitment date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cmtmnt accept date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "charged jurisdiction" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "charged jurisdiction" Column	
Name	Unique
IF1238 commitment	No

Validation(s) of "commitment jurisdiction" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "commitment jurisdiction" Column	
Name	Unique
IF1240 commitment	No

Table(s) of "commitment type" Picture Object	
Name	commitment type
Comment	Contains codes and descriptions for public acts, like 150, 220 and 296 based on which the court can commit the child in the case, to the state.

Column(s) of "commitment type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
commit_type_code	NUMBER(3)	NOT NULL	Codes for reasons for a child's commitment; i.e. (Code: Description) 150: Delinquency 220: MCI 296: Release	Yes	No
commit_type_text	VARCHAR2(30)	NULL	Explanation of COMMIT_TYPE_CODE.	No	No

Validation(s) of "commit type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "commit type code" Column	
Name	Unique
PK commitment type	Yes

Validation(s) of "commit type text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "legal status code" Picture Object	
Name	legal status code
Comment	Contains codes and descriptions for the legal status of the child; e.g. 41 Permanent Court Ward 42 Temporary Court Ward-Neg 43 Court Ward-Supervision Adoption 44 MCI Ward 45 St Ward-Temp. OB.-MCI-O, etc.

Column(s) of "legal status code" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
legal_status_cd	NUMBER(2)	NOT NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	Yes	No
legal_status_text	VARCHAR2(100)	NULL	Explanation of LEGAL_STATUS_CD.	No	No

Validation(s) of "legal status cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal status cd" Column	
Name	Unique
PK legal status code	Yes

Validation(s) of "legal status text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "removal condition" Picture Object	
Name	removal condition
Comment	Contains information on why a child was removed from his/her home along with removal date.

Column(s) of "removal condition" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
removal_reason_cd	NUMBER(2)	NOT NULL	Codes for the reasons for removal from home (AFCARS); e.g. (Code: Description) 1: Physical Abuse 2: Sexual Abuse 3: Neglect 4: Alcohol Abuse of Parent 5: Drug Abuse of Parent etc.	Yes	Yes
removal_date	DATE	NOT NULL	Date on which child was removed from home (AFCARS).	Yes	No
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
entered_date	DATE	NULL	Date on which the worker entered the REMOVAL_DATE.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK removal condition	Yes
NU removal condition	No
XIF192removal condition	No

Validation(s) of "removal_reason_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "removal_reason_cd" Column	
Name	Unique
PK removal condition	Yes
IF193 removal condition	No

Validation(s) of "removal_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "removal date" Column	
Name	Unique
PK removal condition	Yes

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK removal condition	Yes
NU removal condition	No
XIF192removal condition	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK removal condition	Yes
NU removal condition	No
XIF192removal condition	No

Validation(s) of "entered_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "removal reason codes" Picture Object	
Name	removal reason codes
Comment	Contains codes and descriptions for the reasons why a child was removed from his/her home.

Column(s) of "removal reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
removal_reason_cd	NUMBER(2)	NOT NULL	Codes for the reasons for removal from home (AFCARS); e.g. (Code: Description) 1: Physical Abuse 2: Sexual Abuse 3: Neglect 4: Alcohol Abuse of Parent 5: Drug Abuse of Parent etc.	Yes	No
removal_reason_text	VARCHAR2(120)	NULL	Explanation of removal reason codes.	No	No

Validation(s) of "removal reason cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "removal reason cd" Column	
Name	Unique
PK removal reason codes	Yes

Validation(s) of "removal reason text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "court_order" Picture Object	
Name	court_order
Comment	Identifies the court orders pertaining to a hearing; uniquely identified by a system generated sequence number.

Column(s) of "court_order" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
court_order_no	NUMBER	NOT NULL	System generated number that uniquely identifies a court order.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
order_date	DATE	NULL	Date on which the judge signed the court order.	No	No
hearing_no	NUMBER	NULL	System generated number that uniquely identifies a hearing.	No	Yes
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
final_order_recvd_date	DATE	NULL	Date on which the final court order was received.	No	No

Validation(s) of "court_order_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court_order_no" Column	
Name	Unique
PK court_order	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK court_order	Yes
IF249 court_order	No

Validation(s) of "order_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "hearing_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "hearing_no" Column	
Name	Unique

IF249 court order	No
-------------------	----

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "final order recvd date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "court_order_type" Picture Object	
Name	court_order_type
Comment	Contains codes and descriptions for types of court orders; e.g. 1 Emergency 2 Preliminary 4 Adjudication 5 Disposition, etc.

Column(s) of "court_order_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
order_type_code	NUMBER(2)	NOT NULL	Codes for types of court orders; e.g. (Code: Description) 1: Emergency 2: Preliminary 3: Pretrial Conference 4: Adjudication 5: Disposition etc.	Yes	No
order_type_text	VARCHAR2(50)	NULL	Explanation of court order types.	No	No

Validation(s) of "order_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "order_type_code" Column	
Name	Unique
PK court_order_type	Yes

Validation(s) of "order_type_text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "court" Picture Object	
Name	court
Comment	Identifies a court by a number and a name.

Column(s) of "court" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
court_no	NUMBER(4)	NOT NULL	Codes for the courts; e.g. (Code: Description) 1: Unknown Court 986: Out of State Court 1051: Ingham County Probate Court etc.	Yes	No
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
court_name	VARCHAR2(100)	NULL	Name of the court associated with the COURT_NO.	No	No
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes

Validation(s) of "court_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court_no" Column	
Name	Unique
PK_court	Yes

Validation(s) of "address_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address_id" Column	
Name	Unique
IF1017_court	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
IF1016_court	No

Validation(s) of "court_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone id" Column	
Name	Unique
IF1686 court	No

Table(s) of "petition" Picture Object	
Name	petition
Comment	Contains information regarding a petition filed with the court; identified by a system generated sequence number.

Column(s) of "petition" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
petition_id	NUMBER	NOT NULL	System generated number that uniquely identifies a court petition.	Yes	No
petition_type_code	NUMBER(2)	NULL	Codes for types of court petitions; e.g. (Code: Description) 1: Initial 2: Amended 3: Supplemental 4: Guardianship 5: Termination etc.	No	Yes
petition_date	DATE	NULL	Date on which the petition was filed.	No	No
county_of_referral	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
mandated_petition	VARCHAR2(1)	NULL	Indicates that (Y) this is a mandated petition (required by law to file petition); or (N) not.	No	No
prior_court_activity_ind	VARCHAR2(1)	NULL	Indicates that (Y) this is a prior court activity; or (N) not.	No	No
filed_by	VARCHAR2(50)	NULL	Free-form text for the name of the person who filed the petition.	No	No
petition_reason_code	VARCHAR2(1)	NULL	Contains codes for the reasons for a petition.	No	Yes
court_accepted_ind	VARCHAR2(1)	NULL	Indicates (Y) the petition was accepted by the Court or (N) no it wasn't	No	No
court_accepted_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "county no" Column	
Name	Unique
PK petition	Yes
IF593 petition	No

Validation(s) of "petition id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition id" Column	
Name	Unique
PK petition	Yes

Validation(s) of "petition type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition type code" Column	
Name	Unique
IF442 petition	No

Validation(s) of "petition date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "county of referral" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county of referral" Column	
Name	Unique
IF712 petition	No

Validation(s) of "mandated petition" Column			
Constraint Name	Min	Max	Rule
ck_pet_mandatpet			mandated petition IN ('Y', 'N')

Valid Value(s) of "ck_pet_mandatpet" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "prior court activity ind" Column			
Constraint Name	Min	Max	Rule
ck_pet_priorcrtactind			prior_court_activity_ind IN ('Y', 'N')

Valid Value(s) of "ck_pet_priorcrtactind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "filed by" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "petition reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition reason code" Column	
Name	Unique

IF1630_petition	No
-----------------	----

Validation(s) of "court_accepted_ind" Column			
Constraint Name	Min	Max	Rule
ck_pet_crtacptdind			court_accepted_ind IN ('Y', 'N')

Valid Value(s) of "ck_pet_crtacptdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "court_accepted_comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court_accepted_comment_id" Column	
Name	Unique
IF1631_petition	No

Table(s) of "family structure" Picture Object	
Name	family_structure
Comment	Contains codes and descriptions for family structures; i.e. 0 Not Applicable 1 Married Couple 2 Un-Married Couple 3 Single Female 4 Single Male 5 Unable to Determine

Column(s) of "family structure" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
family_structure_code	VARCHAR2(1)	NOT NULL	Codes for the family structure; i.e. (Code: Description) 0: Not Applicable 1: Married Couple 2: Un-Married Couple 3: Single Female 4: Single Male 5: Unable to Determine	Yes	No
description	VARCHAR2(30)	NULL	Explanation of FAMILY_STRUC-TURE_CODE.	No	No
end_date	DATE	NULL	Date on which a FAMILY_STRUC-TURE_CODE is no longer valid in the list of values; however, it is still valid in child records that used the code prior to this date	No	No

Validation(s) of "family structure code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "family structure code" Column	
Name	Unique
PK_family_structure	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "legal rep type" Picture Object	
Name	legal_rep_type
Comment	Contains codes and descriptions for types of legal representatives; e.g. AT Attorney CA Child Advocate GL Guardian Ad Litem RE Referee, etc.

Column(s) of "legal rep type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
legal_rep_code	VARCHAR2(2)	NOT NULL	Codes for types of legal representatives; e.g. (Code: Description) AT: Attorney CA: Child Advocate GL: Guardian Ad Litem RE: Referee JU: Judge etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of LEGAL_REP_CODE.	No	No

Validation(s) of "legal rep code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal rep code" Column	
Name	Unique
PK_legal_rep_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "hearing_types" Picture Object	
Name	hearing_types
Comment	Contains codes and descriptions for types of court hearings; e.g. 100 Detention Hearing - Juvenile 101 Preliminary Hearing-Juvenile 102 Arraignment-Adult 103 Preliminary Exam - Adult, etc.

Column(s) of "hearing_types" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
type_of_hearing	VARCHAR2(3)	NOT NULL	Codes for types of hearings pertaining to juvenile justice; e.g. (Code: Description) 100: Detention Hearing-Juvenile 101: Preliminary Hearing-Juvenile 102: Arraignment-Adult 103: Preliminary Exam-Adult 104: Contested PreTrial-Juvenile etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of TYPE_OF_HEARING.	No	No

Validation(s) of "type of hearing" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "type of hearing" Column	
Name	Unique
PK hearing_types	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "hearing case person" Picture Object	
Name	hearing case person
Comment	Identifies all people associated with the hearing and may contain the HEARING_OUTCOME_CODE for a particular person.

Column(s) of "hearing case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
hearing_no	NUMBER	NOT NULL	System generated number that uniquely identifies a hearing.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
program_code	VARCHAR2(4)	NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	No	Yes
hearing_outcome_code	NUMBER(2)	NULL	Codes for hearing outcomes pertaining to juvenile justice; e. g. (Code: Description) 1: Petition/Warrant Accepted; Youth Detained 2: Petition/Warrant Accepted; Youth Released on Bond 3: Charges Dismissed, Reduced or Held in Abeyance; Youth Released 4: Charges Reduced; Referred to Probate Court 5: Charges Waived to Circuit/Recorders Court etc.	No	Yes

hearing_outcome_other	VARCHAR2(50)	NULL	Free-form text which is used to describe HEARING_OUTCOME_CODE when it is 'Other-Specify'.	No	No
plcmnt_after_hrng_code	VARCHAR2(1)	NULL	Contains codes for the child(ren)'s placement after, and related to, a hearing.	No	Yes
plcmnt_after_hrng_other	VARCHAR2(50)	NULL	Free form text for a further explanation when PLCMNT_AFTER_HRNG_CODE is for Other.	No	No
placed_with_name	VARCHAR2(50)	NULL	Free-form text for the person's name, with whom a child is placed after a hearing.	No	No
placed_with_address1	VARCHAR2(60)	NULL	Free-form text for the first line of the address for the person with whom a child is placed after a hearing.	No	No
placed_with_address2	VARCHAR2(60)	NULL	Free-form text for the second line of the address for the person with whom a child is placed after a hearing.	No	No
placed_with_city	VARCHAR2(30)	NULL	Free-form text for the city of the address for the person with whom a child is placed after a hearing.	No	No
placed_with_state_code	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc. In this context, it is the state code of the address for the person with whom a child is placed after a hearing.	No	Yes
placed_with_zipcode	VARCHAR2(10)	NULL	The five or nine digit zip code of the address for the person with whom a child is placed after a hearing.	No	No
removed_after_hearing_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child was removed after the hearing; or (N) not; or NULL.	No	No
docket_no	VARCHAR2(20)	NULL	Court docket number or file number assigned to a hearing.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK hearing case person	Yes
IF885 hearing case person	No

Validation(s) of "hearing_no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "hearing_no" Column	
Name	Unique
PK hearing case person	Yes
IF885 hearing case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK hearing case person	Yes
NU hearing case person	No
XIF886hearing case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK hearing case person	Yes
NU hearing case person	No
XIF886hearing case person	No

Validation(s) of "program_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program_code" Column	
Name	Unique
IF893 hearing case person	No

Validation(s) of "hearing_outcome_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "hearing_outcome_code" Column	
Name	Unique
IF893 hearing case person	No

Validation(s) of "hearing_outcome_other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "plcmnt after hrng code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "plcmnt after hrng code" Column	
Name	Unique
IF1637 hearing case person	No

Validation(s) of "plcmnt after hrng other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "placed with name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "placed with address1" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "placed with address2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "placed with city" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "placed with state code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placed with state code" Column	
Name	Unique
IF1647 hearing case person	No

Validation(s) of "placed with zipcode" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "removed after hearing ind" Column			
Constraint Name	Min	Max	Rule
ck_hrcp_rmvdafrhrngind			removed_after_hearing_ind IN ('Y', 'N')

Valid Value(s) of "ck hrcp rmvdafrhrngind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "docket no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "order case person" Picture Object	
Name	order case person
Comment	Contains information about a court order and members who are included in a specific court order.

Column(s) of "order case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
court_order_no	NUMBER	NOT NULL	System generated number that uniquely identifies a court order.	Yes	Yes
legal_status_cd	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes
acceptance_date	DATE	NULL	If legal status is 41, this is the date that the child was accepted as a permanent court ward.	No	No
prevent_removal	VARCHAR2(1)	NULL	Indicates that (Y) reasonable effort was made to prevent removal of the child from their home; or (N) not.	No	No
judicial_determ	VARCHAR2(1)	NULL	Indicates that (Y) there was a judicial determination to remove the child; or (N) not.	No	No
ct_specified_plcmnt	VARCHAR2(1)	NULL	Indicates that (Y) the type of placement was specified in the court order; or (N) not.	No	No

restitution_required	VARCHAR2(1)	NULL	Indicates that (Y) the court holds the juvenile responsible for the restitution payment; or (N) not.	No	No
paying_restitution	VARCHAR2(1)	NULL	Indicates that (Y) the youth is paying restitution; or (N) not.	No	No
rest_paid_full_date	DATE	NULL	The date on which the restitution payment is fully received or paid.	No	No
adoption_referral	VARCHAR2(1)	NULL	Indicates that (Y) the child is to be referred to adoption; or (N) not.	No	No
permanency	VARCHAR2(1)	NULL	Indicates that (Y) reasonable efforts were made to finalize the permanency plan to remove the child from their home; or (N) not.	No	No
m_rights_term_date	DATE	NULL	Date on which mother's parental rights were terminated (AFCARS).	No	No
f_rights_term_date	DATE	NULL	Date on which father's parental rights were terminated (AFCARS).	No	No
rights_appealed	VARCHAR2(1)	NULL	Indicates that (Y) the termination of parental rights is being appealed; or (N) not.	No	No
appeal_resolved_dt	DATE	NULL	Date on which appeal of parental rights termination was resolved.	No	No
conversion_origin_ind	VARCHAR2(1)	NULL	Indicates that this case was (Y) converted into SWSS from an external system such as CIS; or (N) not converted, but a new case generated within SWSS.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
dna_profile_ind	VARCHAR2(1)	NULL	Indicates that (Y) a DNA profile is on file for this person with the police department; or (N) not.	No	No
date_entered	DATE	NULL	The system date when the record was added or modified.	No	No
requirements_text	VARCHAR2(2000)	NULL	Text for explaining the requirements of the court order.	No	No

plcmnt_care_ind	VARCHAR2(1)	NULL	Indicates that (Y) placement and care of the child is FIA's responsibility; or (N) not; or NULL.	No	No
dispute_ind	VARCHAR2(1)	NULL	Indicates that (Y) the court specified placement was the result of a dispute between two identified individuals (or parties) as identified in OCP_INTRSTD_1-INDIVIDUALS; or (N) not; or NULL.	No	No
doc_prvnt_rmv_l_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is documentation that reasonable efforts were made to prevent the child's removal from their home; or (N) there is no documentation; or NULL.	No	No
doc_finlz_perm_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is documentation that reasonable efforts were made to finalize the child's permanency plan; or (N) there is no documentation; or NULL.	No	No
doc_judicl_determ_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is documentation regarding a judicial determination concerning the child's welfare; or (N) there is no documentation; or NULL.	No	No

Validation(s) of "county_no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column

Name	Unique
PK_order_case_person	Yes
IF889_order_case_person	No

Validation(s) of "log_id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column

Name	Unique
PK_order_case_person	Yes
XIF888order_case_person	No

Validation(s) of "person_id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column

Name	Unique
PK_order_case_person	Yes
NU_order_case_person_1	No

XIF88order case person	No
------------------------	----

Validation(s) of "court order no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court order no" Column	
Name	Unique
PK order case person	Yes
IF889 order case person	No

Validation(s) of "legal status cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal status cd" Column	
Name	Unique
IF890 order case person	No

Validation(s) of "acceptance date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prevent removal" Column			
Constraint Name	Min	Max	Rule
ck ocp prevrem			prevent removal IN ('Y', 'N')

Valid Value(s) of "ck ocp prevrem" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "judicial determ" Column			
Constraint Name	Min	Max	Rule
ck ocp juddeter			judicial determ IN ('Y', 'N')

Valid Value(s) of "ck ocp juddeter" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "ct specified plcmnt" Column			
Constraint Name	Min	Max	Rule
ck ocp ctspecplcmnt			ct specified plcmnt IN ('Y', 'N')

Valid Value(s) of "ck ocp ctspecplcmnt" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "restitution required" Column			
Constraint Name	Min	Max	Rule
ck ocp restreq			restitution required IN ('Y', 'N')

Valid Value(s) of "ck ocp restreq" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "paying restitution" Column			
Constraint Name	Min	Max	Rule
ck ocp payrest			paying restitution IN ('Y', 'N')

Valid Value(s) of "ck ocp payrest" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "rest paid full date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adoption referral" Column			
Constraint Name	Min	Max	Rule
ck ocp adref			adoption_referral IN ('Y', 'N')

Valid Value(s) of "ck ocp adref" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "permanency" Column			
Constraint Name	Min	Max	Rule
ck ocp permanency			permanency IN ('Y', 'N')

Valid Value(s) of "ck ocp permanency" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "m rights term date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "f rights term date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rights appealed" Column			
Constraint Name	Min	Max	Rule
ck ocp rghtappeal			rights_appealed IN ('Y', 'N', 'O', 'U')

Valid Value(s) of "ck ocp rghtappeal" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
O		Overtumed
U		Upheld

Validation(s) of "appeal resolved dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "conversion origin ind" Column			
Constraint Name	Min	Max	Rule
ck ocp convorgind			conversion_origin_ind IN ('Y', 'N')

Valid Value(s) of "ck ocp convorgind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dna profile ind" Column			
Constraint Name	Min	Max	Rule

ck_ocp_dnaprofind			dna_profile_ind IN ('Y', 'N')
-------------------	--	--	-------------------------------

Valid Value(s) of "ck_ocp_dnaprofind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "requirements_text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "plcmnt_care_ind" Column			
Constraint Name	Min	Max	Rule
ck_ocp_plcmntcareind			plcmnt_care_ind IN ('Y', 'N')

Valid Value(s) of "ck_ocp_plcmntcareind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "dispute_ind" Column			
Constraint Name	Min	Max	Rule
ck_ocp_disputeind			dispute_ind IN ('Y', 'N')

Valid Value(s) of "ck_ocp_disputeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "doc_prvnt_rmv_l_ind" Column			
Constraint Name	Min	Max	Rule
ck_ocp_docprvntrmv_lind			doc_prvnt_rmv_l_ind IN ('Y', 'N', 'R')

Valid Value(s) of "ck_ocp_docprvntrmv_lind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
R		Not yet required

Validation(s) of "doc_finlz_perm_ind" Column			
Constraint Name	Min	Max	Rule
ck_ocp_docfinlzpermind			doc_finlz_perm_ind IN ('Y', 'N')

Valid Value(s) of "ck_ocp_docfinlzpermind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "doc_judicl_determ_ind" Column			
Constraint Name	Min	Max	Rule
ck_ocp_docjdcldetind			doc_judicl_determ_ind IN ('Y', 'N')

Valid Value(s) of "ck_ocp_docjdcldetind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "removal reasons" Picture Object	
Name	removal_reasons
Comment	Identifies the reason codes for removing a child from his/her home.

Column(s) of "removal reasons" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
removal_seq_no	NUMBER	NOT NULL	System generated number that uniquely identifies an instance of removal.	Yes	Yes
removal_reason_cd	NUMBER(2)	NOT NULL	Codes for the reasons for removal from home (AFCARS); e.g. (Code: Description) 1: Physical Abuse 2: Sexual Abuse 3: Neglect 4: Alcohol Abuse of Parent 5: Drug Abuse of Parent etc.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK removal reasons	Yes
IF930 removal reasons	No

Validation(s) of "removal_seq_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "removal_seq_no" Column	
Name	Unique
PK removal reasons	Yes
IF930 removal reasons	No

Validation(s) of "removal_reason_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "removal_reason_cd" Column	
Name	Unique
PK removal reasons	Yes
IF929 removal reasons	No

Table(s) of "removal" Picture Object	
Name	removal
Comment	Contains information regarding the removal of a child from her/his home.

Column(s) of "removal" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
removal_seq_no	NUMBER	NOT NULL	System generated number that uniquely identifies an instance of removal.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
family_structure_code	VARCHAR2(1)	NULL	Codes for the family structure; i.e. (Code: Description) 0: Not Applicable 1: Married Couple 2: Un-Married Couple 3: Single Female 4: Single Male 5: Unable to Determine	No	Yes
primary_caretaker_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
secondary_caretaker_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
entered_date	DATE	NULL	Date on which the new family structure was entered.	No	No
removal_date	DATE	NULL	Date on which the person was removed from a placement.	No	No

Validation(s) of "removal_seq_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "removal_seq_no" Column	
Name	Unique
PK_removal	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "county no" Column	
Name	Unique
PK removal	Yes
NU removal	No
XIF928removal	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
NU removal	No
XIF928removal	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
NU removal	No
XIF928removal	No

Validation(s) of "family structure code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "family structure code" Column	
Name	Unique
IF932 removal	No

Validation(s) of "primary caretaker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary caretaker id" Column	
Name	Unique
IF933 removal	No

Validation(s) of "secondary caretaker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "secondary caretaker id" Column	
Name	Unique
IF934 removal	No

Validation(s) of "entered date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "removal date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "county" Picture Object	
Name	county
Comment	List of all the counties in the state of Michigan by county number and name. County number 0 is used for school purposes in all counties and county number 84 is used for the central office.

Column(s) of "county" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
zone_no	NUMBER(2)	NULL	A DHS assigned number that uniquely identifies an area within the state. Zones contain one or more counties.	No	Yes
county_name	VARCHAR2(30)	NULL	Name of the county.	No	No
shelter_area_no	VARCHAR2(1)	NULL	A number (1-6) used to group counties into areas for payments in LOA-2.	No	Yes
load_conv_opt	VARCHAR2(1)	NULL	The option that each county chose from ASSIST, when converting an 8 digit load number to a 10 digit load number. Values are zero through four.	No	No
as_conv_cmpl_ind	VARCHAR2(1)	NULL	Indicates that (Y) this county has been converted to the new ASCAP application; or (N) not	No	No
index_code	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
program_cost_account	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
medicaid_provider_id	VARCHAR2(7)	NULL	The provider identifier for medicaid for each county (used by ASCAP)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK county	Yes

Validation(s) of "zone_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zone_no" Column	
Name	Unique
IF297 county	No

Validation(s) of "county_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "shelter area no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shelter area no" Column	
Name	Unique
IF731 county	No

Validation(s) of "load conv opt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "as conv cmpl ind" Column			
Constraint Name	Min	Max	Rule
ck cnty asconvcmplind			as conv cmpl ind IN ('Y', 'N')

Valid Value(s) of "ck cnty asconvcmplind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program cost account" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medicaid provider id" Column			
Constraint Name	Min	Max	Rule

Table(s) of "case person" Picture Object	
Name	case_person
Comment	Contains all members (children, parents, relatives, others, but not providers) of a case. Data elements are specific to all members as they relate to a child, but does not include data about a child other than his/her LOG_ID and PERSON_ID.

Column(s) of "case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
person_status	VARCHAR2(1)	NULL	Person's status in this case; i.e. (A) active or (I) inactive.	No	No
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
previous_relation	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
have_custody	VARCHAR2(1)	NULL	Indicates if this person (Y) had custody of the child at time of removal; or (N) not.	No	No
lived_with_child	VARCHAR2(1)	NULL	Indicates that this person (Y) lived with the child at time of removal; or (N) not.	No	No
shows_interest	VARCHAR2(1)	NULL	Indicates that (Y) this person shows interest in the child; or (N) not.	No	No
shows_interest_text	VARCHAR2(80)	NULL	Free-form text for an explanation of why the person does or does not show interest in the child	No	No
emergency_contact	VARCHAR2(1)	NULL	Indicates that (Y) the person is an emergency contact for the child; or (N) not.	No	No
legal_parent	VARCHAR2(1)	NULL	Indicates that the person (Y) is the child's legal parent; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
prev_legal_parent	VARCHAR2(1)	NULL	Indicates that (Y) this person is the previous legal parent; or (N) not.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
payee_ind	VARCHAR2(1)	NULL	Indicates if the person in the case is the payee or not.	No	No
qualified_sib_ind	VARCHAR2(1)	NULL	Indicates if the person is qualified for reunification or not.	No	No
complaint_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the member was identified as part of the case at the time of the CPS complaint; or (N/ NULL) not.	No	No

letter_to_tip	VARCHAR2(1)	NULL	Indicates that (Y) a letter has been sent to the Tuition Incentive Program (TIP); or (N) not.	No	No
diploma	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their diploma; or (N) not.	No	No
diploma_endorsed	VARCHAR2(1)	NULL	Indicates that (Y) the child has passed all high school MEAP tests with appropriate scores, so their diploma was endorsed by the state of Michigan; or (N) not.	No	No
ged_received	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their GED; or (N) not.	No	No
primary_doctor_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
primary_doctor_provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
primary_dentist_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

primary_dentist_prov_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
parent_on_len_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person for this record is listed as the parent on the law enforcement notification; or (N) not; or NULL.	No	No
complaint_source_ind	VARCHAR2(1)	NULL	Indicates that (Y) this person is the source of the complaint in CPS; or (N) not; or NULL.	No	No
non_custodial_parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) a person identified in this record, is a non-custodial parent; or (N) not; or NULL.	No	No
adsub_inactive_ind	VARCHAR2(1)	NULL	Indicates if adoption subsidy for this person is inactive.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK case person	Yes
NU case person	No
IF485 case person	No

Validation(s) of "person_status" Column			
Constraint Name	Min	Max	Rule
ck_cp_persstat			person_status IN ('D', 'A', 'I')

Valid Value(s) of "ck_cp_persstat" Validation		
Data Value	Display Value	Definition
D		Deceased
A		Active
I		Inactive

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU case person	No
IF1102 case person	No

Validation(s) of "previous_relation" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous_relation" Column	
Name	Unique
IF427 case person	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
IF404 case person	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp10			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp10" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
IF404 case person	No

Validation(s) of "have_custody" Column			
Constraint Name	Min	Max	Rule
ck_cp_havecust			have_custody IN ('Y', 'N')

Valid Value(s) of "ck_cp_havecust" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "lived_with_child" Column			
Constraint Name	Min	Max	Rule
ck_cp_livwch			lived_with_child IN ('Y', 'N')

Valid Value(s) of "ck_cp_livwch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "shows_interest" Column			
Constraint Name	Min	Max	Rule
ck_cp_showint			shows_interest IN ('Y', 'N')

Valid Value(s) of "ck_cp_showint" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "shows interest text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emergency contact" Column			
Constraint Name	Min	Max	Rule
ck cp emergcont			emergency contact IN ('Y', 'N')

Valid Value(s) of "ck cp emergcont" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp legpar			legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp legpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp prevlegpar			prev legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp prevlegpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck cp phydel			physical delete IN ('Y', 'N')

Valid Value(s) of "ck cp phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payee ind" Column			
Constraint Name	Min	Max	Rule
ck cp payeeind			payee ind IN ('Y', 'N')

Valid Value(s) of "ck cp payeeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "qualified sib ind" Column			
Constraint Name	Min	Max	Rule
ck cp qualsibind			qualified sib ind IN ('Y', 'N')

Valid Value(s) of "ck cp qualsibind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "complaint_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntmembind			complaint_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntmembind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "letter_to_tip" Column			
Constraint Name	Min	Max	Rule
ck_cp_lettip			letter_to_tip IN ('Y', 'N')

Valid Value(s) of "ck_cp_lettip" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma" Column			
Constraint Name	Min	Max	Rule
ck_cp_dipl			diploma IN ('Y', 'N')

Valid Value(s) of "ck_cp_dipl" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma_endorsed" Column			
Constraint Name	Min	Max	Rule
ck_cp_diplendors			diploma_endorsed IN ('N', 'Y')

Valid Value(s) of "ck_cp_diplendors" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ged_received" Column			
Constraint Name	Min	Max	Rule
ck_cp_gedrcvd			ged_received IN ('Y', 'N')

Valid Value(s) of "ck_cp_gedrcvd" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "primary_doctor_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_doctor_id" Column	
Name	Unique
IF1618 case person	No

Validation(s) of "primary_doctor_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp11			primary_doctor_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp11" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_doctor_prov_type" Column	
Name	Unique
IF1618 case_person	No

Validation(s) of "primary_dentist_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_dentist_id" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "primary_dentist_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp12			primary_dentist_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp12" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_dentist_prov_type" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "parent_on_len_ind" Column			
Constraint Name	Min	Max	Rule
fk_cp_prntonlenind			parent_on_len_ind IN ('Y', 'N')

Valid Value(s) of "fk_cp_prntonlenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_source_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntsrcind			complaint_source_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntsrcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "non_custodial_parent_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_noncstdlprntind			non_custodial_parent_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_noncstdlprntind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "adsub inactive ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_adsbinctvind			adsub_inactive_ind IN ('Y')

Valid Value(s) of "ck_cp_adsbinctvind" Validation		
Data Value	Display Value	Definition
Y		

Table(s) of "legal_rep" Picture Object	
Name	legal_rep
Comment	Contains the name and email address of the legal representative for a person involved in a case.

Column(s) of "legal_rep" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
rep_id	NUMBER	NOT NULL	System generated number that uniquely identifies a legal representative.	Yes	No
last_name	VARCHAR2(30)	NULL	Legal representative's last name.	No	No
first_name	VARCHAR2(30)	NULL	Legal representative's first name.	No	No
middle_name	VARCHAR2(30)	NULL	Legal representative's middle name or initial.	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the legal representative.	No	No

Validation(s) of "rep_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rep_id" Column	
Name	Unique
PK_legal_rep	Yes

Validation(s) of "last_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "first_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "email_address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "comments" Picture Object	
Name	comments
Comment	Stores the actual comment along with the case to which it belongs, the worker who entered and/or modified it and appropriate dates.

Column(s) of "comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
comment_type	VARCHAR2(10)	NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	No	Yes
date_entered	DATE	NULL	Date on which the comment is entered.	No	No
text_clob	CLOB	NULL	Text which can accomodate longer narratives with formatting.	No	No
text	VARCHAR2(4000)	NULL	The comment text entered by the user.	No	No
entered_by_login_name	VARCHAR2(20)	NULL	Login name of the person entering the comment.	No	No
modified_by_login_name	VARCHAR2(20)	NULL	Login name of the person modifying the comment.	No	No

modified_date	DATE	NULL	The date on which the comment was modified.	No	No
---------------	------	------	---	----	----

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
PK_comments	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_comments	Yes
IF779_comments	No

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF779_comments	No

Validation(s) of "comment_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_type" Column	
Name	Unique
IF163_comments	No

Validation(s) of "date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text_clob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "entered by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "person" Picture Object	
Name	person
Comment	Assigns a system generated sequence number for all people associated with the SWSS case. The PERSON_ID data element is originated here for the SWSS case and is the only data element in this table.

Column(s) of "person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK_person	Yes

Table(s) of "court petition" Picture Object	
Name	court petition
Comment	Identifies all petitions assigned to a court.

Column(s) of "court petition" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
petition_id	NUMBER	NOT NULL	System generated number that uniquely identifies a court petition.	Yes	Yes
court_no	NUMBER(4)	NOT NULL	Codes for the courts; e.g. (Code: Description) 1: Unknown Court 986: Out of State Court 1051: Ingham County Probate Court etc.	Yes	Yes
court_type_code	VARCHAR2(2)	NULL	Codes for types of courts issuing an order; e.g. (Code: Description) 1: Circuit Court - Family Division 2: Probate Court 3: Circuit Court - Criminal Division 4: District Court etc.	No	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK court petition	Yes
IF318 court petition	No

Validation(s) of "petition_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition_id" Column	
Name	Unique
PK court petition	Yes
IF318 court petition	No

Validation(s) of "court_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court no" Column	
Name	Unique
PK court petition	Yes
IF319 court petition	No

Validation(s) of "court type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court type code" Column	
Name	Unique
IF999 court petition	No

Table(s) of "petition case person" Picture Object	
Name	petition case person
Comment	Identifies all people associated with a petition.

Column(s) of "petition case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
petition_id	NUMBER	NOT NULL	System generated number that uniquely identifies a court petition.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
proceed_term_ind	VARCHAR2(1)	NULL	Indicates that (Y) It is in the best interest of the child to proceed with termination; or (N) It is not.	No	No
proceed_term_comment	VARCHAR2(2000)	NULL	Text for explaining why it is not in the best interest of the child to proceed with termination of parental rights.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK petition case person	Yes
XIF379petition case person	No

Validation(s) of "petition id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition id" Column	
Name	Unique
PK petition case person	Yes
IF316 petition case person	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique

PK petition case person	Yes
NU petition case person	No
XIF379petition case person	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK petition case person	Yes
NU petition case person 1	No
NU petition case person	No
XIF379petition case person	No

Validation(s) of "proceed term ind" Column			
Constraint Name	Min	Max	Rule
ck pcp predtermind			proceed term ind IN ('Y', 'N')

Valid Value(s) of "ck pcp predtermind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "proceed term comment" Column			
Constraint Name	Min	Max	Rule

Table(s) of "legal rep address" Picture Object	
Name	legal rep address
Comment	Identifies a legal representative's address by ADDR_TYPE_CODE and REP_ID.

Column(s) of "legal rep address" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
rep_id	NUMBER	NOT NULL	System generated number that uniquely identifies a legal representative.	Yes	Yes
addr_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of address; i.e. (Code: Description) M: Mailing P: Primary	Yes	Yes
address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes

Validation(s) of "rep_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rep_id" Column	
Name	Unique
PK legal rep address	Yes
IF286 legal rep address	No

Validation(s) of "addr type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "addr type code" Column	
Name	Unique
PK legal rep address	Yes
IF599 legal rep address	No

Validation(s) of "address_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "address_id" Column	
Name	Unique
IF661 legal rep address	No

Table(s) of "legal rep phone" Picture Object	
Name	legal rep phone
Comment	Identifies a legal representative's phone by PHONE TYPE CODE and REP ID.

Column(s) of "legal rep phone" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
rep_id	NUMBER	NOT NULL	System generated number that uniquely identifies a legal representative.	Yes	Yes
phone_type_code	VARCHAR2(2)	NOT NULL	Codes for the type of phone number; i. e. (Code: Description) P1: Primary Telephone Number P2: Alternate Telephone Number PM: Phone at Mailing Address F: Fax T: TTD Y: YPSI	Yes	Yes
phone_id	NUMBER	NULL	System generated number that uniquely identifies a phone number.	No	Yes
extension	VARCHAR2(5)	NULL	Phone extension for the legal representative at the phone number identified by PHONE ID.	No	No

Validation(s) of "rep_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rep_id" Column	
Name	Unique
PK legal rep phone	Yes
IF285 legal rep phone	No

Validation(s) of "phone type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone type code" Column	
Name	Unique
PK legal rep phone	Yes
IF598 legal rep phone	No

Validation(s) of "phone id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "phone id" Column	
Name	Unique
IF660 legal rep phone	No

Validation(s) of "extension" Column			
Constraint Name	Min	Max	Rule

Table(s) of "represent whom" Picture Object	
Name	represent whom
Comment	Identifies the legal representative(s), people who or organizations which are represented, and dates of representation.

Column(s) of "represent whom" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
leg_rep_seq_no	NUMBER	NOT NULL	System generated number that uniquely identifies each occurrence of whom the legal representative is representing.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
legal_rep_code	VARCHAR2(2)	NULL	Codes for types of legal representatives; e.g. (Code: Description) AT: Attorney CA: Child Advocate GL: Guardian Ad Litem RE: Referee JU: Judge etc.	No	Yes
rep_id	NUMBER	NULL	System generated number that uniquely identifies a legal representative.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
begin_date	DATE	NOT NULL	Date on which the legal representative began representing the person or organization.	No	No
end_date	DATE	NULL	Date on which the legal representative stopped representing the person or organization.	No	No
rep_whom	VARCHAR2(30)	NULL	First name and last name of the person (or name of the organization) who, is being represented	No	No

Validation(s) of "leg_rep_seq_no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "leg rep seq no" Column	
Name	Unique
PK represent whom	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK represent whom	Yes
NU represent whom	No
XIF283represent whom	No

Validation(s) of "legal rep code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal rep code" Column	
Name	Unique
IF1059 represent whom	No

Validation(s) of "rep id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rep id" Column	
Name	Unique
IF281 represent whom	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
NU represent whom	No
XIF283represent whom	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
NU represent whom	No
XIF283represent whom	No

Validation(s) of "begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rep whom" Column			
Constraint Name	Min	Max	Rule

Table(s) of "offense_type" Picture Object	
Name	offense_type
Comment	Contains codes and descriptions for offenses which may be committed by a child.

Column(s) of "offense_type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
offense_type_code	VARCHAR2(3)	NOT NULL	Codes for types of offenses; e.g. (Code: Description) 101: Assault with Intent to Rob 102: Attempted Murder 103: Murder I 104: Murder II 105: Criminal Sexual Conduct I etc.	Yes	No
description	VARCHAR2(200)	NULL	Explanation of OFFENSE_TYPE_CODE.	No	No

Validation(s) of "offense_type_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "offense_type_code" Column	
Name	Unique
PK_offense_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "hearing" Picture Object	
Name	hearing
Comment	Contains information on hearings for a given petition.

Column(s) of "hearing" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
hearing_no	NUMBER	NOT NULL	System generated number that uniquely identifies a hearing.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
petition_id	NUMBER	NULL	System generated number that uniquely identifies a court petition.	No	Yes
hearing_date	DATE	NULL	Date of the court hearing (AFCARS).	No	No
next_hearing_date	DATE	NULL	Date (including time), on which the next hearing is scheduled.	No	No
next_hearing_date_est_ind	VARCHAR2(1)	NULL	Indicates that (Y) NEXT_HEARING_DATE is an estimated date; (N) not; or NULL	No	No
report_due_date	DATE	NULL	Date on which court report is due from FIA to court.	No	No
comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
type_of_hearing	VARCHAR2(3)	NULL	Codes for types of hearings pertaining to juvenile justice; e. g. (Code: Description) 100: Detention Hearing-Juvenile 101: Preliminary Hearing-Juvenile 102: Arraignment-Adult 103: Preliminary Exam-Adult 104: Contested PreTrial-Juvenile etc.	No	Yes

next_hearing_text	VARCHAR2(2000)	NULL	Text for explaining the recommendations for the court order content for the next hearing.	No	No
next_hearing_type_code	NUMBER(2)	NULL	Codes for types of court orders; e.g. (Code: Description) 1: Emergency 2: Preliminary 3: Pretrial Conference 4: Adjudication 5: Disposition etc. Re-named from COURT_ORDER - TYPE, ORDER_T - YPE CODE	No	Yes
court_no	NUMBER(4)	NULL	Codes for the courts; e.g. (Code: Description) 1: Unknown Court 986: Out of State Court 1051: Ingham County Probate Court etc.	No	Yes
court_wardship_end_date	DATE	NULL	Date on which the court wardship ended or will end.	No	No
crt_wrdshp_end_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
cps_court_close_code	VARCHAR2(1)	NULL	Contains codes regarding the court's decision for closing or continuing CPS involvement at a hearing; (i.e. Code: Description): 1: CPS case continues; in-home services and monitoring 2: CPS case closing; no referrals 3: CPS case closing; referral(s) for community service 4: Other	No	Yes
cps_court_close_other	VARCHAR2(100)	NULL	Free-form text for the further explanation when the CPS_COURT_CLOSE_CODE is "Other".	No	No
cps_crt_close_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes

Validation(s) of "hearing no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "hearing no" Column

Name	Unique

PK hearing	Yes
------------	-----

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK hearing	Yes
NU hearing	No
XIF248hearing	No

Validation(s) of "petition id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition id" Column	
Name	Unique
NU hearing	No
XIF248hearing	No

Validation(s) of "hearing date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "next hearing date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "next hearing date est ind" Column			
Constraint Name	Min	Max	Rule
ck_hr_nxthrdtestind			next_hearing_date_est_ind IN ('Y', 'N')

Valid Value(s) of "ck_hr_nxthrdtestind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "report due date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment id" Column	
Name	Unique
IF757 hearing	No

Validation(s) of "type of hearing" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "type of hearing" Column	
Name	Unique
IF822 hearing	No

Validation(s) of "next hearing text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "next hearing type code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "next hearing type code" Column	
Name	Unique
IF1632 hearing	No

Validation(s) of "court no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court no" Column	
Name	Unique
IF1651 hearing	No

Validation(s) of "court wardship end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "crt wrdshp end comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "crt wrdshp end comment id" Column	
Name	Unique
IF1655 hearing	No

Validation(s) of "cps court close code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps court close code" Column	
Name	Unique
IF1652 hearing	No

Validation(s) of "cps court close other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cps crt close comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cps crt close comment id" Column	
Name	Unique
IF1654 hearing	No

Table(s) of "offense" Picture Object	
Name	offense
Comment	Contains information for keeping track of each offense committed by a child.

Column(s) of "offense" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
offense_date	DATE	NOT NULL	Date of juvenile justice offense.	Yes	No
offense_type_code	VARCHAR2(3)	NOT NULL	Codes for types of offenses; e.g. (Code: Description) 101: Assault with Intent to Rob 102: Attempted Murder 103: Murder I 104: Murder II 105: Criminal Sexual Conduct I etc.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
arrest_date	DATE	NULL	Date on which youth was arrested for an offense.	No	No
sex_offense_register	VARCHAR2(1)	NULL	Indicates that (Y) the youth is required to register on the sex offense register; or (N) not	No	No
court_order_no	NUMBER	NULL	System generated number that uniquely identifies a court order.	No	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_offense	Yes
NU_offense	No
XIF198offense	No

Validation(s) of "offense_date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "offense_date" Column	
Name	Unique

PK offense	Yes
------------	-----

Validation(s) of "offense type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "offense type code" Column	
Name	Unique
PK offense	Yes
IF250 offense	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
PK offense	Yes
NU offense	No
XIF198offense	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
PK offense	Yes
NU offense	No
XIF198offense	No

Validation(s) of "arrest date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sex offense register" Column			
Constraint Name	Min	Max	Rule
ck of sexoffreg			sex offense register IN ('Y', 'N')

Valid Value(s) of "ck of sexoffreg" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "court order no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court order no" Column	
Name	Unique
IF820 offense	No

Table(s) of "mandate reason codes" Picture Object	
Name	mandate reason codes
Comment	Contains codes and descriptions for why a petition is mandated.

Column(s) of "mandate reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	Yes	Yes
mandate_reason_cd	VARCHAR2(2)	NOT NULL	Contains codes for why a petition was mandated.	Yes	No
description	VARCHAR2(200)	NULL	Explanation of MANDATE_REASON_CD.	No	No

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program code" Column	
Name	Unique
PK mandate reason codes	Yes
IF1231 mandate reason codes	No

Validation(s) of "mandate reason cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mandate reason cd" Column	
Name	Unique
PK mandate reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "mandate choice codes" Picture Object	
Name	mandate choice codes
Comment	Contains codes and descriptions that provide additional details for a particular MANDATE_REASON_CODES record.

Column(s) of "mandate choice codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	Yes	Yes
mandate_reason_cd	VARCHAR2(2)	NOT NULL	Contains codes for why a petition was mandated.	Yes	Yes
mandate_choice_cd	VARCHAR2(2)	NOT NULL	Contains codes that provide additional details for the MANDATE_REASON_CD.	Yes	No
description	VARCHAR2(200)	NULL	Explanation of MANDATE_CHOICE_CD.	No	No

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program code" Column	
Name	Unique
PK mandate choice codes	Yes
IF1232 mandate choice codes	No

Validation(s) of "mandate reason cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mandate reason cd" Column	
Name	Unique
PK mandate choice codes	Yes
IF1232 mandate choice codes	No

Validation(s) of "mandate choice cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mandate choice cd" Column	
Name	Unique
PK mandate choice codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "mandate reasons" Picture Object	
Name	mandate reasons
Comment	Resolves the many-to-many relationship between PETITION and MANDATE_REASON_CODES and/or MANDATE_CHOICE_CODES. Used for identifying the reason(s) why the identified petition is mandated.

Column(s) of "mandate reasons" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
petition_id	NUMBER	NOT NULL	System generated number that uniquely identifies a court petition.	Yes	Yes
mandate_reason_id	NUMBER	NOT NULL	System generated number that uniquely identifies each reason for the mandated petition	Yes	No
program_code	VARCHAR2(4)	NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	No	Yes
mandate_reason_cd	VARCHAR2(2)	NULL	Contains codes for why a petition was mandated.	No	Yes
mandate_choice_cd	VARCHAR2(2)	NULL	Contains codes that provide additional details for the MANDATE_REASON_CD	No	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK_mandate_reasons	Yes
IF1233_mandate_reasons	No

Validation(s) of "petition id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition id" Column	
Name	Unique
PK_mandate_reasons	Yes
IF1233_mandate_reasons	No

Validation(s) of "mandate reason id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "mandate reason id" Column	
Name	Unique
PK mandate reasons	Yes

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program code" Column	
Name	Unique
IF1234 mandate reasons	No

Validation(s) of "mandate reason cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mandate reason cd" Column	
Name	Unique
IF1234 mandate reasons	No

Validation(s) of "mandate choice cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mandate choice cd" Column	
Name	Unique
IF1235 mandate reasons	No

Table(s) of "jurisdiction codes" Picture Object	
Name	jurisdiction_codes
Comment	Contains codes and descriptions for all 83 counties (numbered 1 through 83) and also the Native American tribes/bands of Michigan. It is used for the county or tribe/band from which the youth was charged and committed.

Column(s) of "jurisdiction_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
jurisdiction_code	VARCHAR2(2)	NOT NULL	Contains codes for all 83 counties (numbered 1 through 83) and also the Native American tribes/bands of Michigan. It is used for the county or tribe/band from which the youth was charged and committed.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of JURISDICTION_CODE.	No	No

Validation(s) of "jurisdiction_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "jurisdiction_code" Column	
Name	Unique
PK_jurisdiction_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "intrstd indiv codes" Picture Object	
Name	intrstd indiv codes
Comment	Contains codes and descriptions for the individuals who were in disagreement with a court ordered placement.

Column(s) of "intrstd indiv codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
intrstd_indiv_code	VARCHAR2(2)	NOT NULL	Contains codes for the individuals who were in disagreement with a court ordered placement (i.e. 1: Agency staff; 2: Guardian Ad Litem; 3: Parents).	Yes	No
description	VARCHAR2(30)	NULL	Explanation of INTRSTD_INDIV_CODE.	No	No

Validation(s) of "intrstd indiv code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "intrstd indiv code" Column	
Name	Unique
PK intrstd indiv codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "ocp intrstd individuals" Picture Object	
Name	ocp intrstd individuals
Comment	Identifies the people involved with a specific court order, who are in dispute with the court ordered placement.

Column(s) of "ocp intrstd individuals" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
court_order_no	NUMBER	NOT NULL	System generated number that uniquely identifies a court order.	Yes	Yes
intrstd_indiv_code	VARCHAR2(2)	NOT NULL	Contains codes for the individuals who were in disagreement with a court ordered placement (i.e. 1: Agency staff; 2: Guardian Ad Litem; 3: Parents).	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK ocp intrstd individuals	Yes
IF1328 ocp intrstd individuals	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK ocp intrstd individuals	Yes
IF1328 ocp intrstd individuals	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK ocp intrstd individuals	Yes

IF1328 ocp intrstd individuals	No
--------------------------------	----

Validation(s) of "court order no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "court order no" Column	
Name	Unique
PK ocp intrstd individuals	Yes
IF1328 ocp intrstd individuals	No

Validation(s) of "intrstd indiv code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "intrstd indiv code" Column	
Name	Unique
PK ocp intrstd individuals	Yes
IF1327 ocp intrstd individuals	No

Table(s) of "petition reason codes" Picture Object	
Name	petition reason codes
Comment	Contains codes and descriptions for the reasons for a petition.

Column(s) of "petition reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
petition_reason_code	VARCHAR2(1)	NOT NULL	Contains codes for the reasons for a petition.	Yes	No
description	VARCHAR2(70)	NULL	Explanation of PETITION_REASON_CODE.	No	No
end_date	DATE	NULL	Date on which a PETITION_REASON_CODE is no longer valid for use in the application. Null if still in use.	No	No

Validation(s) of "petition reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "petition reason code" Column	
Name	Unique
PK petition reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

ma_cims_conversions / Display1

ma_conv_cims_all_ma_info

```

cims_recpt_id: NUMBER(8) NOT NULL
date_created: DATE NOT NULL

cims_child_name: VARCHAR2(20) NULL
cims_child_dob: VARCHAR2(8) NULL
ma_begin_date: VARCHAR2(8) NULL
ma_end_date: VARCHAR2(8) NULL
cims_case_no: VARCHAR2(9) NULL
ma_scope_coverage: VARCHAR2(2) NULL
ma_other_med: VARCHAR2(2) NULL
cims_case_name: VARCHAR2(20) NULL
ma_pama_prog: VARCHAR2(1) NULL
ma_pama_status: NUMBER(1) NULL
ma_p1: NUMBER(1) NULL
ma_p2: NUMBER(1) NULL
ma_p3: NUMBER(1) NULL
ma_p4: NUMBER(1) NULL
ma_p5: NUMBER(1) NULL
ma_p6: NUMBER(1) NULL
ma_p7: NUMBER(1) NULL
ma_p8: NUMBER(1) NULL
ma_p9: NUMBER(1) NULL
cims_county_no: VARCHAR2(2) NULL
cims_load_no: VARCHAR2(8) NULL
cims_residence_county: VARCHAR2(2) NULL

```

ma_conv_cims_all_ma_info_temp

```

cims_recpt_id: NUMBER(8) NOT NULL
date_created: DATE NOT NULL

cims_child_name: VARCHAR2(20) NULL
cims_child_dob: VARCHAR2(8) NULL
ma_begin_date: VARCHAR2(8) NULL
ma_end_date: VARCHAR2(8) NULL
cims_case_no: VARCHAR2(9) NULL
ma_scope_coverage: VARCHAR2(2) NULL
ma_other_med: VARCHAR2(2) NULL
cims_case_name: VARCHAR2(20) NULL
ma_pama_prog: VARCHAR2(1) NULL
ma_pama_status: NUMBER(1) NULL
ma_p1: NUMBER(1) NULL
ma_p2: NUMBER(1) NULL
ma_p3: NUMBER(1) NULL
ma_p4: NUMBER(1) NULL
ma_p5: NUMBER(1) NULL
ma_p6: NUMBER(1) NULL
ma_p7: NUMBER(1) NULL
ma_p8: NUMBER(1) NULL
ma_p9: NUMBER(1) NULL
cims_county_no: VARCHAR2(2) NULL
cims_load_no: VARCHAR2(8) NULL
cims_residence_county: VARCHAR2(2) NULL

```

ma_conv_rid_mapg_match

```

county_no: NUMBER(2) NOT NULL
as_swss_id: NUMBER NOT NULL
swss_recipient_id: NUMBER(12) NOT NULL
cims_recpt_id: NUMBER(8) NOT NULL
date_created: DATE NOT NULL

adsub_recipient_id: NUMBER(12) NULL
case_no: VARCHAR2(30) NULL
child_last_name: VARCHAR2(30) NULL
child_first_name: VARCHAR2(30) NULL
child_middle_name: VARCHAR2(30) NULL
child_ssn: VARCHAR2(10) NULL
child_dob: DATE NULL
residence_county: NUMBER(2) NULL
latest_legal_status: NUMBER(2) NULL
system_ind: VARCHAR2(1) NULL
swss_child_id: NUMBER NULL
swss_log_id: NUMBER NULL
swss_sib_grp_id: NUMBER NULL
swss_program_status: NUMBER(1) NULL
swss_program_code: VARCHAR2(4) NULL
swss_case_state: VARCHAR2(4) NULL
cims_child_name: VARCHAR2(20) NULL
cims_child_dob: VARCHAR2(8) NULL
ma_begin_date: VARCHAR2(8) NULL
ma_end_date: VARCHAR2(8) NULL
cims_case_no: VARCHAR2(9) NULL
ma_scope_coverage: VARCHAR2(2) NULL
ma_other_med: VARCHAR2(2) NULL
cims_case_name: VARCHAR2(20) NULL
ma_pama_prog: VARCHAR2(1) NULL
ma_pama_status: NUMBER(1) NULL
ma_p1: NUMBER(1) NULL
ma_p2: NUMBER(1) NULL
ma_p3: NUMBER(1) NULL
ma_p4: NUMBER(1) NULL
ma_p5: NUMBER(1) NULL
ma_p6: NUMBER(1) NULL
ma_p7: NUMBER(1) NULL
ma_p8: NUMBER(1) NULL
ma_p9: NUMBER(1) NULL
cims_county_no: VARCHAR2(2) NULL
cims_load_no: VARCHAR2(8) NULL
cims_residence_county: VARCHAR2(2) NULL
ma_conv_ind: VARCHAR2(1) NULL
as_title_ive_elig_ind: VARCHAR2(1) NULL
child_age_now: NUMBER(2) NULL
age_unit_ind: VARCHAR2(1) NULL
case_status_code: VARCHAR2(2) NULL
status_description: VARCHAR2(100) NULL

```

ma_conv_rid_mapg_match_temp

```

county_no: NUMBER(2) NOT NULL
as_swss_id: NUMBER NOT NULL
swss_recipient_id: NUMBER(12) NOT NULL
cims_recpt_id: NUMBER(8) NOT NULL
date_created: DATE NOT NULL

adsub_recipient_id: NUMBER(12) NULL
case_no: VARCHAR2(30) NULL
child_last_name: VARCHAR2(30) NULL
child_first_name: VARCHAR2(30) NULL
child_middle_name: VARCHAR2(30) NULL
child_ssn: VARCHAR2(10) NULL
child_dob: DATE NULL
residence_county: NUMBER(2) NULL
latest_legal_status: NUMBER(2) NULL
system_ind: VARCHAR2(1) NULL
swss_child_id: NUMBER NULL
swss_log_id: NUMBER NULL
swss_sib_grp_id: NUMBER NULL
swss_program_status: NUMBER(1) NULL
swss_program_code: VARCHAR2(4) NULL
swss_case_state: VARCHAR2(4) NULL
cims_child_name: VARCHAR2(20) NULL
cims_child_dob: VARCHAR2(8) NULL
ma_begin_date: VARCHAR2(8) NULL
ma_end_date: VARCHAR2(8) NULL
cims_case_no: VARCHAR2(9) NULL
ma_scope_coverage: VARCHAR2(2) NULL
ma_other_med: VARCHAR2(2) NULL
cims_case_name: VARCHAR2(20) NULL
ma_pama_prog: VARCHAR2(1) NULL
ma_pama_status: NUMBER(1) NULL
ma_p1: NUMBER(1) NULL
ma_p2: NUMBER(1) NULL
ma_p3: NUMBER(1) NULL
ma_p4: NUMBER(1) NULL
ma_p5: NUMBER(1) NULL
ma_p6: NUMBER(1) NULL
ma_p7: NUMBER(1) NULL
ma_p8: NUMBER(1) NULL
ma_p9: NUMBER(1) NULL
cims_county_no: VARCHAR2(2) NULL
cims_load_no: VARCHAR2(8) NULL
cims_residence_county: VARCHAR2(2) NULL
ma_conv_ind: VARCHAR2(1) NULL
as_title_ive_elig_ind: VARCHAR2(1) NULL
child_age_now: NUMBER(2) NULL
age_unit_ind: VARCHAR2(1) NULL
case_status_code: VARCHAR2(2) NULL
status_description: VARCHAR2(100) NULL

```

Table(s) of "ma conv cims all ma info" Picture Object	
Name	ma conv cims all ma info
Comment	

Column(s) of "ma conv cims all ma info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
cims recpt id	NUMBER(8)	NOT NULL		Yes	No
date created	DATE	NOT NULL		Yes	No
cims child name	VARCHAR2(20)	NULL		No	No
cims child dob	VARCHAR2(8)	NULL		No	No
ma begin date	VARCHAR2(8)	NULL		No	No
ma end date	VARCHAR2(8)	NULL		No	No
cims case no	VARCHAR2(9)	NULL		No	No
ma scope coverage	VARCHAR2(2)	NULL		No	No
ma other med	VARCHAR2(2)	NULL		No	No
cims case name	VARCHAR2(20)	NULL		No	No
ma pama prog	VARCHAR2(1)	NULL		No	No
ma pama status	NUMBER(1)	NULL		No	No
ma p1	NUMBER(1)	NULL		No	No
ma p2	NUMBER(1)	NULL		No	No
ma p3	NUMBER(1)	NULL		No	No
ma p4	NUMBER(1)	NULL		No	No
ma p5	NUMBER(1)	NULL		No	No
ma p6	NUMBER(1)	NULL		No	No
ma p7	NUMBER(1)	NULL		No	No
ma p8	NUMBER(1)	NULL		No	No
ma p9	NUMBER(1)	NULL		No	No
cims county no	VARCHAR2(2)	NULL		No	No
cims load no	VARCHAR2(8)	NULL		No	No
cims residence county	VARCHAR2(2)	NULL		No	No

Validation(s) of "cims recpt id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cims recpt id" Column	
Name	Unique
PK ma conv cims all ma info	Yes

Validation(s) of "date created" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "date created" Column	
Name	Unique
PK ma conv cims all ma info	Yes

Validation(s) of "cims child name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims child dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims case no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ma scope coverage" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma other med" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims case name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma pama prog" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma pama status" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p3" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p4" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p5" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p6" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p7" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p8" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p9" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims load no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims residence county" Column			
Constraint Name	Min	Max	Rule

Table(s) of "ma conv rid mapg match" Picture Object	
Name	ma conv rid mapg match
Comment	

Column(s) of "ma conv rid mapg match" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county no	NUMBER(2)	NOT NULL		Yes	No
as swss id	NUMBER	NOT NULL		Yes	No
swss recipient id	NUMBER(12)	NOT NULL		Yes	No
cims recpt id	NUMBER(8)	NOT NULL		Yes	No
date created	DATE	NOT NULL		Yes	No
adsub recipient id	NUMBER(12)	NULL		No	No
case no	VARCHAR2(30)	NULL		No	No
child last name	VARCHAR2(30)	NULL		No	No
child first name	VARCHAR2(30)	NULL		No	No
child middle name	VARCHAR2(30)	NULL		No	No
child ssn	VARCHAR2(10)	NULL		No	No
child dob	DATE	NULL		No	No
residence county	NUMBER(2)	NULL		No	No
latest legal status	NUMBER(2)	NULL		No	No
system ind	VARCHAR2(1)	NULL		No	No
swss child id	NUMBER	NULL		No	No
swss log id	NUMBER	NULL		No	No
swss sib grp id	NUMBER	NULL		No	No
swss program status	NUMBER(1)	NULL		No	No
swss program code	VARCHAR2(4)	NULL		No	No
swss case state	VARCHAR2(4)	NULL		No	No
cims child name	VARCHAR2(20)	NULL		No	No
cims child dob	VARCHAR2(8)	NULL		No	No
ma begin date	VARCHAR2(8)	NULL		No	No
ma end date	VARCHAR2(8)	NULL		No	No
cims case no	VARCHAR2(9)	NULL		No	No
ma scope coverage	VARCHAR2(2)	NULL		No	No
ma other med	VARCHAR2(2)	NULL		No	No
cims case name	VARCHAR2(20)	NULL		No	No
ma pama prog	VARCHAR2(1)	NULL		No	No
ma pama status	NUMBER(1)	NULL		No	No
ma p1	NUMBER(1)	NULL		No	No
ma p2	NUMBER(1)	NULL		No	No
ma p3	NUMBER(1)	NULL		No	No
ma p4	NUMBER(1)	NULL		No	No
ma p5	NUMBER(1)	NULL		No	No
ma p6	NUMBER(1)	NULL		No	No
ma p7	NUMBER(1)	NULL		No	No
ma p8	NUMBER(1)	NULL		No	No
ma p9	NUMBER(1)	NULL		No	No
cims county no	VARCHAR2(2)	NULL		No	No
cims load no	VARCHAR2(8)	NULL		No	No
cims residence county	VARCHAR2(2)	NULL		No	No
ma conv ind	VARCHAR2(1)	NULL		No	No
as title ive elig ind	VARCHAR2(1)	NULL		No	No
child age now	NUMBER(2)	NULL		No	No
age unit ind	VARCHAR2(1)	NULL		No	No
case status code	VARCHAR2(2)	NULL		No	No
status description	VARCHAR2(100)	NULL		No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK ma conv rid mapg match	Yes

Validation(s) of "as swss id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "as swss id" Column			
Name	Unique		
PK ma conv rid mapg match	Yes		

Validation(s) of "swss recipient id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "swss recipient id" Column			
Name	Unique		
PK ma conv rid mapg match	Yes		

Validation(s) of "cims recpt id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cims recpt id" Column			
Name	Unique		
PK ma conv rid mapg match	Yes		

Validation(s) of "date created" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "date created" Column			
Name	Unique		
PK ma conv rid mapg match	Yes		

Validation(s) of "adsub recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "residence county" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "latest legal status" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "system ind" Column			
Constraint Name	Min	Max	Rule
ck_maconvridmtch_sysind			system_ind IN ('S', 'A')

Valid Value(s) of "ck_maconvridmtch_sysind" Validation		
Data Value	Display Value	Definition
S		SWSS
A		Adoption Subsidy

Validation(s) of "swss_child_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_log_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_program_status" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_program_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_case_state" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims_child_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims_child_dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma_begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma_end_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims_case_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma_scope_coverage" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma_other_med" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "cims case name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma pama prog" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma pama status" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p3" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p4" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p5" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p6" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p7" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p8" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p9" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims load no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims residence county" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma conv ind" Column			
Constraint Name	Min	Max	Rule

ck_maconvridmtch_maconvind			ma_conv_ind IN ('Y')
----------------------------	--	--	----------------------

Valid Value(s) of "ck_maconvridmtch_maconvind" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "as_title_ive_elig_ind" Column			
Constraint Name	Min	Max	Rule
ck_maconvridmtch_iveind			as_title_ive_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck_maconvridmtch_iveind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "child_age_now" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "age_unit_ind" Column			
Constraint Name	Min	Max	Rule
ck_maconvridmtch_ageunitind			age_unit_ind IN ('Y', 'M', 'W', 'D')

Valid Value(s) of "ck_maconvridmtch_ageunitind" Validation		
Data Value	Display Value	Definition
Y		Years
M		Months
W		Weeks
D		Days

Validation(s) of "case_status_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "status_description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "ma conv cims all ma info temp" Picture Object	
Name	ma conv cims all ma info temp
Comment	

Column(s) of "ma conv cims all ma info temp" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
cims recpt id	NUMBER(8)	NOT NULL		Yes	No
date created	DATE	NOT NULL		Yes	No
cims child name	VARCHAR2(20)	NULL		No	No
cims child dob	VARCHAR2(8)	NULL		No	No
ma begin date	VARCHAR2(8)	NULL		No	No
ma end date	VARCHAR2(8)	NULL		No	No
cims case no	VARCHAR2(9)	NULL		No	No
ma scope coverage	VARCHAR2(2)	NULL		No	No
ma other med	VARCHAR2(2)	NULL		No	No
cims case name	VARCHAR2(20)	NULL		No	No
ma pama prog	VARCHAR2(1)	NULL		No	No
ma pama status	NUMBER(1)	NULL		No	No
ma p1	NUMBER(1)	NULL		No	No
ma p2	NUMBER(1)	NULL		No	No
ma p3	NUMBER(1)	NULL		No	No
ma p4	NUMBER(1)	NULL		No	No
ma p5	NUMBER(1)	NULL		No	No
ma p6	NUMBER(1)	NULL		No	No
ma p7	NUMBER(1)	NULL		No	No
ma p8	NUMBER(1)	NULL		No	No
ma p9	NUMBER(1)	NULL		No	No
cims county no	VARCHAR2(2)	NULL		No	No
cims load no	VARCHAR2(8)	NULL		No	No
cims residence county	VARCHAR2(2)	NULL		No	No

Validation(s) of "cims recpt id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cims recpt id" Column	
Name	Unique
PK ma conv cims all ma info te	Yes

Validation(s) of "date created" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "date created" Column	
Name	Unique
PK ma conv cims all ma info te	Yes

Validation(s) of "cims child name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims child dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims case no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ma scope coverage" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma other med" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims case name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma pama prog" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma pama status" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p3" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p4" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p5" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p6" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p7" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p8" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p9" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims load no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims residence county" Column			
Constraint Name	Min	Max	Rule

Table(s) of "ma conv rid mapg match temp" Picture Object	
Name	ma conv rid mapg match temp
Comment	

Column(s) of "ma conv rid mapg match temp" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county no	NUMBER(2)	NOT NULL		Yes	No
as swss id	NUMBER	NOT NULL		Yes	No
swss recipient id	NUMBER(12)	NOT NULL		Yes	No
cims recpt id	NUMBER(8)	NOT NULL		Yes	No
date created	DATE	NOT NULL		Yes	No
adsub recipient id	NUMBER(12)	NULL		No	No
case no	VARCHAR2(30)	NULL		No	No
child last name	VARCHAR2(30)	NULL		No	No
child first name	VARCHAR2(30)	NULL		No	No
child middle name	VARCHAR2(30)	NULL		No	No
child ssn	VARCHAR2(10)	NULL		No	No
child dob	DATE	NULL		No	No
residence county	NUMBER(2)	NULL		No	No
latest legal status	NUMBER(2)	NULL		No	No
system ind	VARCHAR2(1)	NULL		No	No
swss child id	NUMBER	NULL		No	No
swss log id	NUMBER	NULL		No	No
swss sib grp id	NUMBER	NULL		No	No
swss program status	NUMBER(1)	NULL		No	No
swss program code	VARCHAR2(4)	NULL		No	No
swss case state	VARCHAR2(4)	NULL		No	No
cims child name	VARCHAR2(20)	NULL		No	No
cims child dob	VARCHAR2(8)	NULL		No	No
ma begin date	VARCHAR2(8)	NULL		No	No
ma end date	VARCHAR2(8)	NULL		No	No
cims case no	VARCHAR2(9)	NULL		No	No
ma scope coverage	VARCHAR2(2)	NULL		No	No
ma other med	VARCHAR2(2)	NULL		No	No
cims case name	VARCHAR2(20)	NULL		No	No
ma pama prog	VARCHAR2(1)	NULL		No	No
ma pama status	NUMBER(1)	NULL		No	No
ma p1	NUMBER(1)	NULL		No	No
ma p2	NUMBER(1)	NULL		No	No
ma p3	NUMBER(1)	NULL		No	No
ma p4	NUMBER(1)	NULL		No	No
ma p5	NUMBER(1)	NULL		No	No
ma p6	NUMBER(1)	NULL		No	No
ma p7	NUMBER(1)	NULL		No	No
ma p8	NUMBER(1)	NULL		No	No
ma p9	NUMBER(1)	NULL		No	No
cims county no	VARCHAR2(2)	NULL		No	No
cims load no	VARCHAR2(8)	NULL		No	No
cims residence county	VARCHAR2(2)	NULL		No	No
ma conv ind	VARCHAR2(1)	NULL		No	No
as title ive elig ind	VARCHAR2(1)	NULL		No	No
child age now	NUMBER(2)	NULL		No	No
age unit ind	VARCHAR2(1)	NULL		No	No
case status code	VARCHAR2(2)	NULL		No	No
status description	VARCHAR2(100)	NULL		No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK ma conv rid mapg match temp	Yes

Validation(s) of "as swss id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "as swss id" Column			
Name	Unique		
PK ma conv rid mapg match temp	Yes		

Validation(s) of "swss recipient id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "swss recipient id" Column			
Name	Unique		
PK ma conv rid mapg match temp	Yes		

Validation(s) of "cims recpt id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cims recpt id" Column			
Name	Unique		
PK ma conv rid mapg match temp	Yes		

Validation(s) of "date created" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "date created" Column			
Name	Unique		
PK ma conv rid mapg match temp	Yes		

Validation(s) of "adsub recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child middle name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "child dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "residence county" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "latest legal status" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "system ind" Column			
Constraint Name	Min	Max	Rule
ck_maconvridmtch_sy_1277317427			system_ind IN ('S', 'A')

Valid Value(s) of "ck_maconvridmtch_sy_1277317427" Validation		
Data Value	Display Value	Definition
S		SWSS
A		Adoption Subsidy

Validation(s) of "swss_child_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_log_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_program_status" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_program_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_case_state" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims_child_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims_child_dob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma_begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma_end_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims_case_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma_scope_coverage" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma_other_med" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "cims case name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma pama prog" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma pama status" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p3" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p4" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p5" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p6" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p7" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p8" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma p9" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims county no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims load no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cims residence county" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma conv ind" Column			
Constraint Name	Min	Max	Rule

ck_maconvridmtch_ma_1769110354			ma_conv_ind IN ('Y')
--------------------------------	--	--	----------------------

Valid Value(s) of "ck_maconvridmtch_ma_1769110354" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "as_title_ive_elig_ind" Column			
Constraint Name	Min	Max	Rule
ck_maconvridmtch_ive_697531544			as_title_ive_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck_maconvridmtch_ive_697531544" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "child_age_now" Column			
Constraint Name	Min	Max	Rule


Validation(s) of "age_unit_ind" Column			
Constraint Name	Min	Max	Rule
ck_maconvridmtch_ag_1768941589			age_unit_ind IN ('Y', 'M', 'W', 'D')

Valid Value(s) of "ck_maconvridmtch_ag_1768941589" Validation		
Data Value	Display Value	Definition
Y		Years
M		Months
W		Weeks
D		Days

Validation(s) of "case_status_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "status_description" Column			
Constraint Name	Min	Max	Rule

misc / physical



Table(s) of "correction reason codes" Picture Object	
Name	correction reason codes
Comment	Contains codes and descriptions for reasons why a correction is made.

Column(s) of "correction reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
correction_reason_code	NUMBER(2)	NOT NULL	Contains codes for reasons why a correction is made.	Yes	No
description	VARCHAR2(80)	NULL	Explanation of CORRECTION_REASON_CODE.	No	No
display_ind	VARCHAR2(1)	NULL	Indicates that (N) the code is not to be displayed for the users in the list of values. These types of codes are for internal (developer) use only.	No	No
end_date	DATE	NULL	Date on which a code is no longer valid for use in the application; and hence will not display in the list of values if this column is NOT NULL. The code would still be valid as stored previously in the child (data) table.	No	No

Validation(s) of "correction reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "correction reason code" Column	
Name	Unique
PK correction reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "display_ind" Column			
Constraint Name	Min	Max	Rule
ck crctnrsncds dsplyind			display_ind IN ('N')

Valid Value(s) of "ck crctnrsncds dsplyind" Validation		
Data Value	Display Value	Definition
N		No

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "url" Picture Object	
Name	url
Comment	Contains the Universal Resource Locator (URL) for gateway for the Model Payments (MPS) mainframe.

Column(s) of "url" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
code	VARCHAR2(10)	NOT NULL	Code to identify the instance of SWSS (Test1, Prod1, etc) the URL will be used	Yes	No
description	VARCHAR2(100)	NULL	Explanation of URL.CODE.	No	No
url	VARCHAR2(100)	NULL	Internet locator (Universal Resource Locator - URL) for the gateway to the Model Payments (MPS) mainframe.	No	No

Validation(s) of "code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "code" Column	
Name	Unique
PK url	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "url" Column			
Constraint Name	Min	Max	Rule

Table(s) of "fiveday_packet" Picture Object	
Name	fiveday_packet
Comment	Identified by a system generated sequence number to uniquely identify each Five-day Packet; also contains the print date for the Five-day Packet.

Column(s) of "fiveday_packet" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
fiveday_pkt_id	NUMBER	NOT NULL	System generated number that uniquely identifies each Five-day Packet	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
supvsr_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
placement_id	NUMBER	NULL	System generated number for identifying each placement.	No	Yes
conversion_origin_ind	VARCHAR2(1)	NULL	Indicates that this case was (Y) converted into SWSS from an external system such as CIS; or (N) not converted, but a new case generated within SWSS.	No	No
print_dt	DATE	NULL	Date on which the Five-day Packet was printed.	No	No
med_auth_ind	VARCHAR2(1)	NULL	Indicates that (Y) the new Foster Parents have been given the medical authorization card; or (N) not; or NULL.	No	No
supervisor_action_code	VARCHAR2(2)	NULL	Contains codes and for the five-day packet actions for a supervisor; (i.e. Code: Description): 1 Active transfer 2 Assigned to supervisor 3 Reassigned to worker (rejected by	No	Yes

			supervisor) 4 Transferred to FC 5 Accepted by FC supervisor 6 Rejected by FC supervisor		
supervisor_comment	VARCHAR2(4000)	NULL	Free-form text for a supervisor's comments related to the Five-Day Packet.	No	No

Validation(s) of "fiveday_pkt_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fiveday_pkt_id" Column	
Name	Unique
PK_fiveday_packet	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_fiveday_packet	Yes
IF1605_fiveday_packet	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF1605_fiveday_packet	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1605_fiveday_packet	No

Validation(s) of "worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker_id" Column	
Name	Unique
IF1606_fiveday_packet	No

Validation(s) of "supvsr_worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supvsr_worker_id" Column	
Name	Unique
IF1607_fiveday_packet	No

Validation(s) of "placement_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement_id" Column	
Name	Unique

IF1608_fiveday_packet	No
-----------------------	----

Validation(s) of "conversion_origin_ind" Column			
Constraint Name	Min	Max	Rule
ck_fdp_convorgind			conversion_origin_ind IN ('Y', 'N')

Valid Value(s) of "ck_fdp_convorgind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "print_dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "med_auth_ind" Column			
Constraint Name	Min	Max	Rule
ck_fdp_medauthind			med_auth_ind IN ('Y', 'N')

Valid Value(s) of "ck_fdp_medauthind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "supervisor_action_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "supervisor_action_code" Column	
Name	Unique
IF1609_fiveday_packet	No

Validation(s) of "supervisor_comment" Column			
Constraint Name	Min	Max	Rule

Table(s) of "worker personal tickler" Picture Object	
Name	worker personal tickler
Comment	Contains information for personalized reminders that a worker may develop to meet his/her needs in the application.

Column(s) of "worker personal tickler" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
personal_tickler_id	NUMBER	NOT NULL	System generated number which uniquely identifies each reminder.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
create_date	DATE	NULL	Date on which the reminder is created.	No	No
due_date	DATE	NULL	Date on which the reminder is due.	No	No
screen_code	VARCHAR2(8)	NULL	Codes for SWSS screens; e.g. (Code: Description) CASE_MGT: Case Management REG: Registration LEGAL: Legal MEDICAL: Medical Data Screen FUNDING: Funding etc.	No	Yes
tickler_msg	VARCHAR2(100)	NULL	Pre-written text for reminders of events in a case.	No	No
autodel	VARCHAR2(1)	NULL	Indicates that a tickler (Y) should be deleted once it is overdue; or (N) not.	No	No
delete_ind	VARCHAR2(1)	NULL	Indicates that a tickler (Y) has been deleted; or (N) not.	No	No

Validation(s) of "personal tickler id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "personal tickler id" Column	
Name	Unique
PK_worker_personal_tickler	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique

PK worker personal tickler	Yes
NU worker personal tickler 1	No
IF770 worker personal tickler	No

Validation(s) of "worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker id" Column	
Name	Unique
NU worker personal tickler 1	No
NU worker personal tickler 2	No
IF771 worker personal tickler	No

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
NU worker personal tickler 1	No
IF770 worker personal tickler	No

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "due date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "screen code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "screen code" Column	
Name	Unique
IF772 worker personal tickler	No

Validation(s) of "tickler msg" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "autodel" Column			
Constraint Name	Min	Max	Rule
ck wrprsltckl autodel			autodel IN ('Y', 'N')

Valid Value(s) of "ck wrprsltckl autodel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "delete ind" Column			
Constraint Name	Min	Max	Rule
ck wrprsltckl delind			delete ind IN ('Y', 'N')

Valid Value(s) of "ck wrprsltckl delind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "worker std tickler" Picture Object	
Name	worker std tickler
Comment	Contains information identifying the worker, case, standard tickler, and relative dates.

Column(s) of "worker std tickler" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
std_tickler_id	VARCHAR2(10)	NOT NULL	Unique code assigned for each pre-written reminder; e.g. (Code: Description) AdoptRef: Adoption Referral ChEval: Child Evaluation ClsPmts: Close Payments CrtHrg: Court Hearing CrtRpt: Court Report etc.	Yes	Yes
worker_id	NUMBER	NOT NULL	System generated number that uniquely identifies each worker.	Yes	Yes
due_date	DATE	NOT NULL	Date on which the tickler (reminder) is due.	Yes	No
create_date	DATE	NULL	Date on which the tickler (reminder) is created.	No	No
delete_ind	VARCHAR2(1)	NULL	Indicates that a tickler (reminder) (Y) has been deleted; or (N) not.	No	No
copied_from_worker	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK worker std tickler	Yes
IF769 worker std tickler	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique

PK worker std tickler	Yes
IF769 worker std tickler	No

Validation(s) of "std tickler id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "std tickler id" Column	
Name	Unique
PK worker std tickler	Yes
IF767 worker std tickler	No

Validation(s) of "worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker id" Column	
Name	Unique
PK worker std tickler	Yes
NU worker std tickler	No
XIF768worker std tickler	No

Validation(s) of "due date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "due date" Column	
Name	Unique
PK worker std tickler	Yes

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "delete ind" Column			
Constraint Name	Min	Max	Rule
ck wrstdtckl delind			delete ind IN ('Y', 'N')

Valid Value(s) of "ck wrstdtckl delind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "copied from worker" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "copied from worker" Column	
Name	Unique
IF1133 worker std tickler	No

Table(s) of "std_tickler" Picture Object	
Name	std_tickler
Comment	Contains standard reminders and accompanying information for workers at certain points in the application.

Column(s) of "std_tickler" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
std_tickler_id	VARCHAR2(10)	NOT NULL	Unique code assigned for each pre-written reminder; e.g. (Code: Description) AdoptRef: Adoption Referral ChEval: Child Evaluation ClsPmts: Close Payments CrtHrg: Court Hearing CrtRpt: Court Report etc.	Yes	No
screen_code	VARCHAR2(8)	NULL	Codes for SWSS screens; e.g. (Code: Description) CASE_MGT: Case Management REG: Registration LEGAL: Legal MEDICAL: Medical Data Screen FUNDING: Funding etc.	No	Yes
std_tickler_msg	VARCHAR2(200)	NULL	Pre-written text for reminders of events in a case; for instance, "You have to open a case by due date" etc.	No	No
autodel	VARCHAR2(1)	NULL	Indicates that (Y) a tickler should be deleted once it is overdue; or (N) not.	No	No
copy_to_supvr	VARCHAR2(1)	NULL	Indicates that a tickler (Y) should be copied to the supervisor once it is overdue; or (N) not.	No	No
std_tickler_name	VARCHAR2(30)	NULL	Explanation of the STD_TICKLER_ID.	No	No

Validation(s) of "std_tickler_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "std_tickler_id" Column	
Name	Unique
PK_std_tickler	Yes

Validation(s) of "screen_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "screen_code" Column	
Name	Unique
IF810_std_tickler	No

Validation(s) of "std_tickler_msg" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "autodel" Column			
Constraint Name	Min	Max	Rule

ck stdtckl autodel			autodel IN ('Y', 'N')
--------------------	--	--	-----------------------

Valid Value(s) of "ck stdtckl autodel" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "copy to supvsr" Column			
Constraint Name	Min	Max	Rule
ck stdtckl copysup			copy to supvsr IN ('Y', 'N')

Valid Value(s) of "ck stdtckl copysup" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "std tickler name" Column			
Constraint Name	Min	Max	Rule

Table(s) of "correction" Picture Object	
Name	correction
Comment	Used as an audit trail for elements pertaining to changes (corrections) of pre-defined sets of data after opening the case.

Column(s) of "correction" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
correction_id	NUMBER	NOT NULL	System generated number that uniquely identifies a correction.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
correction_date	DATE	NOT NULL	Date on which the correction was made.	No	No
swss_column	VARCHAR2(30)	NOT NULL	Column name that was corrected.	No	No
swss_table	VARCHAR2(30)	NOT NULL	Table name in which the correction was made.	No	No
value_old	VARCHAR2(2000)	NULL	The old value of the column.	No	No
value_new	VARCHAR2(2000)	NULL	The new value of the column.	No	No
login_name	VARCHAR2(30)	NULL	GroupWise login_name of the worker who made the correction.	No	No
col_datatype	VARCHAR2(30)	NULL	Datatype of the column.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No

app_val	VARCHAR2(2000)	NULL	Used for linking records from other tables requiring a CORRECTION record in-lieu of using row number.	No	No
correction_reason_code	NUMBER(2)	NULL	Contains codes for reasons why a correction is made.	No	Yes
reason_code_other	VARCHAR2(4000)	NULL	Free-form text for further explanation when CORRECTION_REASON_CODE is 6 (for Other)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_correction	Yes
NU_correction	No
IF825_correction	No

Validation(s) of "correction_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "correction_id" Column	
Name	Unique
PK_correction	Yes

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU_correction	No
XIF828correction	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
NU_correction	No
XIF828correction	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF825_correction	No

Validation(s) of "correction_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "swss_column" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "swss table" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "value old" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "value new" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "col datatype" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "app val" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "correction reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "correction reason code" Column	
Name	Unique
IF1844_correction	No

Validation(s) of "reason code other" Column			
Constraint Name	Min	Max	Rule

Table(s) of "tickler screen" Picture Object	
Name	tickler screen
Comment	Contains codes and descriptions for application screens requiring ticklers.

Column(s) of "tickler screen" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
screen_code	VARCHAR2(8)	NOT NULL	Codes for SWSS screens; e.g. (Code: Description) CASE_MGT: Case Management REG: Registration LEGAL: Legal MEDICAL: Medical Data Screen FUNDING: Funding etc.	Yes	No
description	VARCHAR2(40)	NULL	Explanation of SCREEN_CODE.	No	No

Validation(s) of "screen code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "screen code" Column	
Name	Unique
PK tickler screen	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "fiveday packet comments" Picture Object	
Name	fiveday packet comments
Comment	A Fiveday Packet contains information which is due within five days of a case transferring from one program or placement to another program or placement. Identified by FIVEDAY_PKT_ID, COMMENT_ID, and COUNTY_NO; also contains WORKER_ID of the worker who made the comment, date, etc.

Column(s) of "fiveday packet comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
fiveday_pkt_id	NUMBER	NOT NULL	System generated number that uniquely identifies each Five-day Packet	Yes	Yes
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	Yes
review_date	DATE	NULL	Date on which the worker enters a comment for the Five-day Packet.	No	No
ps_transfer_ind	VARCHAR2(1)	NULL	Indicates that (Y) the Five-day Packet was transferred from Protective Services; or (N) not	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK fiveday packet comments	Yes
IF759 fiveday packet comments	No

Validation(s) of "fiveday pkt id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fiveday pkt id" Column	
Name	Unique
PK fiveday packet comments	Yes
IF838 fiveday packet comments	No

Validation(s) of "comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment id" Column	
Name	Unique
PK fiveday packet comments	Yes
IF759 fiveday packet comments	No

Validation(s) of "review date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ps transfer ind" Column			
Constraint Name	Min	Max	Rule
ck fdpcmmnts pstransind			ps transfer ind IN ('Y', 'N')

Valid Value(s) of "ck fdpcmmnts pstransind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "contact method" Picture Object	
Name	contact_method
Comment	Contains codes and descriptions for types of contacts.

Column(s) of "contact_method" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
contact_method_cd	VARCHAR2(2)	NOT NULL	Codes for the method of contact used; e.g. (Code: Description) EM: EMAIL HC: Home Call LM: Left Message LT: Letter OV: Office Visit, etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of CONTACT_METHOD_CD.	No	No
sort_by	NUMBER(2)	NULL	Identifies the order that the CONTACT_METHOD_CD is displayed for lists of values.	No	No
program_ind	VARCHAR2(1)	NULL	Indicates if the contact method code is used for CWCMS, CPS, or both.	No	No

Validation(s) of "contact_method_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact_method_cd" Column	
Name	Unique
PK_contact_method	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "sort_by" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program_ind" Column			
Constraint Name	Min	Max	Rule
ck_contmet_prgrmind			program_ind IN ('C', 'P', 'B')

Valid Value(s) of "ck_contmet_prgrmind" Validation		
Data Value	Display Value	Definition
C		CWCMS (formerly SDM)
P		Protective Services (CPS)
B		Both CWCMS (SDM) and CPS

Table(s) of "county" Picture Object	
Name	county
Comment	List of all the counties in the state of Michigan by county number and name. County number 0 is used for school purposes in all counties and county number 84 is used for the central office.

Column(s) of "county" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
zone_no	NUMBER(2)	NULL	A DHS assigned number that uniquely identifies an area within the state. Zones contain one or more counties.	No	Yes
county_name	VARCHAR2(30)	NULL	Name of the county.	No	No
shelter_area_no	VARCHAR2(1)	NULL	A number (1-6) used to group counties into areas for payments in LOA-2.	No	Yes
load_conv_opt	VARCHAR2(1)	NULL	The option that each county chose from ASSIST, when converting an 8 digit load number to a 10 digit load number. Values are zero through four.	No	No
as_conv_cmpl_ind	VARCHAR2(1)	NULL	Indicates that (Y) this county has been converted to the new ASCAP application; or (N) not	No	No
index_code	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
program_cost_account	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
medicaid_provider_id	VARCHAR2(7)	NULL	The provider identifier for medicaid for each county (used by ASCAP)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK county	Yes

Validation(s) of "zone_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zone_no" Column	
Name	Unique
IF297 county	No

Validation(s) of "county_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "shelter area no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shelter area no" Column	
Name	Unique
IF731 county	No

Validation(s) of "load conv opt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "as conv cmpl ind" Column			
Constraint Name	Min	Max	Rule
ck cnty asconvcmplind			as conv cmpl ind IN ('Y', 'N')

Valid Value(s) of "ck cnty asconvcmplind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program cost account" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medicaid provider id" Column			
Constraint Name	Min	Max	Rule

Table(s) of "worker" Picture Object	
Name	worker
Comment	Identifies FIA workers by a SWSS generated WORKER_ID along with their name, social security number, active indicator, and email address.

Column(s) of "worker" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
worker_id	NUMBER	NOT NULL	System generated number that uniquely identifies each worker.	Yes	No
first_name	VARCHAR2(30)	NULL	First name of the worker.	No	No
middle_name	VARCHAR2(30)	NULL	Middle name or initial of the worker.	No	No
last_name	VARCHAR2(30)	NULL	Last name of the worker.	No	No
name_suffix	VARCHAR2(5)	NULL	Name suffix of the worker.	No	Yes
worker_name	VARCHAR2(100)	NULL	Free-form text for the worker's entire name.	No	No
ssn	VARCHAR2(10)	NULL	Worker's social security number.	No	No
active_ind	VARCHAR2(1)	NULL	Indicates that a worker is (A) active or (I) inactive.	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the worker.	No	No

Validation(s) of "worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker_id" Column	
Name	Unique
PK_worker	Yes

Validation(s) of "first_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "middle_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "name_suffix" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "name_suffix" Column	
Name	Unique
IF1598_worker	No

Validation(s) of "worker_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ssn" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "active ind" Column			
Constraint Name	Min	Max	Rule
ck wr actind			active ind IN ('A', 'I')

Valid Value(s) of "ck wr actind" Validation		
Data Value	Display Value	Definition
A		Active
I		Inactive

Validation(s) of "email address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "case person" Picture Object	
Name	case_person
Comment	Contains all members (children, parents, relatives, others, but not providers) of a case. Data elements are specific to all members as they relate to a child, but does not include data about a child other than his/her LOG_ID and PERSON_ID.

Column(s) of "case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
person_status	VARCHAR2(1)	NULL	Person's status in this case; i.e. (A) active or (I) inactive.	No	No
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
previous_relation	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
have_custody	VARCHAR2(1)	NULL	Indicates if this person (Y) had custody of the child at time of removal; or (N) not.	No	No
lived_with_child	VARCHAR2(1)	NULL	Indicates that this person (Y) lived with the child at time of removal; or (N) not.	No	No
shows_interest	VARCHAR2(1)	NULL	Indicates that (Y) this person shows interest in the child; or (N) not.	No	No
shows_interest_text	VARCHAR2(80)	NULL	Free-form text for an explanation of why the person does or does not show interest in the child	No	No
emergency_contact	VARCHAR2(1)	NULL	Indicates that (Y) the person is an emergency contact for the child; or (N) not.	No	No
legal_parent	VARCHAR2(1)	NULL	Indicates that the person (Y) is the child's legal parent; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
prev_legal_parent	VARCHAR2(1)	NULL	Indicates that (Y) this person is the previous legal parent; or (N) not.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
payee_ind	VARCHAR2(1)	NULL	Indicates if the person in the case is the payee or not.	No	No
qualified_sib_ind	VARCHAR2(1)	NULL	Indicates if the person is qualified for reunification or not.	No	No
complaint_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the member was identified as part of the case at the time of the CPS complaint; or (N/ NULL) not.	No	No

letter_to_tip	VARCHAR2(1)	NULL	Indicates that (Y) a letter has been sent to the Tuition Incentive Program (TIP); or (N) not.	No	No
diploma	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their diploma; or (N) not.	No	No
diploma_endorsed	VARCHAR2(1)	NULL	Indicates that (Y) the child has passed all high school MEAP tests with appropriate scores, so their diploma was endorsed by the state of Michigan; or (N) not.	No	No
ged_received	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their GED; or (N) not.	No	No
primary_doctor_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
primary_doctor_provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
primary_dentist_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

primary_dentist_prov_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
parent_on_len_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person for this record is listed as the parent on the law enforcement notification; or (N) not; or NULL.	No	No
complaint_source_ind	VARCHAR2(1)	NULL	Indicates that (Y) this person is the source of the complaint in CPS; or (N) not; or NULL.	No	No
non_custodial_parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) a person identified in this record, is a non-custodial parent; or (N) not; or NULL.	No	No
adsub_inactive_ind	VARCHAR2(1)	NULL	Indicates if adoption subsidy for this person is inactive.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK case person	Yes
NU case person	No
IF485 case person	No

Validation(s) of "person_status" Column			
Constraint Name	Min	Max	Rule
ck_cp_persstat			person_status IN ('D', 'A', 'I')

Valid Value(s) of "ck_cp_persstat" Validation		
Data Value	Display Value	Definition
D		Deceased
A		Active
I		Inactive

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU case person	No
IF1102 case person	No

Validation(s) of "previous_relation" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous_relation" Column	
Name	Unique
IF427 case person	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
IF404 case person	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp10			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp10" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
IF404 case person	No

Validation(s) of "have_custody" Column			
Constraint Name	Min	Max	Rule
ck_cp_havecust			have_custody IN ('Y', 'N')

Valid Value(s) of "ck_cp_havecust" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "lived_with_child" Column			
Constraint Name	Min	Max	Rule
ck_cp_livwch			lived_with_child IN ('Y', 'N')

Valid Value(s) of "ck_cp_livwch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "shows_interest" Column			
Constraint Name	Min	Max	Rule
ck_cp_showint			shows_interest IN ('Y', 'N')

Valid Value(s) of "ck_cp_showint" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "shows interest text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emergency contact" Column			
Constraint Name	Min	Max	Rule
ck_cp_emergcont			emergency_contact IN ('Y', 'N')

Valid Value(s) of "ck_cp_emergcont" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legal parent" Column			
Constraint Name	Min	Max	Rule
ck_cp_legpar			legal_parent IN ('Y', 'N')

Valid Value(s) of "ck_cp_legpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev legal parent" Column			
Constraint Name	Min	Max	Rule
ck_cp_prevlegpar			prev_legal_parent IN ('Y', 'N')

Valid Value(s) of "ck_cp_prevlegpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck_cp_phydel			physical_delete IN ('Y', 'N')

Valid Value(s) of "ck_cp_phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payee ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_payeeind			payee_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_payeeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "qualified sib ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_qualsibind			qualified_sib_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_qualsibind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "complaint_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntmembind			complaint_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntmembind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "letter_to_tip" Column			
Constraint Name	Min	Max	Rule
ck_cp_lettpt			letter_to_tip IN ('Y', 'N')

Valid Value(s) of "ck_cp_lettpt" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma" Column			
Constraint Name	Min	Max	Rule
ck_cp_dipl			diploma IN ('Y', 'N')

Valid Value(s) of "ck_cp_dipl" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma_endorsed" Column			
Constraint Name	Min	Max	Rule
ck_cp_diplendors			diploma_endorsed IN ('N', 'Y')

Valid Value(s) of "ck_cp_diplendors" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ged_received" Column			
Constraint Name	Min	Max	Rule
ck_cp_gedrcvd			ged_received IN ('Y', 'N')

Valid Value(s) of "ck_cp_gedrcvd" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "primary_doctor_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_doctor_id" Column	
Name	Unique
IF1618 case person	No

Validation(s) of "primary_doctor_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp11			primary_doctor_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp11" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_doctor_prov_type" Column	
Name	Unique
IF1618 case_person	No

Validation(s) of "primary_dentist_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_dentist_id" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "primary_dentist_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp12			primary_dentist_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp12" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_dentist_prov_type" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "parent_on_len_ind" Column			
Constraint Name	Min	Max	Rule
fk_cp_prntonlenind			parent_on_len_ind IN ('Y', 'N')

Valid Value(s) of "fk_cp_prntonlenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_source_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntsrcind			complaint_source_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntsrcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "non_custodial_parent_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_noncstdlprntind			non_custodial_parent_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_noncstdlprntind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "adsub inactive ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_adsbinctvind			adsub_inactive_ind IN ('Y')

Valid Value(s) of "ck_cp_adsbinctvind" Validation		
Data Value	Display Value	Definition
Y		

Table(s) of "comment type" Picture Object	
Name	comment type
Comment	Contains codes and descriptions which define items or objects, for which comments are captured; along with maximum length, update indicator, and general comments indicator.

Column(s) of "comment type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_type	VARCHAR2(10)	NOT NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	Yes	No
description	VARCHAR2(4000)	NULL	Explanation of COMMENT_TYPE.	No	No
max_len	NUMBER	NULL	Specifies the maximum length for the TEXT column in the COMMENTS table.	No	No
update_ind	VARCHAR2(1)	NOT NULL	Indicates whether a comment is (U) updatable or only (A) appendable.	No	No
general_comments	VARCHAR2(1)	NULL	This is an indicator for use in the comments screen as a filter for restricting the display to the user of certain types of comments. (Y) restricts the display; (N) does not.	No	No
program_ind	VARCHAR2(1)	NULL	Identifies the programs that use specific comment types (for use in the lists of values by each program) as F for FAJ; C for CPS; and B for both FAJ and CPS.	No	No

Validation(s) of "comment type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment type" Column	
Name	Unique
PK_comment_type	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "max len" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "update ind" Column			
Constraint Name	Min	Max	Rule

ck ct updtind			update ind IN ('U', 'A')
---------------	--	--	--------------------------

Valid Value(s) of "ck ct updtind" Validation		
Data Value	Display Value	Definition
U		Updatable
A		Appendable

Validation(s) of "general comments" Column			
Constraint Name	Min	Max	Rule
ck ct gencomm			general comments IN ('Y', 'N')

Valid Value(s) of "ck ct gencomm" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "program ind" Column			
Constraint Name	Min	Max	Rule
ck ct progind			program ind IN ('F', 'C', 'B')

Valid Value(s) of "ck ct progind" Validation		
Data Value	Display Value	Definition
F		FAJ
C		CPS
B		Both

Table(s) of "comments" Picture Object	
Name	comments
Comment	Stores the actual comment along with the case to which it belongs, the worker who entered and/or modified it and appropriate dates.

Column(s) of "comments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
comment_id	NUMBER	NOT NULL	System generated number that uniquely identifies each comment.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
comment_type	VARCHAR2(10)	NULL	Codes for types of comments; e.g. (Code: Description) MAREHIST: MARE child history, or special conditions to consider in a placement. MAREED: MARE academic functioning, behavior in classroom and peer relations. etc.	No	Yes
date_entered	DATE	NULL	Date on which the comment is entered.	No	No
text_clob	CLOB	NULL	Text which can accomodate longer narratives with formatting.	No	No
text	VARCHAR2(4000)	NULL	The comment text entered by the user.	No	No
entered_by_login_name	VARCHAR2(20)	NULL	Login name of the person entering the comment.	No	No
modified_by_login_name	VARCHAR2(20)	NULL	Login name of the person modifying the comment.	No	No

modified_date	DATE	NULL	The date on which the comment was modified.	No	No
---------------	------	------	---	----	----

Validation(s) of "comment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_id" Column	
Name	Unique
PK_comments	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_comments	Yes
IF779_comments	No

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1750_comments	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF779_comments	No

Validation(s) of "comment_type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "comment_type" Column	
Name	Unique
IF163_comments	No

Validation(s) of "date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text_clob" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "text" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "entered by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by login name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "swss case" Picture Object	
Name	swss case
Comment	Contains information pertaining to Childrens Protective Service (CPS) referrals, CPS cases, Child Foster Care (CFC) cases, Adoption (ADPT) cases, Juvenile Justice (JJ, otherwise called Delinquency) cases; uniquely identified by a system generated sequence number (LOG_ID).

Column(s) of "swss case" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
refer_person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
ref_source_code	NUMBER(2)	NULL	Codes for referral source (case was created from this source); i.e. (Code: Description) 1: Protect Srvc 2: Court (except CPS) 3: Voluntary release 4: OTI 5: Adoption disrupted 6: Voluntary placement	No	Yes
primary_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
create_date	DATE	NULL	Date on which the case was created in SWSS.	No	No
accept_date	DATE	NULL	Date on which Foster Care supervisor accepted case.	No	No
register_date	DATE	NULL	Date on which the case was registered; case is considered registered when the FIA-133 is printed.	No	No

open_date	DATE	NULL	Date on which case was opened in SWSS; case is considered open when the FIA-5S has been printed.	No	No
close_date	DATE	NULL	Date on which the case was closed.	No	No
close_date_entered	DATE	NULL	Date on which the worker entered the CLOSE_DATE (AFCARS element).	No	No
cis_case_no	VARCHAR2(30)	NULL	Case number assigned by CIS/ ASSIST.	No	No
case_name	VARCHAR2(45)	NULL	Name of primary grantee - for Foster Care/Adoption/Juvenile Justice, this is the child; for Protective Services this is the primary caretaker.	No	No
close_code	VARCHAR2(2)	NULL	Codes for reasons why a case closed; e.g. (Code: Description) 01: Adoption confirmed 02: Adoption disrupted 03: Placed for Adoption 05: Married etc.	No	Yes
refer_notify	VARCHAR2(2)	NULL	Indicates that (Y) the referral source wants to be notified of the referral's disposition; or (N) not. Used for Protective Services referrals.	No	No
residence_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
residence_district	NUMBER(2)	NULL	Unique 2 digit district number that county offices have designated for each district.	No	Yes
latest_legal_status	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes

program_code	VARCHAR2(4)	NOT NULL	Codes for the SWSS programs; i.e. (Code: Description) REF: CPS Referral ADPT: Adoption CFC: Foster Care CPS: Children's Protective Services JJ: Juvenile Justice ADSB: Adoption Subsidy AS: Adult Services PREV: Prevention GRD: Guardianship	No	Yes
child_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
latest_living_arrangement	VARCHAR2(2)	NULL	Codes to describe the living arrangement; e.g. (Code: Description) 01: Own home 02: Relative Home (lic. or unlic.) 03: Legal Guardian 04: Adoptive home 05: Family Foster Home etc.	No	Yes
program_status	NUMBER(1)	NULL	Identifies that the status of the case is (1) closed or (2) active.	No	No
swss_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
funding_source_elig_code	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes

conv_fund_src_cd	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
withdrawal_date	DATE	NULL	Date on which the case registration was withdrawn.	No	No
ma_withdrawal_date	DATE	NULL	Date on which Medicaid registration was withdrawn from the case.	No	No
ma_type	VARCHAR2(1)	NULL	Identifies that the Medicaid type is (1) Title IV E or (2) Department ward.	No	No
ma_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes

ma_denial_code	NUMBER(3)	NULL	Codes for denial reasons for withdrawing registration from a SWSS case; e.g. (Code: Description) 0: Approved/ Completed 102: Failed institutional status reqmt 109: Client does not meet residency reqmt 217: Failed to provide required verfs 224: Already active for program benefits etc.	No	Yes
ma_other_case	VARCHAR2(1)	NULL	Indicates that (Y) the client is enrolled in another Medicaid case; or (N) not.	No	No
case_state_at_closing	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_case_state	VARCHAR2(4)	NULL	Codes for status of the case; e.g. (Code: Description) 200: Active 250: Active-Assigned 300: Registered 350: Active-Accepted 400: Unregistered etc.	No	Yes
transfer_to_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transfer_from_county	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
transferring_sup_load	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes

transfer_date	DATE	NULL	Date on which the case transfer occurred.	No	No
high_profile_ind	VARCHAR2(1)	NOT NULL	Indicates that (Y) the case has limited user access; or (N) not. Possible types of cases having limited access are: employee cases, cases that have sensitive medical data such as HIV, or cases involving politicians, etc.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
birth_cert_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the birth certificate was given to the youth at case closing; or (N) not; or Null.	No	No
ss_card_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the social security card was given to the youth at case closing; or (N) not; or Null.	No	No
med_passpt_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the medical passport was given to the youth at case closing; or (N) not; or Null.	No	No
aftercare_pamph_given_youth	VARCHAR2(1)	NULL	Indicates that (Y) the aftercare services pamphlet was given to the youth at case closing; or (N) not; or Null.	No	No
state_of_origin	VARCHAR2(2)	NULL	Two character code for US states, District of Columbia, US Territories, and US armed forces; e.g. (MI) Michigan, (MN) Minnesota, etc.	No	Yes
mycu_approval_ind	VARCHAR2(1)	NULL	Indicates that (Y) approval from the Missing Youth Central Unit (MYCU) has been given to include the child for this case, on the missing children web page; or (N) not; or null.	No	No
mycu_approval_date	DATE	NULL	The date on which approval from the Missing Youth Central Unit (MYCU) was received so that the missing child can be included on the missing child web page.	No	No

country_of_origin	VARCHAR2(50)	NULL	Free-form text for the name of the country from which the case was transferred to Michigan.	No	No
fis_fip_load_no	NUMBER(10)	NULL	Unique identification for the load. It is the concatenation of COUNTY_NO, DISTRICT_NO, SECTION_NO, UNIT_NO and WORKER_NO (in respective order).	No	Yes
fis_fip_cims_case_number	VARCHAR2(30)	NULL	The CIMS case number for the FIS/FIP case. It is used to contact the FIS/FIP worker if a child is removed from a home during a CPS investigation.	No	No
bridges_conversion_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case (log_id) was converted to Bridges (rather than CIMS/ASSIST), when Bridges was implemented in production.	No	No
bridges_case_number	NUMBER	NULL	The case number that relates to the SWSS_CASE.LOG_ID, from the Bridges system.	No	No
num_guard_prev_priors	NUMBER(2)	NULL	The number of previous referrals to Prevention and Guardianship programs for a child.	No	No
yit_eligible_ind	VARCHAR2(1)	NULL	Identifies as (Y) the youth is eligible for Youth In Transition (YIT) services; or (N) not.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK swss case	Yes
NU swss case 1	No
IF436 swss case	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK swss case	Yes

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib_grp_id" Column	
Name	Unique

NU swss case 1	No
NU swss case	No
XIF1104swss case	No

Validation(s) of "refer person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "refer person id" Column	
Name	Unique
IF937 swss case	No

Validation(s) of "ref source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ref source code" Column	
Name	Unique
IF492 swss case	No

Validation(s) of "primary worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary worker id" Column	
Name	Unique
IF349 swss case	No

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "accept date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "register date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cis case no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cis case no" Column	
Name	Unique
NU swss case 2	No

Validation(s) of "case name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "close code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "close code" Column	
Name	Unique
IF491 swss case	No

Validation(s) of "refer notify" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "residence county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence county" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "residence district" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "residence district" Column	
Name	Unique
IF703 swss case	No

Validation(s) of "latest legal status" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest legal status" Column	
Name	Unique
IF861 swss case	No

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "program code" Column	
Name	Unique
IF783 swss case	No

Validation(s) of "child id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "child id" Column	
Name	Unique
IF935 swss case	No

Validation(s) of "latest living arrangement" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "latest living arrangement" Column	
Name	Unique
IF860 swss case	No

Validation(s) of "program status" Column			
Constraint Name	Min	Max	Rule

ck scase progstat			program status IN (2, 1)
-------------------	--	--	--------------------------

Valid Value(s) of "ck scase progstat" Validation		
Data Value	Display Value	Definition
2		Active
1		Closed

Validation(s) of "swss case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "swss case state" Column	
Name	Unique
IF784 swss case	No

Validation(s) of "eligibility code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility code" Column	
Name	Unique
IF806 swss case	No

Validation(s) of "funding source elig code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source elig code" Column	
Name	Unique
IF807 swss case	No

Validation(s) of "conv fund src cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "conv fund src cd" Column	
Name	Unique
IF1124 swss case	No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma withdrawal date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ma type" Column			
Constraint Name	Min	Max	Rule
ck scase matype			ma type IN (1, 2)

Valid Value(s) of "ck scase matype" Validation		
Data Value	Display Value	Definition
1		Title IV E = eligibility code 13
2		Department ward = eligibility code 6

Validation(s) of "ma case state" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "ma case state" Column			
Name	Unique		
IF864 swss case	No		

Validation(s) of "denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "denial code" Column			
Name	Unique		
IF865 swss case	No		

Validation(s) of "ma denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ma denial code" Column			
Name	Unique		
IF866 swss case	No		

Validation(s) of "ma other case" Column			
Constraint Name	Min	Max	Rule
ck scase maothor			ma other case IN ('Y', 'N')

Valid Value(s) of "ck scase maothor" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "case state at closing" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "case state at closing" Column			
Name	Unique		
IF1022 swss case	No		

Validation(s) of "transfer case state" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer case state" Column			
Name	Unique		
IF1090 swss case	No		

Validation(s) of "transfer to county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer to county" Column			
Name	Unique		
IF1092 swss case	No		

Validation(s) of "transfer from county" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transfer from county" Column			
Name	Unique		

IF1093 swss case	No
------------------	----

Validation(s) of "transferring sup load" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "transferring sup load" Column	
Name	Unique
IF1094 swss case	No

Validation(s) of "transfer date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "high profile ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_highprofind			high_profile_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_highprofind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck_scase_phydel			physical_delete IN ('Y', 'N')

Valid Value(s) of "ck_scase_phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "birth cert given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_brthcertgivnyth			birth_cert_given_youth IN ('N', 'Y')

Valid Value(s) of "ck_scase_brthcertgivnyth" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ss card given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_sscrdgivnyth			ss_card_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_sscrdgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med passpt given youth" Column			
Constraint Name	Min	Max	Rule
ck_scase_medpssprtgivnyth			med_passpt_given_youth IN ('Y', 'N')

Valid Value(s) of "ck_scase_medpssprtgivnyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "aftercare pamph given youth" Column			
Constraint Name	Min	Max	Rule

ck_scase_aftcarpamgivyth			aftercare_pamph_given_youth IN ('Y', 'N')
--------------------------	--	--	---

Valid Value(s) of "ck_scase_aftcarpamgivyth" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "state_of_origin" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "state_of_origin" Column	
Name	Unique
IF1246 swss case	No

Validation(s) of "mycu_approval_ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_mycuapprvlind			mycu_approval_ind IN ('Y', 'N')

Valid Value(s) of "ck_scase_mycuapprvlind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mycu_approval_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "country_of_origin" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "fis_fip_load_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "fis_fip_load_no" Column	
Name	Unique
IF1711 swss case	No

Validation(s) of "fis_fip_cims_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "bridges_conversion_ind" Column			
Constraint Name	Min	Max	Rule
ck_scase_brdgsconvind			bridges_conversion_ind IN ('Y')

Valid Value(s) of "ck_scase_brdgsconvind" Validation		
Data Value	Display Value	Definition
Y		Yes

Validation(s) of "bridges_case_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "num_guard_prev_priors" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "yit_eligible_ind" Column			
Constraint Name	Min	Max	Rule

ck_scase_yiteligind_2104989609		yit_eligible_ind IN ('Y', 'N')
--------------------------------	--	--------------------------------

Valid Value(s) of "ck_scase_yiteligind_2104989609" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Table(s) of "group emails" Picture Object	
Name	group_emails
Comment	Identifies the email address for target groups that may be sent email notifications from the application program. The members belonging to the email group will be maintained in the email application (i.e. Groupwise). Application users are able to control who receives the email notifications.

Column(s) of "group_emails" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
code	VARCHAR2(10)	NOT NULL	Code to identify the target group to receive email notifications from an application program; e.g. (Code: Description): PDC: Payment Document Control	Yes	No
description	VARCHAR2(100)	NULL	Explanation of GROUP_EMAILS.CODE.	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the target group (i.e. pdc@state.mi.us).	No	No

Validation(s) of "code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "code" Column	
Name	Unique
PK_group_emails	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "email_address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "contacts" Picture Object	
Name	contacts
Comment	Contains information about worker and parent contacts.

Column(s) of "contacts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
contact_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each CONTACTS record.	Yes	No
contact_type_code	VARCHAR2(2)	NULL	Contains codes for the types of contacts (or what part of the SWSS application these contacts relate to) that are made (i. e. code/description: 1/AWOL (or missing kids); 2/ Parenting time; and 3/Worker.	No	Yes
contact_date	DATE	NULL	Date on which a contact was made.	No	No
contact_method_cd	VARCHAR2(2)	NULL	Codes for the method of contact used; e.g. (Code: Description) EM: EMAIL HC: Home Call LM: Left Message LT: Letter OV: Office Visit, etc.	No	Yes
other_contact_method	VARCHAR2(200)	NULL	Free-form text for how a contact was made, when CONTACT_METHOD_CD is "OT" for Other.	No	No
location_code	VARCHAR2(3)	NULL	Contains codes for places where the contact occurred.	No	Yes
other_location	VARCHAR2(200)	NULL	Free-form text for the location of a contact, when LOCATION_CODE is "OTH" for Other.	No	No
scheduled_ind	VARCHAR2(1)	NULL	Indicates that (Y) this contact was scheduled; or (N) not scheduled or impromptu.	No	No
kept_ind	VARCHAR2(1)	NULL	Indicates that (K) the contact was Kept; (U) Unkept; or (A) Agency cancelled; or NULL.	No	No
contact_notes_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes
summary_comment_id	NUMBER	NULL	System generated number that uniquely identifies each comment.	No	Yes

required_ind	VARCHAR2(1)	NULL	Indicates that (Y) the contact was required by policy; or (N) not; or NULL.	No	No
print_on_service_plan_ind	VARCHAR2(1)	NULL	Indicates that (Y) the contact should be printed on the service plan; or (N) not; or NULL.	No	No
successful_ind	VARCHAR2(1)	NULL	Indicates that (Y) the attempted contact was successful; or (N) not; or NULL.	No	No
commenced_24_hour_ind	VARCHAR2(1)	NULL	Indicates that (Y) the contact is the start of the 24-hour commencement of CPS investigation; or (N) not; or NULL.	No	No
collateral_ind	VARCHAR2(1)	NULL	Indicates that (Y) the contact is a collateral contact; or (N) not; or NULL.	No	No
services_engagement_ind	VARCHAR2(1)	NULL	Indicates if the contact is for a services engagement or not.	No	No
logical_delete_ind	VARCHAR2(1)	NULL	Indicates that (Y) the record does not show up in the application as a saved record, but does remain on the database; or (N) it continues to show up in the application; or NULL.	No	No
mandated_reporter_ind	VARCHAR2(1)	NULL		No	No

Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column

Name	Unique
PK_contacts	Yes
IF1335_contacts	No

Validation(s) of "contact id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "contact id" Column

Name	Unique
PK_contacts	Yes

Validation(s) of "contact type code" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "contact type code" Column

Name	Unique
IF1329_contacts	No

Validation(s) of "contact date" Column

Constraint Name	Min	Max	Rule

Validation(s) of "contact method cd" Column

Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "contact method cd" Column	
Name	Unique
IF1252 contacts	No

Validation(s) of "other contact method" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "location code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "location code" Column	
Name	Unique
IF1262 contacts	No

Validation(s) of "other location" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "scheduled ind" Column			
Constraint Name	Min	Max	Rule
ck contacts schedind			scheduled ind IN ('Y', 'N')

Valid Value(s) of "ck contacts schedind" Validation		
Data Value	Display Value	Definition
Y		Yes, the contact was scheduled.
N		No, the contact was not scheduled.

Validation(s) of "kept ind" Column			
Constraint Name	Min	Max	Rule
ck contacts keptind			kept ind IN ('K', 'U', 'A')

Valid Value(s) of "ck contacts keptind" Validation		
Data Value	Display Value	Definition
K		Kept contact
U		Unkept contact
A		Agency cancelled contact

Validation(s) of "contact notes id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact notes id" Column	
Name	Unique
IF1255 contacts	No

Validation(s) of "summary comment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "summary comment id" Column	
Name	Unique
IF1256 contacts	No

Validation(s) of "required ind" Column			
Constraint Name	Min	Max	Rule
ck contacts reqdind			required ind IN ('Y', 'N')

Valid Value(s) of "ck contacts reqdind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "print on service plan ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_prntsrplnind			print_on_service_plan_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts prntsrplnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "successful ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_successfulind			successful_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts successfulind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "commenced 24 hour ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_cmncd24hrind			commenced_24_hour_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts cmncd24hrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "collateral ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_collateralind			collateral_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts collateralind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "services engagement ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_srvcsengmntind			services_engagement_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts srvcsengmntind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "logical delete ind" Column			
Constraint Name	Min	Max	Rule
ck_contacts_logdelind			logical_delete_ind IN ('Y', 'N')

Valid Value(s) of "ck contacts logdelind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "mandated reporter ind" Column			
Constraint Name	Min	Max	Rule

ck_contacts_mndtdrp_1686457651			mandated_reporter_ind IN ('Y', 'N')
--------------------------------	--	--	-------------------------------------

Valid Value(s) of "ck_contacts_mndtdrp_1686457651" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Table(s) of "contact members" Picture Object	
Name	contact_members
Comment	Contains information about the people contacted in regards to a child.

Column(s) of "contact_members" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
contact_id	NUMBER	NOT NULL	System generated sequence number that uniquely identifies each CONTACTS record.	Yes	Yes
contact_memb_seq_no	NUMBER	NOT NULL	Application generated sequence number that allows for multiple members for each CONTACTS record.	Yes	No
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
other_contact_name	VARCHAR2(100)	NULL	Free-form text for a person's name when they do not have a PERSON_ID as noted in a GROUP_PERSON record.	No	No
contact_relation_code	VARCHAR2(2)	NULL	Contains codes for the relationship of the person contacted regarding the whereabouts, etc. for the missing (AWOL) children.	No	Yes
other_contact_relationship	VARCHAR2(100)	NULL	Free-form text for the relationship to the missing child when the relationship is "Other".	No	No
worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
contact_address_id	NUMBER	NULL	System generated number that uniquely identifies an address.	No	Yes

active_contact_ind	VARCHAR2(1)	NULL	Indicates that (A) this contact is still an "A"ctive contact for the sib group; or (I) the contact is an "I"nactive contact for the sib group; or NULL.	No	No
email address	VARCHAR2(100)	NULL		No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK contact members	Yes
IF1253 contact members	No

Validation(s) of "contact id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact id" Column	
Name	Unique
PK contact members	Yes
IF1253 contact members	No

Validation(s) of "contact memb seq no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact memb seq no" Column	
Name	Unique
PK contact members	Yes

Validation(s) of "sib grp id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib grp id" Column	
Name	Unique
IF1257 contact members	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
IF1257 contact members	No

Validation(s) of "other contact name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contact relation code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact relation code" Column	
Name	Unique
IF1331 contact members	No

Validation(s) of "other contact relationship" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker id" Column	
Name	Unique
IF1259 contact_members	No

Validation(s) of "contact address id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact address id" Column	
Name	Unique
IF1714 contact_members	No

Validation(s) of "active contact ind" Column			
Constraint Name	Min	Max	Rule
ck_contactmemb_actvntctind			active contact ind IN ('A', 'I')

Valid Value(s) of "ck_contactmemb_actvntctind" Validation		
Data Value	Display Value	Definition
A		Active
I		Inactive

Validation(s) of "email address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "location codes" Picture Object	
Name	location_codes
Comment	Contains codes and descriptions for places where the contact took place for use in CONTACTS; and for where the verification of a child's well being took place for use in GROUP_PERSON.

Column(s) of "location_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
location_code	VARCHAR2(3)	NOT NULL	Contains codes for places where the contact took place for use in CONTACTS; and for where the verification of a child's well being took place for use in GROUP_PERSON.	Yes	No
description	VARCHAR2(50)	NULL	Explanation of LOCATION_CODE.	No	No

Validation(s) of "location_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "location_code" Column	
Name	Unique
PK location_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "contact relation codes" Picture Object	
Name	contact relation codes
Comment	Contains codes and descriptions for the relationship of the person contacted regarding the whereabouts, etc. for the missing (AWOL) children.

Column(s) of "contact relation codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
contact_relation_code	VARCHAR2(2)	NOT NULL	Contains codes for the relationship of the person contacted regarding the whereabouts, etc. for the missing (AWOL) children.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of CONTACT_RELATION_CD.	No	No
display_ind	VARCHAR2(1)	NULL	Indicator that is set to show whether the contact_relation_code is to be displayed. Current value is set to 'N' (do not display).	No	No
end_date	DATE	NULL	Date the contact_relation_code is no longer valid.	No	No

Validation(s) of "contact relation code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contact relation code" Column	
Name	Unique
PK contact relation codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "display ind" Column			
Constraint Name	Min	Max	Rule
ck entctrlneds dspl 839529673			display_ind IN ('N')

Valid Value(s) of "ck entctrlneds dspl 839529673" Validation		
Data Value	Display Value	Definition
N	N	No

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "staff_group_emails" Picture Object	
Name	staff_group_emails
Comment	Used for sending emails to a group of individuals, when the GROUP_EMAILS, EMAIL_ADDRESS is not used for a mailing list that is being sent to the appropriate individuals.

Column(s) of "staff_group_emails" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
code	VARCHAR2(10)	NOT NULL	Code to identify the target group to receive email notifications from an application program; e.g. (Code: Description): PDC: Payment Document Control	Yes	Yes
staff_app_seq	NUMBER(3)	NOT NULL	Application generated sequence number (i. e. 1 through n for each GROUP_EMAILS.CODE) to allow for multiple email addresses for staff.	Yes	No
email_address	VARCHAR2(30)	NULL	Email address for the staff.	No	No

Validation(s) of "code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "code" Column	
Name	Unique
PK_staff_group_emails	Yes
IF1773_staff_group_emails	No

Validation(s) of "staff_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "staff_app_seq" Column	
Name	Unique
PK_staff_group_emails	Yes

Validation(s) of "email_address" Column			
Constraint Name	Min	Max	Rule

Table(s) of "url codes" Picture Object	
Name	url codes
Comment	

Column(s) of "url codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
url_code	NUMBER(2)	NOT NULL		Yes	No
url	VARCHAR2(100)	NULL		No	No
end_date	DATE	NULL		No	No

Validation(s) of "url_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "url_code" Column	
Name	Unique
PK_url_codes	Yes

Validation(s) of "url" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "service name urls" Picture Object	
Name	service name urls
Comment	

Column(s) of "service name urls" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service name code	VARCHAR2(10)	NOT NULL		Yes	Yes
url code	NUMBER(2)	NOT NULL		Yes	Yes
end date	DATE	NULL		No	No

Validation(s) of "service name code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service name code" Column	
Name	Unique
PK service name urls	Yes
IF2 service name urls	No

Validation(s) of "url code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "url code" Column	
Name	Unique
PK service name urls	Yes
IF1 service name urls	No

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "service name codes" Picture Object	
Name	service name codes
Comment	

Column(s) of "service name codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service name code	VARCHAR2(10)	NOT NULL		Yes	No
description	VARCHAR2(30)	NULL		No	No
end_date	DATE	NULL		No	No


Validation(s) of "service name code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service name code" Column	
Name	Unique
PK_service name codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

mps / Display1



Table(s) of "approvals" Picture Object	
Name	approvals
Comment	Contains information about one or more approvals (identified by a system generated sequence number) for a PAY_AUTHORIZATION. Includes the worker(s) who approved the authorization along with the approval status and date.

Column(s) of "approvals" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
approval_seq_id	NUMBER	NOT NULL	A system generated number to uniquely identify each approval of a payment.	Yes	No
payment_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a PAY_AUTHORIZATION record.	No	Yes
worker_id	NUMBER	NOT NULL	System generated number that uniquely identifies each worker.	No	Yes
approval_status	VARCHAR2(1)	NULL	Indicates that (Y) the payment is approved; or (N) not.	No	No
status_date	DATE	NULL	The date for each action for a specific payment.	No	No
pend_reason_code	VARCHAR2(2)	NULL	Contains codes for reasons why a payment approval is pending; e.g. (Code: Description): 01: Pre-ten waiver for CCI 02: Youth is age 19/20 in Independent Living 03: Provider is out-of-state 04: Service Code is 9999 05: DOC Level IV initial/extension etc.	No	Yes
approvals_text	VARCHAR2(2000)	NULL	Free-form text which the worker may use for any comments associated with an approval of a payment.	No	No
femr_authorization-county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
femr authorization id	NUMBER	NULL		No	Yes

Validation(s) of "approval_seq_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "approval_seq_id" Column	
Name	Unique

PK approvals	Yes
--------------	-----

Validation(s) of "payment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment id" Column	
Name	Unique
IF391 approvals	No

Validation(s) of "worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "worker id" Column	
Name	Unique
IF202 approvals	No

Validation(s) of "approval status" Column			
Constraint Name	Min	Max	Rule
ck_app_apprstat			approval_status IN ('R', 'A', 'P', 'M')

Valid Value(s) of "ck app apprstat" Validation		
Data Value	Display Value	Definition
R		Rejected
A		Approved
P		Pending
M		Modified

Validation(s) of "status date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pend reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pend reason code" Column	
Name	Unique
IF1134 approvals	No

Validation(s) of "approvals text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "femr authorization county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "femr authorization county no" Column	
Name	Unique
IF1135 approvals	No

Validation(s) of "femr authorization id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "femr authorization id" Column	
Name	Unique
IF1135 approvals	No

Table(s) of "case person" Picture Object	
Name	case_person
Comment	Contains all members (children, parents, relatives, others, but not providers) of a case. Data elements are specific to all members as they relate to a child, but does not include data about a child other than his/her LOG_ID and PERSON_ID.

Column(s) of "case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	Yes	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	Yes	Yes
person_status	VARCHAR2(1)	NULL	Person's status in this case; i.e. (A) active or (I) inactive.	No	No
sib_grp_id	NUMBER	NOT NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
previous_relation	VARCHAR2(2)	NULL	Codes for types of relations; e.g. (Code: Description) AC: Adopted Child AP: Adoptive Parent AS: Adoptive Sibling AU: Aunt/Uncle BP: Biological Parent etc.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
have_custody	VARCHAR2(1)	NULL	Indicates if this person (Y) had custody of the child at time of removal; or (N) not.	No	No
lived_with_child	VARCHAR2(1)	NULL	Indicates that this person (Y) lived with the child at time of removal; or (N) not.	No	No
shows_interest	VARCHAR2(1)	NULL	Indicates that (Y) this person shows interest in the child; or (N) not.	No	No
shows_interest_text	VARCHAR2(80)	NULL	Free-form text for an explanation of why the person does or does not show interest in the child.	No	No
emergency_contact	VARCHAR2(1)	NULL	Indicates that (Y) the person is an emergency contact for the child; or (N) not.	No	No
legal_parent	VARCHAR2(1)	NULL	Indicates that the person (Y) is the child's legal parent; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
prev_legal_parent	VARCHAR2(1)	NULL	Indicates that (Y) this person is the previous legal parent; or (N) not.	No	No
physical_delete	VARCHAR2(1)	NULL	Identifies the record as (Y) yes, the record should be deleted from the database in the nightly processing; or (N) no, the record should not be deleted from the database.	No	No
payee_ind	VARCHAR2(1)	NULL	Indicates if the person in the case is the payee or not.	No	No
qualified_sib_ind	VARCHAR2(1)	NULL	Indicates if the person is qualified for reunification or not.	No	No
complaint_member_ind	VARCHAR2(1)	NULL	Indicates that (Y) the member was identified as part of the case at the time of the CPS complaint; or (N/ NULL) not.	No	No

letter_to_tip	VARCHAR2(1)	NULL	Indicates that (Y) a letter has been sent to the Tuition Incentive Program (TIP); or (N) not.	No	No
diploma	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their diploma; or (N) not.	No	No
diploma_endorsed	VARCHAR2(1)	NULL	Indicates that (Y) the child has passed all high school MEAP tests with appropriate scores, so their diploma was endorsed by the state of Michigan; or (N) not.	No	No
ged_received	VARCHAR2(1)	NULL	Indicates that (Y) the child has received their GED; or (N) not.	No	No
primary_doctor_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
primary_doctor_provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
primary_dentist_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes

primary_dentist_prov_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
parent_on_len_ind	VARCHAR2(1)	NULL	Identifies that (Y) the person for this record is listed as the parent on the law enforcement notification; or (N) not; or NULL.	No	No
complaint_source_ind	VARCHAR2(1)	NULL	Indicates that (Y) this person is the source of the complaint in CPS; or (N) not; or NULL.	No	No
non_custodial_parent_ind	VARCHAR2(1)	NULL	Indicates that (Y) a person identified in this record, is a non-custodial parent; or (N) not; or NULL.	No	No
adsub_inactive_ind	VARCHAR2(1)	NULL	Indicates if adoption subsidy for this person is inactive.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK case person	Yes
IF475 case person	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
PK case person	Yes
NU case person	No
IF485 case person	No

Validation(s) of "person_status" Column			
Constraint Name	Min	Max	Rule
ck_cp_persstat			person_status IN ('D', 'A', 'I')

Valid Value(s) of "ck_cp_persstat" Validation		
Data Value	Display Value	Definition
D		Deceased
A		Active
I		Inactive

Validation(s) of "sib_grp_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "sib_grp_id" Column	
Name	Unique
NU case person	No
IF1102 case person	No

Validation(s) of "previous_relation" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous_relation" Column	
Name	Unique
IF427 case person	No

Validation(s) of "provider_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column	
Name	Unique
IF404 case person	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp10			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp10" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider_type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique
IF404 case person	No

Validation(s) of "have_custody" Column			
Constraint Name	Min	Max	Rule
ck_cp_havecust			have_custody IN ('Y', 'N')

Valid Value(s) of "ck_cp_havecust" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "lived_with_child" Column			
Constraint Name	Min	Max	Rule
ck_cp_livwch			lived_with_child IN ('Y', 'N')

Valid Value(s) of "ck_cp_livwch" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "shows_interest" Column			
Constraint Name	Min	Max	Rule
ck_cp_showint			shows_interest IN ('Y', 'N')

Valid Value(s) of "ck_cp_showint" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "shows interest text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emergency contact" Column			
Constraint Name	Min	Max	Rule
ck cp emergcont			emergency contact IN ('Y', 'N')

Valid Value(s) of "ck cp emergcont" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp legpar			legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp legpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prev legal parent" Column			
Constraint Name	Min	Max	Rule
ck cp prevlegpar			prev legal parent IN ('Y', 'N')

Valid Value(s) of "ck cp prevlegpar" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "physical delete" Column			
Constraint Name	Min	Max	Rule
ck cp phydel			physical delete IN ('Y', 'N')

Valid Value(s) of "ck cp phydel" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payee ind" Column			
Constraint Name	Min	Max	Rule
ck cp payeeind			payee ind IN ('Y', 'N')

Valid Value(s) of "ck cp payeeind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "qualified sib ind" Column			
Constraint Name	Min	Max	Rule
ck cp qualsibind			qualified sib ind IN ('Y', 'N')

Valid Value(s) of "ck cp qualsibind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "complaint_member_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntmembind			complaint_member_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntmembind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "letter_to_tip" Column			
Constraint Name	Min	Max	Rule
ck_cp_lettip			letter_to_tip IN ('Y', 'N')

Valid Value(s) of "ck_cp_lettip" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma" Column			
Constraint Name	Min	Max	Rule
ck_cp_dipl			diploma IN ('Y', 'N')

Valid Value(s) of "ck_cp_dipl" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diploma_endorsed" Column			
Constraint Name	Min	Max	Rule
ck_cp_diplendors			diploma_endorsed IN ('N', 'Y')

Valid Value(s) of "ck_cp_diplendors" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "ged_received" Column			
Constraint Name	Min	Max	Rule
ck_cp_gedrcvd			ged_received IN ('Y', 'N')

Valid Value(s) of "ck_cp_gedrcvd" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "primary_doctor_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_doctor_id" Column	
Name	Unique
IF1618 case person	No

Validation(s) of "primary_doctor_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp11			primary_doctor_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp11" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_doctor_prov_type" Column	
Name	Unique
IF1618 case_person	No

Validation(s) of "primary_dentist_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "primary_dentist_id" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "primary_dentist_prov_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp12			primary_dentist_prov_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp12" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "primary_dentist_prov_type" Column	
Name	Unique
IF1619 case_person	No

Validation(s) of "parent_on_len_ind" Column			
Constraint Name	Min	Max	Rule
fk_cp_prntonlenind			parent_on_len_ind IN ('Y', 'N')

Valid Value(s) of "fk_cp_prntonlenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "complaint_source_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_cmplntsrcind			complaint_source_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_cmplntsrcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "non_custodial_parent_ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_noncstdlprntind			non_custodial_parent_ind IN ('Y', 'N')

Valid Value(s) of "ck_cp_noncstdlprntind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "adsub inactive ind" Column			
Constraint Name	Min	Max	Rule
ck_cp_adsbinctvind			adsub_inactive_ind IN ('Y')

Valid Value(s) of "ck_cp_adsbinctvind" Validation		
Data Value	Display Value	Definition
Y		

Table(s) of "funding source" Picture Object	
Name	funding_source
Comment	Contains codes and descriptions for types of funding sources; e.g. 01 Own/Adoptive Family 02 TITLE IV E 03 Co. Child Care Funds, etc.

Column(s) of "funding source" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
funding_source_code	VARCHAR2(2)	NOT NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	Yes	No
description	VARCHAR2(60)	NULL	Explanation of FUNDING_SOURCE_CODE.	No	No

Validation(s) of "funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source code" Column	
Name	Unique
PK_funding_source	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "legal status code" Picture Object	
Name	legal status code
Comment	Contains codes and descriptions for the legal status of the child; e.g. 41 Permanent Court Ward 42 Temporary Court Ward-Neg 43 Court Ward-Supervision Adoption 44 MCI Ward 45 St Ward-Temp. OB.-MCI-O, etc.

Column(s) of "legal status code" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
legal_status_cd	NUMBER(2)	NOT NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	Yes	No
legal_status_text	VARCHAR2(100)	NULL	Explanation of LEGAL_STATUS_CD.	No	No

Validation(s) of "legal status cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal status cd" Column	
Name	Unique
PK legal status code	Yes

Validation(s) of "legal status text" Column			
Constraint Name	Min	Max	Rule

Table(s) of "mail to" Picture Object	
Name	mail to
Comment	Contains codes and descriptions for where payments are to be mailed; i.e. 1 Client 2 Provider 4 FIA Local Office

Column(s) of "mail to" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
mail_to_code	VARCHAR2(1)	NOT NULL	Codes identifying to whom correspondence is mailed; i.e. (Code: Description) 1: Client 2: Provider 4: FIA Local Office	Yes	No
description	VARCHAR2(30)	NULL	Explanation of MAIL_TO_CODE.	No	No

Validation(s) of "mail to code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mail to code" Column	
Name	Unique
PK mail to	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "pay authorization" Picture Object	
Name	pay authorization
Comment	Identifies, by a system generated sequence number, the scheduled and non-scheduled payment authorizations for a provider who has provided one or more services for a case; or to a person who has purchased authorized goods or services.

Column(s) of "pay authorization" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
payment_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies a PAY_AUTHORIZATION record.	Yes	No
mail_to_code	VARCHAR2(1)	NULL	Codes identifying to whom correspondence is mailed; i.e. (Code: Description) 1: Client 2: Provider 4: FIA Local Office	No	Yes
auth_request_date	DATE	NULL	Date on which the authorization is requested.	No	No
daily_rate	NUMBER(10,2)	NULL	Daily rate assigned to this payment.	No	No
conversion_origin_ind	VARCHAR2(1)	NULL	Indicates that this case was (Y) converted into SWSS from an external system such as CIS; or (N) not converted, but a new case generated within SWSS.	No	No
sched_ind	VARCHAR2(1)	NULL	Identifies whether the payment authorization is for (S) scheduled or (U) unscheduled payments.	No	No
budgetable_income	NUMBER(8,2)	NULL	Dollar amount for budgetable income entered by the user.	No	No
mps_trans_no	VARCHAR2(13)	NULL	The transaction identifier from Model Payments (MPS) for each payment authorization.	No	No
logical_delete	VARCHAR2(1)	NULL	Indicates that (Y) the pay authorization transaction was cancelled on MPS and no payment was made; or (N or NULL) not.	No	No
funding_source_code	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes

voucher_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each VOUCHERS record.	No	Yes
charged_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office. This is for the county, to which the payment is charged.	No	Yes
cis_case_number	VARCHAR2(30)	NULL	CIMS (legacy CIS) case identifier. This is used for converted data since CIMS has been decommissioned and cases are now assigned in BRIDGES.	No	No
recipient_id	NUMBER(12)	NULL	CIMS/ASSIST recipient identifier. This is used for converted data since CIMS and ASSIST have been decommissioned and recipient identifiers are now assigned in BRIDGES.	No	No
prov_elig_type	VARCHAR2(2)	NULL	Codes for the provider eligibility types; e.g. (Code: Description) 60: Relative Home 61: CFC Home 63: Contracted CPA 64: Contracted CCI 65: Non-Contracted CPA etc.	No	Yes
parent_payment_id	NUMBER	NULL	System generated number that uniquely identifies a payment authorization. This is for the authorization that has been superceded by the new authorization; identified by the record's column, PAYMENT_ID (derived from a recursive relationship).	Yes	Yes
legal_status_cd	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes

Validation(s) of "payment_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "payment id" Column			
Name	Unique		
PK pay authorization	Yes		

Validation(s) of "mail to code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "mail to code" Column			
Name	Unique		
IF565 pay authorization	No		

Validation(s) of "auth request date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "daily rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "conversion origin ind" Column			
Constraint Name	Min	Max	Rule
ck_pa_convorgind			conversion_origin_ind IN ('Y', 'N')

Valid Value(s) of "ck pa convorgind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "sched ind" Column			
Constraint Name	Min	Max	Rule
ck_pa_schedind			sched_ind IN ('S', 'N')

Valid Value(s) of "ck pa schedind" Validation		
Data Value	Display Value	Definition
S		Scheduled
N		Non-Scheduled

Validation(s) of "budgetable income" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps trans no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "logical delete" Column			
Constraint Name	Min	Max	Rule
ck_pa_logdelete			logical_delete IN ('Y', 'N')

Valid Value(s) of "ck pa logdelete" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source code" Column	
Name	Unique

IF566 pay authorization	No
-------------------------	----

Validation(s) of "voucher id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "voucher id" Column	
Name	Unique
IF567 pay authorization	No

Validation(s) of "charged county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "charged county no" Column	
Name	Unique
IF568 pay authorization	No

Validation(s) of "cis case number" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "cis case number" Column	
Name	Unique
NU pay authorization	No
NU pay authorization 2	No

Validation(s) of "recipient id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recipient id" Column	
Name	Unique
NU pay authorization 1	No
NU pay authorization 2	No

Validation(s) of "prov elig type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov elig type" Column	
Name	Unique
IF569 pay authorization	No

Validation(s) of "parent payment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "parent payment id" Column	
Name	Unique
IF570 pay authorization	No

Validation(s) of "legal status cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal status cd" Column	
Name	Unique
IF571 pay authorization	No

Table(s) of "payment codes" Picture Object	
Name	payment codes
Comment	Contains codes and descriptions for general groupings of care or services eligible for payments; or for reimbursable goods and services purchased by (or for) a person.

Column(s) of "payment codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
pay_code	VARCHAR2(3)	NOT NULL	Codes for types of payments; e.g. (Code: Description) AAR: Age Appropriate Rate DOC: Difficulty of Care NSP: Non- Scheduled Payment ADM: Administrative Rate ILA: Independent Living Allowance etc.	Yes	No
description	VARCHAR2(40)	NULL	Explanation of PAY_CODE.	No	No

Validation(s) of "pay code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pay code" Column	
Name	Unique
PK_payment_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "payment service" Picture Object	
Name	payment service
Comment	Contains the eligibility information, rate, and effective dates as they relate to pay codes and service codes.

Column(s) of "payment service" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service_code	VARCHAR2(4)	NOT NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	Yes	Yes
effective_date	DATE	NOT NULL	Effective date for the rate associated with the SERVICE_CODE.	Yes	No
pay_code	VARCHAR2(3)	NULL	Codes for types of payments; e.g. (Code: Description) AAR: Age Appropriate Rate DOC: Difficulty of Care NSP: Non-Scheduled Payment ADM: Administrative Rate ILA: Independent Living Allowance etc.	No	Yes
rate	NUMBER(8,2)	NULL	Associated dollar amount for the SERVICE_CODE and PAY_CODE.	No	No
low_age	NUMBER(2)	NULL	Minimum age applicable to this SERVICE_CODE.	No	No
high_age	NUMBER(2)	NULL	Maximum age applicable to this SERVICE_CODE.	No	No
cwfis_doc_code	VARCHAR2(1)	NULL	Codes for difficulty of care used by CWFIS; e.g. (0) no difficulty of care, (A) level I, (B) level II, etc.	No	No
end_date	DATE	NULL	Expiration date for the rate associated with the PAY_CODE and SERVICE_CODE.	No	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
PK_payment service	Yes
IF704 payment service	No

Validation(s) of "effective date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "effective date" Column	
Name	Unique
PK payment service	Yes

Validation(s) of "pay code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pay code" Column	
Name	Unique
IF705 payment service	No

Validation(s) of "rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "low age" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "high age" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cwfis doc code" Column			
Constraint Name	Min	Max	Rule
ck_pmtsrv_cwfisdcccd			cwfis_doc_code IN ('B', 'D', 'G', 'L', 'M', 'N', 'C', '0', 'A')

Valid Value(s) of "ck pmtsrv cwfisdcccd" Validation		
Data Value	Display Value	Definition
B		Level II
D		Exception, level IV
G		Grandfathered rate
L		Medically Fragile, level I
M		Medically Fragile, level II
N		Medically Fragile, level III
C		Level III
0		No difficulty of care
A		Level I

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "pending reasons" Picture Object	
Name	pending reasons
Comment	Contains codes for reasons why a payment approval is pending.

Column(s) of "pending reasons" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
pend_reason_code	VARCHAR2(2)	NOT NULL	Contains codes for reasons why a payment approval is pending; e.g. (Code: Description): 01: Pre-ten waiver for CCI 02: Youth is age 19/20 in Independent Living 03: Provider is out-of-state 04: Service Code is 9999 05: DOC Level IV initial/extension etc.	Yes	No
description	VARCHAR2(50)	NULL	Explanations for the pend_reason_code.	No	No

Validation(s) of "pend reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pend reason code" Column	
Name	Unique
pk_pending_reasons	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "placement funding source" Picture Object	
Name	placement funding source
Comment	Contains the FUNDING_SOURCE_CODE, LEGAL_STATUS_CD, and effective dates for a placement. It resolves the many-to-many relationship between the FUNDING_SOURCE and PROVIDER_CASE_PERSON (placement) tables; since there may be one or more sources of funding for each placement.

Column(s) of "placement funding source" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
placement_id	NUMBER	NOT NULL	System generated number for identifying each placement.	Yes	Yes
begin_date	DATE	NOT NULL	Effective date for the funding source and legal status for a placement.	Yes	No
funding_source_code	VARCHAR2(2)	NULL	Codes to indicate the funding source; i.e. (Code: Description) 01: Own/Adoptive Family 02: TITLE IV E 03: Co. Child Care Funds 04: SWBC/State Facility 05: Ltd. Term/Emergency 06: Self Supporting	No	Yes
legal_status_cd	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes
end_date	DATE	NULL	Expiration date for the funding source and legal status for a placement.	No	No
date_entered	DATE	NULL	Programmatically stores the system date when a user changes the funding source. Internal application use only.	No	No

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique

PK placement funding source	Yes
IF1038 placement funding source	No

Validation(s) of "placement id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement id" Column	
Name	Unique
PK placement funding source	Yes
IF1038 placement funding source	No

Validation(s) of "begin date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "begin date" Column	
Name	Unique
PK placement funding source	Yes

Validation(s) of "funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source code" Column	
Name	Unique
IF1039 placement funding source	No

Validation(s) of "legal status cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal status cd" Column	
Name	Unique
IF1040 placement funding source	No

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "date entered" Column			
Constraint Name	Min	Max	Rule

Table(s) of "provided service" Picture Object	
Name	provided service
Comment	Contains information on one or more paid or unpaid services that were provided to a person in a case. Each service is identified by a system generated sequence number. Included are rates, service period etc.

Column(s) of "provided service" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
provided_service_id	NUMBER	NOT NULL	System generated number that uniquely identifies each service that was provided	Yes	No
log_id	NUMBER	NOT NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NOT NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
placement_id	NUMBER	NULL	System generated number for identifying each placement.	No	Yes
contract_no	VARCHAR2(20)	NULL	A number when combined with CONTRACT_TYPE uniquely identifies the contract. This is supplied to the system by an external source.	No	Yes
contract_type	VARCHAR2(1)	NULL	Identifies the type of contract or the absence of a contract; i.e. (S) service contract, (B) board and care contract, and (N) non-contract. When combined with CONTRACT_NO, it uniquely identifies the contract.	No	Yes
serv_status_code	VARCHAR2(2)	NULL	Codes for the service status; i.e. (Code: Description) A: Svc Unavailable B: Svc Continue C: Svc Refused D: Svc Completed	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from	No	Yes

			other systems. It is also used to identify the licensee.		
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
service_code	VARCHAR2(4)	NOT NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	No	Yes
previous_service_code	VARCHAR2(4)	NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	No	Yes
corrected_service_code	VARCHAR2(4)	NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	No	Yes
payment_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a PAY_AUTHORIZATION record.	No	Yes
rate	NUMBER(8,2)	NULL	Flat rate for this provided service.	No	No
unit	NUMBER	NULL	Identifies the quantity of units (e. g. 20 hours, 1 session etc. (20 and 1 are the units)).	No	No
unit_rate	NUMBER(10,3)	NULL	Identifies the rate per unit; e.g. 20 \$/hr (20 is the unit rate).	No	No
unit_value	NUMBER(10,2)	NULL	Result of the multiplication of UNIT_RATE and UNIT.	No	No
rate_begin_date	DATE	NULL	Effective date on which the rate is applicable.	No	No
rate_end_date	DATE	NULL	Expiration date for the applicable rate.	No	No

family_serv_ind	VARCHAR2(1)	NULL	Indicates that the provided service (Y) served all family members; or (N) not.	No	No
serv_begin_date	DATE	NULL	Begin date of the provided service.	No	No
serv_end_date	DATE	NULL	End date of the provided service.	No	No
serv_complete_status	VARCHAR2(1)	NULL	Identifies the completion status of the provided service; i.e. (S) satisfactory and (U) unsatisfactory.	No	No
payable_ind	VARCHAR2(1)	NULL	Indicates that (Y) a service is a payable service or; (N) not.	No	No
wards_dependent	NUMBER(2)	NULL	The number of dependents of a child in foster-care; i.e. the child has children of her own.	No	No
admin_rate_only_ind	VARCHAR2(1)	NULL	Indicates that (Y) this provider is receiving only the administrative rate for payments for this placement; or (N) not.	No	No
record_create_date	DATE	NULL		No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK provided service	Yes
NU provided service	No
NU provided service 1	No
XIF940provided service	No

Validation(s) of "provided service id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provided service id" Column	
Name	Unique
PK provided service	Yes

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
NU provided service 2	No
NU provided service 1	No
XIF940provided service	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
NU provided service 1	No
XIF940provided service	No

Validation(s) of "placement id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement id" Column	
Name	Unique
NU provided service 2	No
NU provided service	No
XIF782provided service	No

Validation(s) of "contract no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contract no" Column	
Name	Unique
IF617 provided service	No

Validation(s) of "contract type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "contract type" Column	
Name	Unique
IF617 provided service	No

Validation(s) of "serv status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "serv status code" Column	
Name	Unique
IF555 provided service	No

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF418 provided service	No
NU provided service 4	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp20			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp20" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique

IF418 provided service	No
------------------------	----

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
IF416 provided service	No

Validation(s) of "previous service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "previous service code" Column	
Name	Unique
IF1340 provided service	No

Validation(s) of "corrected service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "corrected service code" Column	
Name	Unique
IF1339 provided service	No

Validation(s) of "payment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment id" Column	
Name	Unique
NU provided service 3	No
IF419 provided service	No

Validation(s) of "rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "unit" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "unit rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "unit value" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rate begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rate end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "family serv ind" Column			
Constraint Name	Min	Max	Rule

ck_ps_famsrvind			family_serv_ind IN ('Y', 'N')
-----------------	--	--	-------------------------------

Valid Value(s) of "ck_ps_famsrvind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "serv_begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "serv_end_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "serv_complete_status" Column			
Constraint Name	Min	Max	Rule
ck_ps_srvcmpst			serv_complete_status IN ('U', 'S')

Valid Value(s) of "ck_ps_srvcmpst" Validation		
Data Value	Display Value	Definition
U		Unsatisfactory
S		Satisfactory

Validation(s) of "payable_ind" Column			
Constraint Name	Min	Max	Rule
ck_ps_pyblind			payable_ind IN ('Y', 'N')

Valid Value(s) of "ck_ps_pyblind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "wards_dependent" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "admin_rate_only_ind" Column			
Constraint Name	Min	Max	Rule
ck_ps_admrtind			admin_rate_only_ind IN ('Y', 'N')

Valid Value(s) of "ck_ps_admrtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "record_create_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created_by_worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created_by_worker_id" Column	
Name	Unique
IF1341 provided service	No

Table(s) of "provider" Picture Object	
Name	provider
Comment	Contains information about providers (Board & Care, Services, Licensee and others) identified by a unique combination of PROVIDER_ID and PROVIDER_TYPE; as the PROVIDER_ID can potentially repeat across the provider types. If the PROVIDER_TYPE is M for MPS (model payments) providers, then the PROVIDER_ID is downloaded from the MPS system. If the PROVIDER_TYPE is L for Licensee or O for Other, the PROVIDER_ID also would be taken from other systems. Only for the SWSS 'S' provider types, will a number be generated within SWSS.

Column(s) of "provider" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	No
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	No
security_level_code	VARCHAR2(2)	NULL	Contains codes for the security level for the youth; or the security level that a provider will accept or potentially accept for a child.	No	Yes
county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
security_level_chg_date	DATE	NULL	Date on which the security level changes.	No	No
alert_comment_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an alert comment on this provider; or (N) not.	No	No
provider_name	VARCHAR2(60)	NULL	Name identifying the provider.	No	No
prov_name_line2	VARCHAR2(60)	NULL	Free-form text to be used to clarify a provider's name; used in-lieu-of the recursive relationship (which includes PARENT_ORG_ID and PARENT_ORG_TYPE) on this PROVIDER table.	No	No

staff_ratio	NUMBER	NULL	Ratio of children to the provider's staff.	No	No
federal_tax_id	NUMBER(9)	NULL	Federal tax identification number for the provider.	No	No
tax_number_ind	VARCHAR2(1)	NULL	Indicates the type of tax number as (F) federal tax and (S) social security number	No	No
business_ind	VARCHAR2(1)	NULL	Indicates whether the provider is (#) an individual or (*) a business entity.	No	No
fia_ind	VARCHAR2(1)	NULL	Indicates that FIA (Y) is taking the role of a child placing agency (CPA); or (N) not	No	No
email_address	VARCHAR2(100)	NULL	Electronic mail address for the provider.	No	No
title_4e_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is eligible for Title IVE payments; or (N) not	No	No
enroll_date	DATE	NULL	Date on which the provider is enrolled with FIA to provide services.	No	No
close_date	DATE	NULL	Date on which the provider is no longer eligible to provide services for FIA.	No	No
contact_name	VARCHAR2(30)	NULL	The name of the contact person for the provider, organization, or branch	No	No
provider_text	VARCHAR2(2000)	NULL	Free-form text to describe anything pertinent to the provider, which may be useful for any worker to know, when working with or planning to work with the provider.	No	No
medical_dental_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is a medical or dental provider; or (N) not; or NULL	No	No
licensure_referral_date	DATE	NULL	The date the provider is referred to Licensure when no waiver is received	No	No
anticipated_licensure_date	DATE	NULL	This date is automatically populated 4 months from the licensure_referral_date for the anticipated date that the provider will be licensed.	No	No
eft_ind	VARCHAR2(1)	NULL	Indicates that (Y) the provider is set up in MAIN to accept Electronic Fund Transfer (EFT) payments; or (N) the provider is not set up in MAIN to accept Electronic Fund Transfer (EFT) payments. EFT_MAIL_VALUE	No	No

			is used to further clarify the use of the two values above. This data is transferred to SWSS from BRIDGES.		
eft_mail_value	VARCHAR2(3)	NULL	Unconstrained database values that further explain values used in EFT_IND. If EFT_IND = Y, then acceptable values are E00, or 001 through 999. If EFT_IND = N, then acceptable values are E99, E00, or 000 through 999. This data is transferred to SWSS from BRIDGES	No	No
modified_date	DATE	NULL		No	No
mail_to_ind	NUMBER(1)	NULL		No	No
issue_to_ind	NUMBER(1)	NULL		No	No

Validation(s) of "provider_id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "provider_id" Column

Name	Unique
PK_provider	Yes
NU_provider	No

Validation(s) of "provider_type" Column

Constraint Name	Min	Max	Rule
ck_prd_prvtyp13			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp13" Validation

Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column

Name	Unique
PK_provider	Yes
NU_provider	No

Validation(s) of "security_level_code" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "security_level_code" Column

Name	Unique
IF1548_provider	No

Validation(s) of "county_no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column

Name	Unique
NU_provider	No

IF1068_provider	No
-----------------	----

Validation(s) of "security_level_chg_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "alert_comment_ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov_name_line2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "staff_ratio" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "federal_tax_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "tax_number_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_taxnoind			tax_number_ind IN ('S', 'F')

Valid Value(s) of "ck_prd_taxnoind" Validation		
Data Value	Display Value	Definition
S		Social Security Number
F		Federal Tax Id

Validation(s) of "business_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_busind			business_ind IN ('*', '#')

Valid Value(s) of "ck_prd_busind" Validation		
Data Value	Display Value	Definition
*		Business
#		Person

Validation(s) of "fia_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_fiaind			fia_ind IN ('Y', 'N')

Valid Value(s) of "ck_prd_fiaind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "email_address" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "title_4e_ind" Column			
Constraint Name	Min	Max	Rule
ck_prd_title4eind			title_4e_ind IN ('Y', 'N')

Valid Value(s) of "ck_prd_title4eind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "enroll date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contact name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medical dental ind" Column			
Constraint Name	Min	Max	Rule
ck prd meddentind			medical dental ind IN ('Y', 'N')

Valid Value(s) of "ck prd meddentind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "licensure referral date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "anticipated licensure date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "eft ind" Column			
Constraint Name	Min	Max	Rule
ck prd eftind 321654296			eft ind IN ('Y', 'N')

Valid Value(s) of "ck prd eftind 321654296" Validation		
Data Value	Display Value	Definition
Y	Y	Yes - EFT accepted
N	N	No - Not accepting EFT

Validation(s) of "eft mail value" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mail to ind" Column			
Constraint Name	Min	Max	Rule
ck prd mailtoind 1538438344			mail to ind IN (1, 3)

Valid Value(s) of "ck prd mailtoind 1538438344" Validation		
Data Value	Display Value	Definition
1	1	Physical Address
3	3	Mailing Address

Validation(s) of "issue to ind" Column			
Constraint Name	Min	Max	Rule

ck prd issuetoid 976691159			issue to ind IN (1, 3)
----------------------------	--	--	------------------------

Valid Value(s) of "ck prd issuetoid 976691159" Validation		
Data Value	Display Value	Definition
1	1	Physical Address
3	3	Mailing Address

Table(s) of "provider case person" Picture Object	
Name	provider case person
Comment	Contains information about the provider and person to whom the services are provided along with effective dates and other information about the placement. This table is generally referenced as the placement table.

Column(s) of "provider case person" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
placement_id	NUMBER	NOT NULL	System generated number for identifying each placement.	Yes	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
prov_begin_date	DATE	NULL	The effective date when the provider began providing placement services for the case (child)	No	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
family_structure_code	VARCHAR2(1)	NULL	Codes for the family structure; i.e. (Code: Description) 0: Not Applicable 1: Married Couple 2: Un-Married Couple 3: Single Female 4: Single Male 5: Unable to Determine	No	Yes

prov_end_date	DATE	NULL	The date when the provider is no longer providing placement services for the case (child).	No	No
prov_begin_date_entered	DATE	NULL	Date on which the worker enters the PROV_BEGIN_DATE in the application (AFCARS element).	No	No
prov_end_date_entered	DATE	NULL	Date on which the worker enters the PROV_END_DATE in the application (AFCARS element).	No	No
removed_due_new_petition	VARCHAR2(1)	NULL	Indicates that the child (Y) has been removed from the current placement due to a new petition; or (N) not.	No	No
service_code	VARCHAR2(4)	NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	No	Yes
contact_name	VARCHAR2(30)	NULL	Contact person's name for the provider.	No	No
contact_phone_no	VARCHAR2(20)	NULL	Contact person's phone number for the provider.	No	No
placing_agency_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
placing_agency_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
placement_agency	VARCHAR2(3)	NULL	Codes for the agencies which place children with providers; e.g. (Code: Description) CPA: Child Placing Agency FIA: Family Independence Agency CW: County of Wayne	No	Yes

conversion_origin_ind	VARCHAR2(1)	NULL	Indicates that this case was (Y) converted into SWSS from an external system such as CIS; or (N) not converted, but a new case generated within SWSS.	No	No
prov_elig_type	VARCHAR2(2)	NULL	Codes for the provider eligibility types; e.g. (Code: Description) 60: Relative Home 61: CFC Home 63: Contracted CPA 64: Contracted CCI 65: Non-Contracted CPA etc.	No	Yes
admin_rate_only_ind	VARCHAR2(1)	NULL	Indicates that (Y) this provider is receiving only the administrative rate for payments for this placement; or (N) not.	No	No
adoption_end_reason	VARCHAR2(1)	NULL	Indicates if the adoption has ended due to (F) finalization or (D) disruption.	No	No
new_episode_ind	VARCHAR2(1)	NULL	Indicates that this current placement (Y) is a new episode of removal from the child's home; or (N) not.	No	No
row_number	NUMBER	NULL	An application generated number which is used in the trigger to populate old values in the CORRECTION table.	No	No
removal_seq_no	NUMBER	NULL	System generated number that uniquely identifies an instance of removal	No	Yes
living_arrangement_code	VARCHAR2(2)	NULL	Codes to describe the living arrangement; e.g. (Code: Description) 01: Own home 02: Relative Home (lic. or unlic.) 03: Legal Guardian 04: Adoptive home 05: Family Foster Home etc.	No	Yes
receiving_fip	VARCHAR2(2)	NULL	Indicates that the client (Y) is receiving FIP or (N) not.	No	No
logical_delete	VARCHAR2(1)	NULL	Indicates that (Y) the record remains in the database, but will not be displayed on the screen; or (N; NULL) will display on the screen.	No	No

victim_notified_ind	VARCHAR2(1)	NULL	Indicates that the victim(s) was/were (Y) notified by FIA workers when juvenile goes AWOL; or (N) not notified.	No	No
notify_from_fac_dir	VARCHAR2(1)	NULL	Indicates that (Y) notification has been received from the facility director regarding the prosecution of the child after apprehension; or (N) not.	No	No
start_payment	VARCHAR2(1)	NULL	Indicates that (Y) the payment to the placement facility has started; or (N) not.	No	No
stop_payment	VARCHAR2(1)	NULL	Indicates that (Y) the payment to the placement facility has stopped; or (N) not.	No	No
fia3198	VARCHAR2(1)	NULL	Indicates that (Y) the FIA 3198 has been filed; or (N) not.	No	No
fia767	VARCHAR2(1)	NULL	Indicates that (Y) the FIA 767 has been filed; or (N) not.	No	No
enter_lein	VARCHAR2(1)	NULL	Indicates that (Y) a warrant (lein) has been issued if the child has escaped from the placement; or (N) not.	No	No
cancel_lein	VARCHAR2(1)	NULL	Indicates that (Y) the warrant (lein) has been canceled if the child has returned back to the placement; or (N) not.	No	No
plcmnt_decision	VARCHAR2(1)	NULL	Indicates that (Y) the child has returned to the placement; or (N) not.	No	No
anticip_next_plcmnt	VARCHAR2(2)	NULL	Contains codes for the type of anticipated, next placement; e.g. (Code: Description): 02: Relative Home 03: Legal Guardian 04: Adoptive Home, etc.	No	Yes
anticip_next_plcmnt_date	DATE	NULL	Date of the anticipated next placement.	No	No
pff_agreement_date	DATE	NULL	Date on which the Permanent Foster Family (PFF) agreement form was signed. The PFF agreement form is an agreement between the Biological Parents, Foster Parents, and FIA, so that the child may remain in the Foster Home.	No	No

possible_destination	VARCHAR2(4000)	NULL	Narrative to explain the possible destination of the missing child.	No	No
may_be_with	VARCHAR2(200)	NULL	Narrative to explain whom the missing child may be with.	No	No
lein_generated_date	DATE	NULL	Date on which the Law Enforcement Information Network (LEIN) notice was generated.	No	No
missing_child_text	VARCHAR2(4000)	NULL	Narrative about anything relating to the missing child.	No	No
absence_reason_code	VARCHAR2(1)	NULL	Contains codes for the reasons a child is missing from the current placement.	No	Yes
risk_reason_code	VARCHAR2(1)	NULL	Contains the codes for the potential risk to the child while they are missing.	No	Yes
risk_text	VARCHAR2(2000)	NULL	Free-form text for further explanation of the potential risk to the child while they are missing.	No	No
may_be_with_ind	VARCHAR2(1)	NULL	Indicates that the missing child may be with (P) a parent; or (O) other.	No	No
may_be_with_name	VARCHAR2(200)	NULL	Contains the name of the person whom the missing child may be with.	No	No
may_be_with_relationship	VARCHAR2(200)	NULL	Free form text for the relationship of the missing child and the person whom he/she may be with.	No	No
may_be_with_address1	VARCHAR2(100)	NULL	Free form text for the address of the person whom the missing child may be with.	No	No
may_be_with_address2	VARCHAR2(100)	NULL	Free form text for the address of the person whom the missing child may be with.	No	No
action_text	VARCHAR2(4000)	NULL	Free-form text for actions taken to locate a missing or AWOL child.	No	No
lea_text	VARCHAR2(200)	NULL	Free-form text for (generally) the name of the law enforcement agency (lea), to which, a missing child or AWOL child is reported.	No	No
supervisor_approval_ind	VARCHAR2(1)	NULL	Indicates that (Y) the supervisor approved the placement; or (N) not; or NULL.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique

PK provider case person	Yes
NU provider case person	No
XIF380provider case person	No

Validation(s) of "placement id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement id" Column	
Name	Unique
PK provider case person	Yes

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
NU provider case person 1	No
IF348 provider case person	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp4			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp4" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique
NU provider case person 1	No
IF348 provider case person	No

Validation(s) of "prov begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log id" Column	
Name	Unique
NU provider case person	No
XIF380provider case person	No

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
NU provider case person 2	No
NU provider case person	No
XIF380provider case person	No

Validation(s) of "family structure code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "family structure code" Column	
Name	Unique
IF552_provider_case_person	No

Validation(s) of "prov_end_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov_begin_date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov_end_date_entered" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "removed_due_new_petition" Column			
Constraint Name	Min	Max	Rule
ck_prpc_remnewpet			removed_due_new_petition IN ('Y', 'N')

Valid Value(s) of "ck_prpc_remnewpet" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "service_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service_code" Column	
Name	Unique
IF728_provider_case_person	No

Validation(s) of "contact_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "contact_phone_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "placing_agency_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placing_agency_id" Column	
Name	Unique
IF738_provider_case_person	No

Validation(s) of "placing_agency_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp5			placing_agency_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp5" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)

O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "placing agency type" Column	
Name	Unique
IF738 provider case person	No

Validation(s) of "placement agency" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "placement agency" Column	
Name	Unique
IF1131 provider case person	No

Validation(s) of "conversion origin ind" Column			
Constraint Name	Min	Max	Rule
ck_prpc_convorgind			conversion_origin_ind IN ('N', 'Y')

Valid Value(s) of "ck_prpc_convorgind" Validation		
Data Value	Display Value	Definition
N		No
Y		Yes

Validation(s) of "prov elig type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov elig type" Column	
Name	Unique
IF747 provider case person	No

Validation(s) of "admin rate only ind" Column			
Constraint Name	Min	Max	Rule
ck_prpc_admrtind			admin_rate_only_ind IN ('Y', 'N')

Valid Value(s) of "ck_prpc_admrtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "adoption end reason" Column			
Constraint Name	Min	Max	Rule
ck_prpc_adpendrsn			adoption_end_reason IN ('F', 'D')

Valid Value(s) of "ck_prpc_adpendrsn" Validation		
Data Value	Display Value	Definition
F		Finalization
D		Disruption

Validation(s) of "new episode ind" Column			
Constraint Name	Min	Max	Rule
ck_prpc_newepind			new_episode_ind IN ('Y', 'N')

Valid Value(s) of "ck_prpc_newepind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "row number" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "removal seq no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "removal seq no" Column	
Name	Unique
IF931 provider case person	No

Validation(s) of "living arrangement code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "living arrangement code" Column	
Name	Unique
IF987 provider case person	No

Validation(s) of "receiving fip" Column			
Constraint Name	Min	Max	Rule
ck prcp recfip			receiving fip IN ('Y', 'N')

Valid Value(s) of "ck prcp recfip" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "logical delete" Column			
Constraint Name	Min	Max	Rule
ck prcp logdelete			logical delete IN ('Y', 'N')

Valid Value(s) of "ck prcp logdelete" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "victim notified ind" Column			
Constraint Name	Min	Max	Rule
ck prcp victnot			victim notified ind IN ('Y', 'N')

Valid Value(s) of "ck prcp victnot" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "notify from fac dir" Column			
Constraint Name	Min	Max	Rule
ck prcp notfacdir			notify from fac dir IN ('Y', 'N')

Valid Value(s) of "ck prcp notfacdir" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "start payment" Column			
Constraint Name	Min	Max	Rule
ck prcp startpay			start payment IN ('Y', 'N')

Valid Value(s) of "ck prcp startpay" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "stop payment" Column			
Constraint Name	Min	Max	Rule

ck_prctp_stoppay			stop_payment IN ('Y', 'N')
------------------	--	--	----------------------------

Valid Value(s) of "ck_prctp_stoppay" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "fia3198" Column			
Constraint Name	Min	Max	Rule
ck_prctp_fia3198			fia3198 IN ('Y', 'N')

Valid Value(s) of "ck_prctp_fia3198" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "fia767" Column			
Constraint Name	Min	Max	Rule
ck_prctp_fia767			fia767 IN ('Y', 'N')

Valid Value(s) of "ck_prctp_fia767" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "enter_lein" Column			
Constraint Name	Min	Max	Rule
ck_prctp_enterlein			enter_lein IN ('Y', 'N')

Valid Value(s) of "ck_prctp_enterlein" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "cancel_lein" Column			
Constraint Name	Min	Max	Rule
ck_prctp_cancellein			cancel_lein IN ('Y', 'N')

Valid Value(s) of "ck_prctp_cancellein" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "plcmnt_decision" Column			
Constraint Name	Min	Max	Rule
ck_prctp_plcmntdec			plcmnt_decision IN ('R', 'N')

Valid Value(s) of "ck_prctp_plcmntdec" Validation		
Data Value	Display Value	Definition
R		Return to Placement
N		New Placement

Validation(s) of "anticip_next_plcmnt" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "anticip_next_plcmnt" Column	
Name	Unique
IF1658_provider_case_person	No

Validation(s) of "anticip_next_plcmnt_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "pff agreement date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "possible destination" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "may be with" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "lein generated date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "missing child text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "absence reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "absence reason code" Column		
Name	Unique	
IF1260 provider case person	No	

Validation(s) of "risk reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "risk reason code" Column		
Name	Unique	
IF1261 provider case person	No	

Validation(s) of "risk text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "may be with ind" Column			
Constraint Name	Min	Max	Rule
ck_pcp_maybewithind			may be with ind IN ('P','O')

Valid Value(s) of "ck_pcp_maybewithind" Validation		
Data Value	Display Value	Definition
P		Parent
O		Other

Validation(s) of "may be with name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "may be with relationship" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "may be with address1" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "may be with address2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "action text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "lea text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supervisor approval ind" Column			
Constraint Name	Min	Max	Rule
ck_prcp_spvsraprvlind			supervisor_approval_ind IN ('Y', 'N')

Valid Value(s) of "ck_prcp_spvsraprvlind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "provider sdm services" Picture Object	
Name	provider sdm services
Comment	Identifies the needed services that a provider is eligible to provide.

Column(s) of "provider sdm services" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
provider_id	NUMBER	NOT NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	Yes	Yes
provider_type	VARCHAR2(1)	NOT NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	Yes	Yes
sdm_service_code	VARCHAR2(4)	NOT NULL	Codes for support services; e.g. (Code: Description) BF: Both Caretakers/Family C: Child Code AD: Alcohol or Drug Abuse Rehabilitation OT: Other Program Needs JT: Job Training/ Employment Assistance etc.	Yes	Yes

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
pk_provider_sdm_services	Yes
IF707_provider_sdm_services	No

Validation(s) of "provider_type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp6			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck_prd_prvtyp6" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider_type" Column	
Name	Unique

pk provider sdm services	Yes
IF707 provider sdm services	No

Validation(s) of "sdm service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sdm service code" Column	
Name	Unique
pk provider sdm services	Yes
IF706 provider sdm services	No

Table(s) of "reports" Picture Object	
Name	reports
Comment	Identified by a system generated sequence number and contains information on the type of the report and various dates; specific for a person in a case. Reports, letters and notices are included.

Column(s) of "reports" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
report_no	NUMBER	NOT NULL	System generated number that uniquely identifies a report.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
report_type_cd	VARCHAR2(7)	NOT NULL	Codes identifying each report type; e. g. (Code; Description) AACT: Adoption Activity EDRCR: School Report Card Request EDSER: School Enrollment Request LHN: Legal Hearing Notice LR: Legal Release etc.	No	Yes
report_date	DATE	NULL	Date on which the report is created.	No	No
print_date	DATE	NULL	Date on which the report was printed.	No	No
usp_due_date	DATE	NULL	Date on which the Updated Service Plan (USP) is due.	No	No

Validation(s) of "report no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "report no" Column	
Name	Unique
PK_reports	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique

PK reports	Yes
NU reports	No
IF1105 reports	No

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
NU reports	No
IF1105 reports	No

Validation(s) of "person_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person_id" Column	
Name	Unique
IF1105 reports	No

Validation(s) of "report_type_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "report_type_cd" Column	
Name	Unique
IF393 reports	No

Validation(s) of "report_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "print_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "usp_due_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "sdm service codes" Picture Object	
Name	sdm_service_codes
Comment	Contains codes and descriptions for support services; e.g. BF Both Caretakers/Family C Child Code AD Alcohol or Drug Abuse Rehabilitation OT Other Program Needs, etc.

Column(s) of "sdm service codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
sdm_service_code	VARCHAR2(4)	NOT NULL	Codes for support services; e.g. (Code: Description) BF: Both Caretakers/Family C: Child Code AD: Alcohol or Drug Abuse Rehabilitation OT: Other Program Needs JT: Job Training/ Employment Assistance etc.	Yes	No
description	VARCHAR2(40)	NULL	Explanation of NEEDED_SERVICE_CODE.	No	No

Validation(s) of "sdm service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sdm service code" Column	
Name	Unique
PK_needed_service	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "serv code limits" Picture Object	
Name	serv code limits
Comment	Contains the limits (or maximum values) as set by policy for each SERVICE_CODE and unit of measure.

Column(s) of "serv code limits" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service_code	VARCHAR2(4)	NOT NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	Yes	Yes
effective_date	DATE	NOT NULL	Effective date for the rate associated with the SERVICE_CODE.	Yes	Yes
serv_cd_limit_seq	NUMBER(1)	NOT NULL	An application generated sequence number which in combination with SERVICE_CODE and EFFECTIVE_DATE, uniquely identifies the limits or maximum values for the MPS Service Code.	Yes	No
uom_code	VARCHAR2(10)	NULL	Codes for units of measure; e.g. (Code: Description) \$/D: Dollars per day DEP/WRD: Dependents per ward etc.	No	Yes
unit_value	NUMBER(9,3)	NULL	The limit defined for this service code based on the UOM_CODE.	No	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
PK serv code limits	Yes
IF1099 serv code limits	No

Validation(s) of "effective date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "effective date" Column	
Name	Unique
PK serv code limits	Yes
IF1099 serv code limits	No

Validation(s) of "serv cd limit seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "serv cd limit seq" Column	
Name	Unique

PK serv code limits	Yes
---------------------	-----

Validation(s) of "uom code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "uom code" Column	
Name	Unique
IF1101 serv code limits	No

Validation(s) of "unit value" Column			
Constraint Name	Min	Max	Rule

Table(s) of "service codes" Picture Object	
Name	service codes
Comment	Contains codes and descriptions for model payments (MPS), 4-digit service codes.

Column(s) of "service codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service_code	VARCHAR2(4)	NOT NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of SERVICE_CODE.	No	No
bc_code_ind	VARCHAR2(1)	NULL	Indicates that (Y) the service is a board and care service; or (N) not.	No	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
PK_service_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "bc code ind" Column			
Constraint Name	Min	Max	Rule
ck_scod_bccdind			bc_code_ind IN ('Y', 'N')

Valid Value(s) of "ck_scod_bccdind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "service status" Picture Object	
Name	service status
Comment	Contains codes and descriptions for the status of service which was, or is planned to be provided; i.e. A Svc Unavailable B Svc Continue C Svc Refused D Svc Completed

Column(s) of "service status" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
serv_status_code	VARCHAR2(2)	NOT NULL	Codes for the service status; i.e. (Code: Description) A: Svc Unavailable B: Svc Continue C: Svc Refused D: Svc Completed	Yes	No
description	VARCHAR2(30)	NULL	Explanation of SERV_STATUS_CODE.	No	No

Validation(s) of "serv status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "serv status code" Column	
Name	Unique
PK service status	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "unit of measure" Picture Object	
Name	unit of measure
Comment	Contains codes and descriptions for units of measure as they relate to SERVICE_CODE limits or maximum values.

Column(s) of "unit of measure" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
uom_code	VARCHAR2(10)	NOT NULL	Codes for units of measure; e.g. (Code: Description) \$/D: Dollars per day DÉP/WRD: Dependents per ward etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of UOM_CODE.	No	No

Validation(s) of "uom_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "uom_code" Column	
Name	Unique
PK_unit of measure	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "payment details" Picture Object	
Name	payment details
Comment	Contains detailed information on the payment.

Column(s) of "payment details" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
payment_detail_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each PAYMENT_DETAILS record.	Yes	No
payment_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a PAY_AUTHORIZATION record.	No	Yes
adsub_info_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	No	Yes
recipient_id	NUMBER	NULL	Recipient's identifying number from legacy CIMS/ASSIST.	No	No
pay_period_begin_date	DATE	NULL	Begin date for the pay period.	No	No
pay_period_end_date	DATE	NULL	End date for the pay period.	No	No
record_type_code	VARCHAR2(3)	NULL	Contains codes identifying a payment as being a scheduled payment (positive) or a non-scheduled payment (negative).	No	Yes
client_pay_amount	NUMBER(6,2)	NULL	Amount the client/recipient is or should be paying.	No	No
total_amount_billed	NUMBER(9,2)	NULL	Amount submitted by the provider for payment.	No	No
claim_disposition_code	NUMBER(1)	NULL	Contains codes for the disposition of a payment (i.e. paid, paid-error, not paid, acct change).	No	Yes
claim_type_code	NUMBER(2)	NULL	Contains codes for detailed information on negative and positive payments.	No	Yes

units_authorized	NUMBER(2)	NULL	The number of units (hours, days, etc.) that the provider or client is authorized by the agency, for payment in a specified time period.	No	No
units_billed	NUMBER(2)	NULL	The number of units (hours, days, etc.) submitted by the provider or client for payment	No	No
units_paid	NUMBER(2)	NULL	The number of units (hours, days, etc.) considered in the payment to the provider, client, or both.	No	No
rate	NUMBER(6,2)	NULL	The rate of pay, used with UNITS_PAID to determine the total payment to the provider, client, or both.	No	No
dept_payment_amount	NUMBER(9,2)	NULL	Amount paid to the provider, client, or both by the department/agency. This amount, added to CLIENT_PAY - AMOUNT should be the total amount of the bill.	No	No
rewrite_number_ind	NUMBER(1)	NULL	The number of times the payment information has been rewritten/ refigured	No	No
voucher_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each VOUCHERS record	No	Yes
record_create_date	DATE	NULL	Date on which the record was created.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_modified_date	DATE	NULL	Date on which the record was modified.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes
med_claim_line_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes

med_claim_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each medical claim record.	No	Yes
line_seq_no	NUMBER(3)	NULL	Application generated number to uniquely identify each line for the claim. It will start at one and increment by one for each additional line.	No	Yes
claim_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a CLAIMS record	No	Yes
femr_authorization-county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	Yes
femr_authorization_id	NUMBER	NULL		No	Yes
replace_exclude_ind	VARCHAR2(1)	NULL		No	No
parent_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
parent_payment_detail_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each PAYMENT_DETAILS record.	Yes	Yes

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_payment_details	Yes
IF10_payment_details	No

Validation(s) of "payment_detail_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment_detail_id" Column	
Name	Unique
PK_payment_details	Yes

Validation(s) of "payment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment_id" Column	
Name	Unique
IF20_payment_details	No

Validation(s) of "adsub_info_county_no" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "adsub info county no" Column	
Name	Unique
IF18 payment details	No

Validation(s) of "adsub info id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column	
Name	Unique
IF18 payment details	No

Validation(s) of "recipient id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recipient id" Column	
Name	Unique
NU payment details 2	No

Validation(s) of "pay period begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pay period end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "record type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "record type code" Column	
Name	Unique
IF1 payment details	No

Validation(s) of "client pay amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "total amount billed" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "claim disposition code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim disposition code" Column	
Name	Unique
IF3 payment details	No

Validation(s) of "claim type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim type code" Column	
Name	Unique
IF7 payment details	No

Validation(s) of "units authorized" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "units billed" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "units paid" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dept payment amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rewrite number ind" Column			
Constraint Name	Min	Max	Rule
ck_pymntdtls_rwrtnumi_30019544	0	9	rewrite_number_ind BETWEEN 0 AND 9

Validation(s) of "voucher id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "voucher id" Column	
Name	Unique
IF13 payment details	No
NU payment details	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF14 payment details	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF15 payment details	No

Validation(s) of "med claim line county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med claim line county no" Column	
Name	Unique

IF17 payment details	No
----------------------	----

Validation(s) of "med claim id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med claim id" Column	
Name	Unique
IF17 payment details	No

Validation(s) of "line seq no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "line seq no" Column	
Name	Unique
IF17 payment details	No

Validation(s) of "claim id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim id" Column	
Name	Unique
IF19 payment details	No
NU payment details 1	No

Validation(s) of "femr authorization county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "femr authorization county no" Column	
Name	Unique
IF21 payment details	No

Validation(s) of "femr authorization id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "femr authorization id" Column	
Name	Unique
IF21 payment details	No

Validation(s) of "replace exclude ind" Column			
Constraint Name	Min	Max	Rule
ck pymntdtls rplcexc 800834751			replace exclude ind IN ('X', 'R')

Valid Value(s) of "ck pymntdtls rplcexc 800834751" Validation		
Data Value	Display Value	Definition
X	X	Exclude
R	R	Replace

Validation(s) of "parent county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "parent county no" Column	
Name	Unique
IF22 payment details	No

Validation(s) of "parent payment detail id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "parent payment detail id" Column			
Name		Unique	
IF22 payment details		No	

Table(s) of "record type codes" Picture Object	
Name	record type codes
Comment	Contains codes and descriptions identifying a payment as being a scheduled payment (positive) or a non-scheduled payment (negative).

Column(s) of "record type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
record_type_code	VARCHAR2(3)	NOT NULL	Contains codes identifying a payment as being a scheduled payment (positive) or a non-scheduled payment (negative).	Yes	No
description	VARCHAR2(30)	NULL	Explanation of RECORD_TYPE_CODE.	No	No
end_date	DATE	NULL	Date on which a RECORD_TYPE_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the PAYMENT_DETAILS record; unless converted to another code per policy.	No	No

Validation(s) of "record type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "record type code" Column	
Name	Unique
PK record type codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "claim disposition codes" Picture Object	
Name	claim disposition codes
Comment	Contains codes and descriptions for the disposition of a payment (i.e. paid, paid-error, not paid, acct change).

Column(s) of "claim disposition codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
claim_disposition_code	NUMBER(1)	NOT NULL	Contains codes for the disposition of a payment (i.e. paid, paid-error, not paid, acct change)	Yes	No
description	VARCHAR2(30)	NULL	Explanation of CLAIM_DISPOSITION_CODE.	No	No
end_date	DATE	NULL	Date on which a CLAIM_DISPOSITION_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the PAYMENT_DETAILS record; unless converted to another code per policy.	No	No

Validation(s) of "claim disposition code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim disposition code" Column	
Name	Unique
PK claim disposition codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "vouchers" Picture Object	
Name	vouchers
Comment	Contains information for the vouchers created in SWSS (and the converted data from legacy MPS) that are sent to MAIN; along with the warrant information sent back to SWSS from MAIN.

Column(s) of "vouchers" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
voucher_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each VOUCHERS record.	Yes	No
voucher_reference_no	VARCHAR2(14)	NULL	The reference number created by SWSS (and contained in the converted information from legacy MPS) for the identifier being sent to MAIN for issuance of a warrant. MAIN references this same number when sending warrant information back to SWSS. An alternative to this approach, if implemented in the new design, would be to eliminate future usage of this number and refer only to VOUCHER_ID .	No	No
warrant_number	NUMBER(9)	NULL	The check number issued by MAIN for one or more VOUCHERS records.	No	No
warrant_date	DATE	NULL	Date of the warrant.	No	No
payee_name_1	VARCHAR2(45)	NULL	The first, of a possible two names, printed on the warrant.	No	No
payee_name_2	VARCHAR2(45)	NULL	The second name printed on a warrant (if there are two names).	No	No
pay_to_code	NUMBER(1)	NULL	Contains pay codes for whom the warrant was issued: 1 - client/provider 2 - client 3 - provider 4 - third party	No	Yes
mail_to_code	VARCHAR2(1)	NULL	Codes identifying to whom correspondence is mailed; i.e. (Code: Description) 1: Client 2: Provider 4: FIA Local Office	No	Yes
warrant_disposition_code	VARCHAR2(2)	NULL	Contains codes for the disposition of a warrant (e.g. warrant issued, warrant cashed, forgery claim in process, etc.).	No	Yes

warrant_disposition_date	DATE	NULL	Date on which a warrant disposition was entered.	No	No
original_amount	NUMBER(9,2)	NULL	The amount that was originally intended to be paid by the warrant based on the submitted vouchers. If there is no recoupment, this is the amount paid by the warrant.	No	No
recoupment_amount	NUMBER(9,2)	NULL	The amount withheld from a payment to satisfy a previous overpayment (s); either in full or on a regular withholding basis per the recoupment process.	No	No
parent_voucher_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each VOUCHERS record. Renamed from VOUCHER_ID for the voucher that has been superceded by the new voucher record; identified by the record's column, VOUCHER_ID (derived from a recursive relationship).	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
wc_last_printed_date	d	NULL		No	No
stop_warrant_request_date	DATE	NULL		No	No
warrant_change_reason_code	VARCHAR2(2)	NULL		No	Yes
warrant_text	VARCHAR2(4000)	NULL		No	No
recoup_event_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each instance of a recoupment.	No	Yes

record_create_date	DATE	NULL	Date on which the record was created.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_modified_date	DATE	NULL	Date on which the record was modified.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes

Validation(s) of "voucher id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "voucher id" Column	
Name	Unique
PK vouchers	Yes

Validation(s) of "voucher reference no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "voucher reference no" Column	
Name	Unique
U vouchers	Yes

Validation(s) of "warrant number" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "warrant number" Column	
Name	Unique
U vouchers 1	Yes

Validation(s) of "warrant date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "payee name 1" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "payee name 2" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pay to code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pay to code" Column	
Name	Unique
IF1 vouchers	No

Validation(s) of "mail to code" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "mail to code" Column	
Name	Unique
IF3 vouchers	No

Validation(s) of "warrant disposition code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "warrant disposition code" Column	
Name	Unique
IF2 vouchers	No
NU vouchers 1	No

Validation(s) of "warrant disposition date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "warrant disposition date" Column	
Name	Unique
NU vouchers 1	No

Validation(s) of "original amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recoupment amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "parent voucher id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "parent voucher id" Column	
Name	Unique
IF4 vouchers	No

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF6 vouchers	No
NU vouchers	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider type" Column	
Name	Unique
IF6 vouchers	No

Validation(s) of "wc last printed date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "stop warrant request date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "warrant change reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "warrant change reason code" Column	
Name	Unique
IF9 vouchers	No

Validation(s) of "warrant text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recoup event id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recoup event id" Column	
Name	Unique
IF10 vouchers	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF7 vouchers	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF8 vouchers	No

Table(s) of "pay to codes" Picture Object	
Name	pay to codes
Comment	Contains codes and descriptions of the codes for whom the warrant is issued (e.g. client, provider, third party).

Column(s) of "pay to codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
pay_to_code	NUMBER(1)	NOT NULL	Contains pay codes for whom the warrant was issued: 1 - client/provider 2 - client 3 - provider 4 - third party	Yes	No
description	VARCHAR2(30)	NULL	Explanation of PAY_TO_CODE.	No	No
end_date	DATE	NULL	Date on which a PAY_TO_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the VOUCHERS record; unless converted to another code per policy.	No	No

Validation(s) of "pay to code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pay to code" Column	
Name	Unique
PK_pay to codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "warrant disposition codes" Picture Object	
Name	warrant disposition codes
Comment	Contains codes and descriptions for the disposition of a warrant (e.g. warrant issued, warrant cashed, forgery claim in process, etc.).

Column(s) of "warrant disposition codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
warrant_disposition_code	VARCHAR2(2)	NOT NULL	Contains codes for the disposition of a warrant (e.g. warrant issued, warrant cashed, forgery claim in process, etc.).	Yes	No
description	VARCHAR2(200)	NULL	Explanation of WARRANT_DISP-OSITION_CODE.	No	No
end_date	DATE	NULL	Date on which a WARRANT_DISP-OSITION_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the VOUCHERS record; unless converted to another code per policy.	No	No

Validation(s) of "warrant disposition code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "warrant disposition code" Column	
Name	Unique
PK warrant disposition codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "claim type codes" Picture Object	
Name	claim type codes
Comment	Contains codes and descriptions for detailed information on negative and positive payments.

Column(s) of "claim type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
claim_type_code	NUMBER(2)	NOT NULL	Contains codes for detailed information on negative and positive payments.	Yes	No
description	VARCHAR2(35)	NULL	Explanation of CLAIM_TYPE_CODES.	No	No
end_date	DATE	NULL	Date on which a CLAIM_TYPE_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the PAYMENT_DETAILS record; unless converted to another code per policy.	No	No

Validation(s) of "claim type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim type code" Column	
Name	Unique
PK claim type codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "account details" Picture Object	
Name	account details
Comment	

Column(s) of "account details" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
payment_detail_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each PAYMENT_DETAILS record.	Yes	Yes
account_detail_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number (i. e. 1 through n for each PAYMENT_DETAIL_ID) that allows for multiple records for each PAYMENT_DETAIL_ID.	Yes	No
account_number	NUMBER(6)	NULL	Legacy accounting number that identifies a specific funding allocation.	No	No
agency_object	NUMBER(4)	NULL	Contains the 4 digit accounting code for the Agency Object Code (AOC).	No	No
title	NUMBER(2)	NULL	The description of the ACCOUNT_NUMBER that identifies a specific funding allocation.	No	No
index_code	NUMBER(5)	NULL	Contains the 5 digit accounting code for the Index Account.	No	No
dept_payment_amount	NUMBER(9,2)	NULL	Amount the department/agency is paying.	No	No
fica_amount	NUMBER(6,2)	NULL	Amount being withheld for FICA.	No	No
account_funding_source_code	NUMBER(2)	NULL	Contains codes for the accounting funding source (e.g. union dues, CFC board and care, Adoption IVE, etc.).	No	Yes
record_create_date	DATE	NULL	Date on which a record was created.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_modified_date	DATE	NULL	Date on which a record was modified.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who	No	Yes

			modified the record.		
--	--	--	----------------------	--	--

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK account details	Yes
IF2 account details	No

Validation(s) of "payment detail id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment detail id" Column	
Name	Unique
PK account details	Yes
IF2 account details	No

Validation(s) of "account detail app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "account detail app seq" Column	
Name	Unique
PK account details	Yes

Validation(s) of "account number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "agency object" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "title" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "dept payment amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "fica amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "account funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "account funding source code" Column	
Name	Unique
IF5 account details	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF3 account details	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF4 account details	No

Table(s) of "claims" Picture Object	
Name	claims
Comment	Contains identifying information about the claim received from the provider or client; in addition to how it was entered in the system, and who/when the record the was created/modified.

Column(s) of "claims" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
claim_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies a CLAIMS record	Yes	No
claim_document_no	NUMBER(9)	NULL	Legacy system identifier of a claim.	No	No
entry_type_ind	VARCHAR2(2)	NULL	Indicates that (01) the data entry was from a scanning process; or (04) the data entry was from a manual process.	No	No
record_create_date	DATE	NULL	Date on which the record was created.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_modified_date	DATE	NULL	Date on which the record was modified.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes

Validation(s) of "claim_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim_id" Column	
Name	Unique
PK claims	Yes

Validation(s) of "claim_document_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "entry_type_ind" Column			
Constraint Name	Min	Max	Rule
ck clms entrytypind 1489936573			entry_type_ind IN (01, 04)

Valid Value(s) of "ck clms entrytypind 1489936573" Validation		
Data Value	Display Value	Definition
01	01	Scanned entry
04	04	Manual data entry

Validation(s) of "record_create_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created_by_worker_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created_by_worker_id" Column	
Name	Unique

IF6 claims	No
------------	----

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF7 claims	No

Table(s) of "pended claim lines" Picture Object	
Name	pended claim lines
Comment	Contains information for the pended claim lines.

Column(s) of "pended claim lines" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
claim_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies a CLAIMS record.	Yes	Yes
pended_claim_app_seq	NUMBER(3)	NOT NULL	Application generated sequence number (1 through n for each CLAIM_ID) that allows for many records for each CLAIM_ID.	Yes	No
payment_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a PAY_AUTHORIZATION record.	No	Yes
provider_id	NUMBER	NULL	The identifying number for a provider. This column is used for pended claim lines that have discrepancies between what was stored on the legacy MPS system and what was sent to MPS from SWSS.	No	No
service_begin_date	DATE	NULL	Authorization begin-date for the service (s) being provided.	No	No
service_end_date	DATE	NULL	Authorization end-date for the service (s) being provided.	No	No
form_number_ind	NUMBER(3)	NULL	Indicates that (153) the pended claim line is referencing Form AFC153; or (525) the pended claim line is referencing Form CFC 525.	No	No
recipient_id	NUMBER	NULL	The identifying number for a recipient. This column is used for pended claim lines that have discrepancies between what was stored on the legacy MPS system and what was sent to MPS from SWSS.	No	No
case_number	VARCHAR2(10)	NULL	The identifying number for a case. This column is used for pended claim lines that have discrepancies between what was stored on the legacy MPS system and what was sent to MPS from SWSS.	No	No

pay_period_begin_date	DATE	NULL	Begin date of the pay period.	No	No
pay_period_end_date	DATE	NULL	End date of the pay period.	No	No
total_amount_billed	NUMBER(9,2)	NULL	The total, dollar amount that was billed.	No	No
resolved_date	DATE	NULL	Date on which the pending claim line was resolved (i.e. it went to a resolved claim line).	No	No
pending_clerk_id	VARCHAR2(2)	NULL	Legacy MPS system identifier for the clerk.	No	No
operator_id	VARCHAR2(2)	NULL	Legacy MPS system identifier for the operator.	No	No
pending_action_code	NUMBER(2)	NULL	Contains codes for the action taken/being taken on a PENDING_CLAIM_LINES record (e.g. Reject, Resolved, Delete, etc.).	No	Yes
pending_action_reason	NUMBER(1)	NULL	Contains values of 0 and 1 with no known definitions.	No	No
pending_approval	VARCHAR2(2)	NULL	Contains values of spaces and A1 with no known definitions.	No	No
resolved_ind	NUMBER(1)	NULL	Indicates that (0) the pending claim is not resolved; or (1) it is resolved.	No	No
client_pay_amount	NUMBER(6,2)	NULL	Amount of the total billed-amount, that the client is required to pay.	No	No
number_times_pending	NUMBER(2)	NULL	Number of times the claim line has been pending/modified.	No	No
adjustment_ind	NUMBER(1)	NULL	Indicates that (0) no adjustment has been made yet; or (1) an adjustment has been made.	No	No
last_transaction_no	VARCHAR2(13)	NULL	Legacy system identifier for the last transaction number. The redesigned process should be using the previous PENDING_CLAIM_APP_SEQ specific for a CLAIM_ID.	No	No
rate_set_code	NUMBER(1)	NULL	Contains codes for the program that is used to determine the specific set of rates (\$/unit) in determining the payment.	No	Yes
record_create_date	DATE	NULL	Date on which a record was created.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes

record_modified_date	DATE	NULL	Date on which a record was modified.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes
claim_line	NUMBER(3)	NULL	The actual line number (of 9 total lines) on the hard-copy invoice/claim.	No	No

Validation(s) of "claim id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim id" Column	
Name	Unique
PK_pended_claim_lines	Yes
IF10_pended_claim_lines	No

Validation(s) of "pended claim app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pended claim app seq" Column	
Name	Unique
PK_pended_claim_lines	Yes

Validation(s) of "payment id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment id" Column	
Name	Unique
IF15_pended_claim_lines	No

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "service begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "service end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "form number ind" Column			
Constraint Name	Min	Max	Rule
ck_pndclmlns_frmnum_1726791854			form number ind IN (153, 525)

Valid Value(s) of "ck_pndclmlns_frmnum_1726791854" Validation		
Data Value	Display Value	Definition
153	153	Form AFC153
525	525	Form CFC525

Validation(s) of "recipient id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recipient id" Column	
Name	Unique

NU pended claim lines 1	No
NU pended claim lines 2	No

Validation(s) of "case number" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "case number" Column	
Name	Unique
NU pended claim lines	No
NU pended claim lines 2	No

Validation(s) of "pay period begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pay period end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "total amount billed" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "resolved date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pended clerk id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "operator id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pended action code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pended action code" Column	
Name	Unique
IF1 pended claim lines	No

Validation(s) of "pended action reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pended approval" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "resolved ind" Column			
Constraint Name	Min	Max	Rule
ck_pndclmlns_rslvdind 61051305			resolved_ind IN (0, 1)

Valid Value(s) of "ck_pndclmlns_rslvdind 61051305" Validation		
Data Value	Display Value	Definition
0	0	Not resolved
1	1	Resolved

Validation(s) of "client pay amount" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "number times pended" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adjustment ind" Column			
Constraint Name	Min	Max	Rule
ck_pndclmlns_adjstmn_993344542			adjustment_ind IN (0, 1)

Valid Value(s) of "ck_pndclmlns_adjstmn_993344542" Validation		
Data Value	Display Value	Definition
0	0	No adjustment
1	1	Adjustment

Validation(s) of "last transaction no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rate set code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rate set code" Column	
Name	Unique
IF14_pended_claim_lines	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF11_pended_claim_lines	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF12_pended_claim_lines	No

Validation(s) of "claim line" Column			
Constraint Name	Min	Max	Rule

Table(s) of "pended action codes" Picture Object	
Name	pended action codes
Comment	Contains codes and descriptions for the action taken/being taken on a PENDED_CLAIM_LINES record (e.g. Reject, Resolved, Delete, etc.).

Column(s) of "pended action codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
pended_action_code	NUMBER(2)	NOT NULL	Contains codes for the action taken/being taken on a PENDED_CLAIM_LINES record (e.g. Reject, Resolved, Delete, etc.).	Yes	No
description	VARCHAR2(30)	NULL	Explanation of PENDED_ACTION_CODE.	No	No
end_date	DATE	NULL	Date on which a PENDED_ACTION_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the PENDED_CLAIM_LINES record; unless converted to another code per policy.	No	No

Validation(s) of "pended action code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pended action code" Column	
Name	Unique
PK pended action codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub info" Picture Object	
Name	adsub info
Comment	Contains information pertaining to the Adoption Subsidy case. Each record is uniquely identified by a system generated sequence number (ADSUB_INFO_ID).

Column(s) of "adsub info" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	No
log_id	NUMBER	NULL	System generated number that uniquely identifies each SWSS case.	No	Yes
eligibility_code	VARCHAR2(2)	NULL	Codes to describe the type of eligibility for the child; e.g. (Code: Description) 01: FIP 02: SSI Recipient 03: Ind/Fam Prot Srv 04: Inc Scale 1 - MA 05: Inc Scale 1 - NonMA etc.	No	Yes
legal_status_cd	NUMBER(2)	NULL	Codes for legal status; e.g. (Code: Description) 40: Court Ward-Delinquent 41: Permanent Court Ward 42: Temporary Court Ward-Neg 43: Court Ward-Supervision Adoption 44: MCI Ward etc.	No	Yes
ad_info_id	NUMBER	NULL	System generated number that uniquely identifies all occurrences of adoptions for one child.	No	Yes
converted_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle data base; or (N/Null) not.	No	No

notify_fc_monitor_ind	VARCHAR2(1)	NULL	Indicates that (Y) the foster care monitor is to be notified when the adoption subsidy case is activated; or (N/Null) not.	No	No
family_size	NUMBER(2)	NULL	The total number of related adults and children living in the household at this time. Related means by blood, marriage, or adoption. It should include persons away temporarily (up to 30 days). It should not include foster children.	No	No
income_level_code	VARCHAR2(2)	NULL	Contains codes for ranges of income levels; e.g.. (Code: Description) 1: Above 168,930 2: 154,741 - 168,930 3: 140,551 - 154,740 4: 126,361 - 140,550, etc.	No	Yes
open_date	DATE	NULL	Open date for converted cases.	No	No
revised_date	DATE	NULL	This date is used to track changes to the application after a case has been certified at a level of support.	No	No
supp_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for Support Subsidy; or (N/Null) not.	No	No
med_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for medical support subsidy; or (N/Null) not.	No	No
nre_sub_elig_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is eligible for Nonrecurring Expense support subsidy; or (N/Null) not.	No	No
medcase_denial_code	VARCHAR2(2)	NULL	Contains codes for reasons that the application for medical subsidy was denied; i.e. (Code: Description) 01: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child was not in Michigan foster care at the time the petition for adoption was filed. 02: The child does not meet Adoption Medical Subsidy eligibility criteria in CFA 770. The child's adoption finalization was prior to June 28, 1992, but was not completed by a Michigan court. 03: There is not conclusive evidence that the condition or	No	Yes

			the cause of the condition existed prior to the adoption. (CFA 770) Etc.		
medcase_denial_other	VARCHAR2(200)	NULL	If column MEDCASE_DENIAL_CODE is 05 for Other, then this column will contain the text the user types in for the reason that the medical application was denied for support subsidy.	No	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
adoption_final_date	DATE	NULL	The date that the adoption of the child was finalized.	No	No
adsub_cis_case_no	VARCHAR2(30)	NULL	Contains the CIS case number for the Adoption Subsidy Medicaid case.	No	No
adsub_recipient_id	NUMBER(12)	NULL	Contains the recipient id for the child.	No	No
converted_title4e_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle database as a Title IVE case; or (N/Null) not	No	No
converted_medicaid_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case information was added during the data conversion process from the legacy Access data base to the Oracle database as a Medicaid case; or (N/Null) not	No	No

ready_to_open_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case is ready to be passed along to a person with the authority to authorize subsidy payments; or (N) not; or NULL.	No	No
felony_conviction_ind	VARCHAR2(1)	NULL	Indicates that (Y) the prospective, adoptive parents have past felony convictions for certain listed offenses; or (N) not; or NULL.	No	No
payable_condition_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child has a diagnosed physical, mental/emotional, or educational condition; or (N) not; or NULL.	No	No
adoptive_placemen- t_order_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an adoptive placement order; or (N) not; or NULL.	No	No
finalized_after_199- 2_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child's adoption was finalized on or after June 28, 1992; or (N) not; or NULL.	No	No
foster_care_at_petit- ion_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child was in Michigan's Foster Care system at the time the adoption petition was filed; or (N) not; or NULL.	No	No
adopted_in_michig- an_ind	VARCHAR2(2)	NULL	Indicates that (Y) the child was adopted in Michigan; or (N) not; or NULL.	No	No
post_adopt_applica- tion_ind	VARCHAR2(1)	NULL	Indicates that (Y) an application for subsidy payments was made by the adoptive family, after that family adopted the child; or (N) not; or NULL.	No	No
court_ordered_supp- ort_ind	VARCHAR2(1)	NULL	Indicates that (Y) one or both adoptive parents receive court-ordered child support; or (N/ NULL) not.	No	No

Validation(s) of "county no" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column

Name	Unique
PK_adsub_info	Yes
IF1374_adsub_info	No

Validation(s) of "adsub info id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column

Name	Unique
------	--------

PK adsub info	Yes
---------------	-----

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
IF1491 adsub info	No

Validation(s) of "eligibility_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "eligibility_code" Column	
Name	Unique
IF1376 adsub info	No

Validation(s) of "legal_status_cd" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "legal_status_cd" Column	
Name	Unique
IF1375 adsub info	No

Validation(s) of "ad_info_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "ad_info_id" Column	
Name	Unique
IF1374 adsub info	No

Validation(s) of "converted_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convind			converted_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_convind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "notify_fc_monitor_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_ntfyfcmntrind			notify_fc_monitor_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_ntfyfcmntrind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "family_size" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "income_level_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "income_level_code" Column	
Name	Unique

IF1379 adsub info	No
-------------------	----

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "revised date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "supp sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf supsubeligind			supp_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf supsubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "med sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf medsubeligind			med_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf medsubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "nre sub elig ind" Column			
Constraint Name	Min	Max	Rule
ck asbinf nresubeligind			nre_sub_elig_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf nresubeligind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "medcase denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medcase denial code" Column	
Name	Unique
IF1477 adsub info	No

Validation(s) of "medcase denial other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF1502 adsub info	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule
ck_prd_prvtyp8			provider_type IN ('M', 'S', 'O', 'L', 'D')

Valid Value(s) of "ck prd prvtyp8" Validation		
Data Value	Display Value	Definition
M		Model payments (MPS)
S		SWSS only providers (Non-model payments providers)
O		Other providers
L		"Licensee provider type"
D		Doctors and Dentists

Is In Index(s) of "provider type" Column	
Name	Unique
IF1502 adsub info	No

Validation(s) of "adoption final date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adsub cis case no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adsub recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "converted title4e ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convttl4eind			converted_title4e_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf convttl4eind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "converted medicaid ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_convmdcind			converted_medicaid_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf convmdcind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "ready to open ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_rdyopenind			ready to open ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf rdyopenind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "felony conviction ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_flnyconvctnind			felony_conviction_ind IN ('Y', 'N')

Valid Value(s) of "ck asbinf flnyconvctnind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "payable condition ind" Column			
Constraint Name	Min	Max	Rule

ck_asbinf_pyblcndtnind			payable_condition_ind IN ('Y', 'N')
------------------------	--	--	-------------------------------------

Valid Value(s) of "ck_asbinf_pyblcndtnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "adoptive_placement_order_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_adtpvplcmntordrind			adoptive_placement_order_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_adtpvplcmntordrind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "finalized_after_1992_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_fnlzdafr1992ind			finalized_after_1992_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_fnlzdafr1992ind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "foster_care_at_petition_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_fstrcratptnind			foster_care_at_petition_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_fstrcratptnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "adopted_in_michigan_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_adptdinmchgnind			adopted_in_michigan_ind IN ('Y', 'N', 'NA')

Valid Value(s) of "ck_asbinf_adptdinmchgnind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	
NA		Not Applicable	

Validation(s) of "post_adopt_application_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbinf_pstadptnappind			post_adopt_application_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbinf_pstadptnappind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "court_ordered_support_ind" Column			
Constraint Name	Min	Max	Rule

ck_asbinf_ertordrsprtind			court_ordered_support_ind IN ('Y', 'N')
--------------------------	--	--	---

Valid Value(s) of "ck_asbinf_ertordrsprtind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "county" Picture Object	
Name	county
Comment	List of all the counties in the state of Michigan by county number and name. County number 0 is used for school purposes in all counties and county number 84 is used for the central office.

Column(s) of "county" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
zone_no	NUMBER(2)	NULL	A DHS assigned number that uniquely identifies an area within the state. Zones contain one or more counties.	No	Yes
county_name	VARCHAR2(30)	NULL	Name of the county.	No	No
shelter_area_no	VARCHAR2(1)	NULL	A number (1-6) used to group counties into areas for payments in LOA-2.	No	Yes
load_conv_opt	VARCHAR2(1)	NULL	The option that each county chose from ASSIST, when converting an 8 digit load number to a 10 digit load number. Values are zero through four.	No	No
as_conv_cmpl_ind	VARCHAR2(1)	NULL	Indicates that (Y) this county has been converted to the new ASCAP application; or (N) not	No	No
index_code	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
program_cost_account	VARCHAR2(5)	NULL	Internal financial code for the county.	No	No
medicaid_provider_id	VARCHAR2(7)	NULL	The provider identifier for each county (used by ASCAP)	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK county	Yes

Validation(s) of "zone_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "zone_no" Column	
Name	Unique
IF297 county	No

Validation(s) of "county_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "shelter area no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "shelter area no" Column	
Name	Unique
IF731 county	No

Validation(s) of "load conv opt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "as conv cmpl ind" Column			
Constraint Name	Min	Max	Rule
ck cnty asconvcmplind			as conv cmpl ind IN ('Y', 'N')

Valid Value(s) of "ck cnty asconvcmplind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program cost account" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "medicaid provider id" Column			
Constraint Name	Min	Max	Rule

Table(s) of "resolved claim lines" Picture Object	
Name	resolved claim lines
Comment	Contains information for the resolved claim lines.

Column(s) of "resolved claim lines" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
claim_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies a CLAIMS record.	Yes	Yes
resolved_claim_ap- p_seq	NUMBER(3)	NOT NULL	Application generated sequence number (1 through n for each CLAIM_ID) that allows for many records for a CLAIM_ID.	Yes	No
payment_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a PAY_AUTHORIZ- ATION record.	No	Yes
service_begin_date	DATE	NULL	Authorization begin- date for the service (s) being provided.	No	No
service_end_date	DATE	NULL	Authorization end- date for the service (s) being provided.	No	No
form_number_ind	NUMBER(3)	NULL	Indicates that (153) the claim line is referencing Form AFC153; or (525) the claim line is referencing Form CFC 525.	No	No
resolved_date	DATE	NULL	Date on which the claim line was resolved.	No	No
pay_period_begin_date	DATE	NULL	Begin date for the pay period.	No	No
pay_period_end_date	DATE	NULL	End date for the pay period.	No	No
total_amount_billed	NUMBER(9,2)	NULL	The total, dollar amount that was billed.	No	No
payment_status_code	NUMBER(1)	NULL	Contains codes and for the status of the resolved claim line (e.g. paid, held no funds, reject, etc.)	No	Yes
client_pay_amount	NUMBER(6,2)	NULL	Amount of the total billed-amount, that the client is required to pay.	No	No
rate_set_code	NUMBER(1)	NULL	Contains codes for the program that is used to determine the specific set of rates (\$/unit) in determining the payment.	No	Yes
pending_claim_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a CLAIMS record. This is renamed from CLAIM_ID for the PENDEd CLAIM- LINES record that was resolved with this record.	No	Yes

pending_claim_app_seq	NUMBER(3)	NULL	Application generated sequence number (1 through n for each CLAIM_ID) that allows for many records for each CLAIM_ID. This is the third of three members of the foreign key from the PENDING_CLAIM_LINES record that was resolved with this record.	No	Yes
record_create_date	DATE	NULL	Date on which the record was created.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_modified_date	DATE	NULL	Date on which the record was modified.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes
claim_line	NUMBER(3)	NULL	The actual line number (of 9 total lines) on the hard-copy invoice/claim.	No	No
adjustment_ind	NUMBER(1)	NULL	Indicates that (0) no adjustment has been made yet; or (1) an adjustment has been made.	No	No

Validation(s) of "claim_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim_id" Column	
Name	Unique
PK_resolved_claim_lines	Yes
IF1_resolved_claim_lines	No

Validation(s) of "resolved_claim_app_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "resolved_claim_app_seq" Column	
Name	Unique
PK_resolved_claim_lines	Yes

Validation(s) of "payment_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment_id" Column	
Name	Unique
IF9_resolved_claim_lines	No

Validation(s) of "service_begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "service_end_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "form number ind" Column			
Constraint Name	Min	Max	Rule
ck_rslvdcmlns_frmnu_667857845			form_number_ind IN (153, 525)

Valid Value(s) of "ck_rslvdcmlns_frmnu_667857845" Validation		
Data Value	Display Value	Definition
153	153	Form AFC153
525	525	

Validation(s) of "resolved_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pay period begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pay period end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "total amount billed" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "payment status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment status code" Column	
Name	Unique
IF3 resolved claim lines	No

Validation(s) of "client pay amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rate set code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rate set code" Column	
Name	Unique
IF8 resolved claim lines	No

Validation(s) of "pended claim id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pended claim id" Column	
Name	Unique
IF4 resolved claim lines	No

Validation(s) of "pended claim app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pended claim app seq" Column	
Name	Unique

IF4 resolved claim lines	No
--------------------------	----

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF5 resolved claim lines	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF6 resolved claim lines	No

Validation(s) of "claim line" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adjustment ind" Column			
Constraint Name	Min	Max	Rule
ck rslvdcmlns adjs 1297033806			adjustment ind IN (0, 1)

Valid Value(s) of "ck rslvdcmlns adjs 1297033806" Validation		
Data Value	Display Value	Definition
0	0	No adjustment
1	1	Adjustment

Table(s) of "payment status codes" Picture Object	
Name	payment status codes
Comment	Contains codes and descriptions for the status of the resolved claim line (e.g. paid, held no funds, reject, etc.).

Column(s) of "payment status codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
payment_status_code	NUMBER(1)	NOT NULL	Contains codes and for the status of the resolved claim line (e.g. paid, held no funds, reject, etc.)	Yes	No
description	VARCHAR2(30)	NULL	Explanation of PAYMENT_STAT-US_CODE.	No	No
end_date	DATE	NULL	Date on which a PAYMENT_STAT-US_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the RESOLVED_CLAIM_LINES record; unless converted to another code per policy.	No	No

Validation(s) of "payment status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment status code" Column	
Name	Unique
PK payment status codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub payment amounts" Picture Object	
Name	adsub payment amounts
Comment	Contains the information for determining the amount of the support subsidy payment. The record with the most recent BEGIN_DATE is the current payment for the case.

Column(s) of "adsub payment amounts" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	Yes
payment_amount_seq	NUMBER(3)	NOT NULL	Application created number to uniquely identify each payment record. It will start with one and increment by one for each new payment.	Yes	No
begin_date	DATE	NULL	The start date for the payment record.	No	No
rate_determination_code	VARCHAR2(1)	NULL	Contains codes for the source used to determine the correct rate; e.g. (Code: Description) 1: Model Payments 2: Child Care Funds 3: SSI 4: CMH, etc.	No	Yes
no_clothing_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is not receiving a clothing allowance; or (N/Null) not.	No	No
rsdi_amount	NUMBER(6,2)	NULL	The amount that the payment is reduced by due to RSDI.	No	No
va_amount	NUMBER(6,2)	NULL	The amount that the payment is reduced by due to VA.	No	No
recoupment_amount	NUMBER(6,2)	NULL	The amount that the payment is reduced by due to money owed by the client.	No	No
rsdi_claim_no	VARCHAR2(12)	NULL	The RSDI claim number associated with the RSDI_AMOUNT.	No	No
recoupment_log_no	VARCHAR2(30)	NULL	The log number for the case that owes money back to the state because of previous overpayment. Associated with RECOUPMENT_AMOUNT.	No	No

elig_determ_ind	VARCHAR2(1)	NULL	Indicates that (E) this record was created to determine eligibility; or (D) for determination	No	No
end_date	DATE	NULL	The expiration date for the payment record.	No	No
retro_ind	VARCHAR2(1)	NULL	Indicates that (Y) payments from past periods are due; or (N/Null) not. This indicator is set by the application and indicates that previous period payments need to be totaled and a lump sum is sent to MPS.	No	No
action_reason	VARCHAR2(2000)	NULL	Contains comments that are entered by the user concerning the payment record.	No	No
funding_source_code	VARCHAR2(1)	NULL	Contains codes for sources of funding; e.g. (Code: Description) 1 Title IV-E 2 TANF - MA 3 TANF - No MA 4 State - MA, etc.	No	Yes
mps_transaction_no	VARCHAR2(15)	NULL	The transaction number returned from the Model Payments System (MPS) which means that the payment data was sent successfully and accepted by MPS.	No	No
mps_next_trans_no	VARCHAR2(15)	NULL	If a subsequent record is transmitted to the Model Payments System (MPS), the transaction number returned by MPS is populated here. If this column is not populated, then this is the last transmission sent to MPS concerning this payment.	No	No
mps_transaction_date	DATE	NULL	The date that the payment data was transmitted to and accepted by the Model Payments System (MPS).	No	No
mps_action_ind	VARCHAR2(1)	NULL	Indicates that (A) this transmission record to the Model Payment System (MPS) was to add a new record; or (M) modify an existing record; or (T) terminate an existing record; or (D) delete an existing record.	No	No

other_amount	NUMBER(6,2)	NULL	The amount the payment is reduced for income, other than that already reduced for RSDI benefits, Veterans Administration benefits, or amounts that the client owes the state (recoupment).	No	No
mps_load_no	NUMBER(10)	NULL	The load number of the adoption subsidy staff who made the authorization on Model Payments (MPS).	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_adsub_payment_amounts	Yes
IF1494_adsub_payment_amounts	No

Validation(s) of "adsub_info_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub_info_id" Column	
Name	Unique
PK_adsub_payment_amounts	Yes
IF1494_adsub_payment_amounts	No

Validation(s) of "payment_amount_seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment_amount_seq" Column	
Name	Unique
PK_adsub_payment_amounts	Yes

Validation(s) of "begin_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rate_determination_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rate_determination_code" Column	
Name	Unique
IF1496_adsub_payment_amounts	No

Validation(s) of "no_clothing_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbpymtamnts_noclthngind			no_clothing_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbpymtamnts_noclthngind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "rsdi_amount" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "va amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recoupment amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "rsdi claim no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recoupment log no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "elig determ ind" Column			
Constraint Name	Min	Max	Rule
ck asbpymtamnts eligdtrmind			elig determ ind IN ('E', 'D')

Valid Value(s) of "ck asbpymtamnts eligdtrmind" Validation		
Data Value	Display Value	Definition
E		Eligibility Tab
D		Determination Tab

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "retro ind" Column			
Constraint Name	Min	Max	Rule
ck asbpymtamnts retroind			retro ind IN ('Y', 'N')

Valid Value(s) of "ck asbpymtamnts retroind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "action reason" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source code" Column	
Name	Unique
IF1571 adsub payment amounts	No

Validation(s) of "mps transaction no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps next trans no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps transaction date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "mps action ind" Column			
Constraint Name	Min	Max	Rule
ck_asbpymtamnts_mpsactnind			mps_action_ind IN ('N', 'M', 'T', 'D', 'P')

Valid Value(s) of "ck asbpymtamnts mpsactnind" Validation		
Data Value	Display Value	Definition
N		New
M		Modify
T		Terminate
D		Delete
P		Pending

Validation(s) of "other amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps load no" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub funding source codes" Picture Object	
Name	adsub_funding_source_codes
Comment	Contains codes and descriptions for sources of funding; e.g. (Code: Description) 1 Title IV-E 2 TANF - MA 3 TANF - No MA 4 State - MA, etc.

Column(s) of "adsub funding source codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
funding_source_code	VARCHAR2(1)	NOT NULL	Contains codes for sources of funding; e.g. (Code: Description) 1 Title IV-E 2 TANF - MA 3 TANF - No MA 4 State - MA, etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of FUNDING_SOURCE_CODE.	No	No

Validation(s) of "funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source code" Column	
Name	Unique
PK adsub_funding_source_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub pmtamt servcd" Picture Object	
Name	adsub pmtamt servcd
Comment	A record exists in this table for each service code assigned for this payment. The rate column exists for those service codes that do not have a specific rate assigned to them and will vary from case to case.

Column(s) of "adsub pmtamt servcd" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	Yes	Yes
payment_amount_seq	NUMBER(3)	NOT NULL	Application created number to uniquely identify each payment record. It will start with one and increment by one for each new payment.	Yes	Yes
service_code	VARCHAR2(4)	NOT NULL	Contains codes for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12, etc.	Yes	Yes
effective_date	DATE	NOT NULL	The start date for the rate for the SERVICE_CODE.	Yes	Yes
rate	NUMBER(6,2)	NULL	The dollar amount to be paid for service codes that the rate is not a set amount. The user will input the amount that is to be paid for this case. These service codes usually have a maximum amount that can be paid and that amount is stored in ADSUB_SERVICE_CODES.MAX-AMOUNT.	No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK adsub pmtamt servcd	Yes
IF1574 adsub pmtamt servcd	No

Validation(s) of "adsub_info_id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "adsub info id" Column	
Name	Unique
PK adsub pmtamt served	Yes
IF1574 adsub pmtamt served	No

Validation(s) of "payment amount seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "payment amount seq" Column	
Name	Unique
PK adsub pmtamt served	Yes
IF1574 adsub pmtamt served	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
PK adsub pmtamt served	Yes
IF1575 adsub pmtamt served	No

Validation(s) of "effective date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "effective date" Column	
Name	Unique
PK adsub pmtamt served	Yes
IF1575 adsub pmtamt served	No

Validation(s) of "rate" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub rate determination codes" Picture Object	
Name	adsub rate determination codes
Comment	Contains codes and descriptions for the source used to determine the correct rate; e.g. (Code: Description) 1: Model Payments 2: Child Care Funds 3: SSI 4: CMH, etc.

Column(s) of "adsub rate determination codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
rate_determination- _code	VARCHAR2(1)	NOT NULL	Contains codes for the source used to determine the correct rate; e.g. (Code: Description) 1: Model Payments 2: Child Care Funds 3: SSI 4: CMH, etc.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of RATE_DETERMINATION_CODE.	No	No
short_description	VARCHAR2(3)	NULL	A short description of the DESCRIPTION field (e.g. MPS for Model Payments, etc.)	No	No

Validation(s) of "rate determination code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rate determination code" Column	
Name	Unique
PK adsub rate determination co	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "short description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub service codes" Picture Object	
Name	adsub service codes
Comment	Contains codes, descriptions, and rates for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12, etc.

Column(s) of "adsub service codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
service_code	VARCHAR2(4)	NOT NULL	Contains codes for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12, etc.	Yes	No
effective_date	DATE	NOT NULL	The start date for the rate for the SERVICE_CODE.	Yes	No
description	VARCHAR2(30)	NULL	Explanation of SERVICE_CODE.	No	No
monthly_rate	NUMBER(6,2)	NULL	The monthly payment amount for the SERVICE_CODE.	No	No
daily_rate	NUMBER(6,2)	NULL	The daily payment amount for the identified service code.	No	No
end_date	DATE	NULL	The expiration date for the rate for the SERVICE_CODE.	No	No
support_type_ind	VARCHAR2(1)	NULL	Indicates that (S) the service code is used for Support Subsidy payments; or (M) for Medical Subsidy payments; or (N) non-recurring payments.	No	No
max_amount	NUMBER(6,2)	NULL	The maximum amount that can be paid for this service code.	No	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
PK_adsub service codes	Yes

Validation(s) of "effective date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "effective date" Column	
Name	Unique
PK_adsub service codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "monthly rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "daily rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "support type ind" Column			
Constraint Name	Min	Max	Rule
ck_asbsrvccds_supptypind			support_type_ind IN ('S', 'M', 'N')

Valid Value(s) of "ck asbsrvccds supptypind" Validation		
Data Value	Display Value	Definition
S		Support Subsidy
M		Medical Subsidy
N		NRE

Validation(s) of "max amount" Column			
Constraint Name	Min	Max	Rule

Table(s) of "adsub med claim" Picture Object	
Name	adsub med claim
Comment	Contains information pertaining to a medical claim submitted for the adopted child. Each record is uniquely identified by a system generated sequence number (MED_CLAIM_ID).

Column(s) of "adsub med claim" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
med_claim_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each medical claim record.	Yes	No
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
case_med_cond_seq	NUMBER(2)	NULL	Application generated number that begins with one and is increased by one for each medical condition identified for the child in the case.	No	Yes
adsub_info_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	No	Yes
med_service_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each medical service record.	No	Yes
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes

received_date	DATE	NULL	The date that the medical claim was received by the Adoption Subsidy worker.	No	No
processed_date	DATE	NULL	The date that the medical claim was entered into the Adoption Subsidy application.	No	No
description	VARCHAR2(100)	NULL	A description of the medical service that was provided and payment is being requested for.	No	No
ins_coverage_ind	VARCHAR2(1)	NULL	Indicates that (Y) insurance exists for the medical treatment provided; or (N/Null) not.	No	No
medclaim_denial_code	VARCHAR2(2)	NULL	Contains codes for the reason that the entire medical claim was denied or a claim line was denied; i.e. (Code: Description: Indicator: Short Description) 1: Please provide date and time of service; i.e. specific time and a.m. or p.m.: B: Date and Time 2: According to our records, the child is covered under private medical insurance. Please submit the documentation that indicates a rejection or partial payment by the insurer.: B: Private insurance.	No	Yes
medclaim_denial_other	VARCHAR2(50)	NULL	The user enters the reason for denying the claim, because it did not exist in the list of values to choose. The column MEDCLAIM_DENIAL_CODE should be blank.	No	No
claim_type_ind	VARCHAR2(1)	NULL	Indicates that (M) the claim is for payment of a medical expense; or (N) a non-recurring expense; or (B) both medical and non-recurring expenses.	No	No
converted_ind	VARCHAR2(1)	NULL	Indicates that (Y) the medical claim record was populated during the data conversion process from the legacy Access database to the Oracle database.	No	No
age_over_18_ind	VARCHAR2(1)	NULL	Indicates that (Y) the child is over the age of 18; or (N/Null) not.	No	No
warrant_number	VARCHAR2(9)	NULL	Contains the warrant document number from MAIN that paid the claim.	No	No

amt_higher_ind	VARCHAR2(1)	NULL	This column is reported as not being used, but every record has a value of "N"	No	No
----------------	-------------	------	--	----	----

Validation(s) of "med claim id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med claim id" Column	
Name	Unique
PK adsub med claim	Yes

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK adsub med claim	Yes
IF1392 adsub med claim	No

Validation(s) of "case med cond seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "case med cond seq" Column	
Name	Unique
IF1392 adsub med claim	No

Validation(s) of "adsub info id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column	
Name	Unique
IF1392 adsub med claim	No

Validation(s) of "med service id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med service id" Column	
Name	Unique
IF1391 adsub med claim	No

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF1348 adsub med claim	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider type" Column	
Name	Unique
IF1348 adsub med claim	No

Validation(s) of "received date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "processed_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ins_coverage_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbmdclm_inscvgind			ins_coverage_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbmdclm_inscvgind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "medclaim_denial_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medclaim_denial_code" Column	
Name	Unique
IF1410 adsub med claim	No

Validation(s) of "medclaim_denial_other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "claim_type_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbmdclm_clmtypind			claim_type_ind IN ('M', 'N', 'B')

Valid Value(s) of "ck_asbmdclm_clmtypind" Validation		
Data Value	Display Value	Definition
M		Medical
N		NRE
B		Both

Validation(s) of "converted_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbmdclm_convind			converted_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbmdclm_convind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "age_over_18_ind" Column			
Constraint Name	Min	Max	Rule
ck_asbmdclm_ageover18ind			age_over_18_ind IN ('Y', 'N')

Valid Value(s) of "ck_asbmdclm_ageover18ind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "warrant_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "amt_higher_ind" Column			
Constraint Name	Min	Max	Rule

ck asbmdclm amnthigherin			amt higher ind IN ('Y', 'N')
--------------------------	--	--	------------------------------

Valid Value(s) of "ck asbmdclm amnthigherin" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Table(s) of "adsub med claim lines" Picture Object	
Name	adsub med claim lines
Comment	Contains information pertaining to each line on a submitted medical claim. The LINE_SEQ_NO is an application generated number and it starts with 1 and is incremented by one for each line of the claim.

Column(s) of "adsub med claim lines" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
med_claim_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each medical claim record.	Yes	Yes
line_seq_no	NUMBER(3)	NOT NULL	Application generated number to uniquely identify each line for the claim. It will start at one and increment by one for each additional line.	Yes	No
service_code	VARCHAR2(4)	NULL	Contains codes for the service codes that will be used in Adoption Subsidy; e.g. (Code: Description) 0701: Age Appropriate Rate Ages 00-12 0702: Age Appropriate Rate Ages 13+ 0712: Clothing Allowance Ages 00-12_etc	No	Yes
effective_date	DATE	NULL	The start date for the rate for the SERVICE_CODE.	No	Yes
billed_amount	NUMBER(7,2)	NULL	The total amount being charged for the service provided.	No	No
insurance_amount	NUMBER(7,2)	NULL	The amount that the private insurance company paid for the services provided.	No	No
approved_amount	NUMBER(7,2)	NULL	The dollar amount that has been approved to be paid to the provider or adoptive parent.	No	No
begin_date	DATE	NULL	The start date of the service.	No	No
end_date	DATE	NULL	The end date of the service.	No	No
action_ind	VARCHAR2(1)	NULL	Indicates that (A) the claim line is approved for payment; or (D) denied for payment.	No	No
medclaim_denial_code	VARCHAR2(2)	NULL	Contains codes for the reason that the entire medical claim was denied or a claim line was denied; i.e. (Code: Description: Indicator:	No	Yes

			<p>Short Description) 1: Please provide date and time of service; i.e. specific time and a.m. or p. m.: B: Date and Time 2: According to our records, the child is covered under private medical insurance. Please submit the documentation that indicates a rejection or partial payment by the insurer.: B: Private insurance</p>		
claimline_denial_other	VARCHAR2(100)	NULL	The user enters the reason for denying the claim line, because it did not exist in the list of values to choose. The column MEDCLAIM_DENIAL_CODE should be blank	No	No
funding_source_code	VARCHAR2(1)	NULL	Contains codes for sources of funding; e.g. (Code: Description) 1 Title IV-E 2 TANF - MA 3 TANF - No MA 4 State - MA, etc.	No	Yes
mps_transaction_no	VARCHAR2(15)	NULL	The transaction number returned from the Model Payments System (MPS) which means that the payment data was sent successfully and accepted by MPS.	No	No
mps_transaction_date	DATE	NULL	The date that the payment data was transmitted to and accepted by the Model Payments System (MPS).	No	No
mps_action_ind	VARCHAR2(1)	NULL	Indicates that (A) this transmission record to the Model Payment System (MPS) was to add a new record; or (M) modify an existing record; or (T) terminate an existing record; or (D) delete an existing record.	No	No
mps_next_trans_no	VARCHAR2(15)	NULL	If a subsequent record is transmitted to the Model Payments System (MPS), the transaction number returned by MPS is populated here. If this column is not populated, then this is the last transmission sent to MPS concerning this payment.	No	No

claim_description	VARCHAR2(20)	NULL	Contains a short description explaining what is being paid for on the claim.	No	No
-------------------	--------------	------	--	----	----

Validation(s) of "county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county no" Column	
Name	Unique
PK adsub med claim lines	Yes
IF1347 adsub med claim lines	No

Validation(s) of "med claim id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "med claim id" Column	
Name	Unique
PK adsub med claim lines	Yes
IF1347 adsub med claim lines	No

Validation(s) of "line seq no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "line seq no" Column	
Name	Unique
PK adsub med claim lines	Yes

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
IF1573 adsub med claim lines	No

Validation(s) of "effective date" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "effective date" Column	
Name	Unique
IF1573 adsub med claim lines	No

Validation(s) of "billed amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "insurance amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "approved amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "action ind" Column			
Constraint Name	Min	Max	Rule
ck_asbmdclmlns_actionind			action_ind IN ('A', 'D')

Valid Value(s) of "ck_asbmdclmlns_actionind" Validation		
Data Value	Display Value	Definition
A		Approved
D		Denied

Validation(s) of "medclaim denial code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "medclaim denial code" Column	
Name	Unique
IF1419 adsub_med_claim_lines	No

Validation(s) of "claimline denial other" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "funding source code" Column	
Name	Unique
IF1572 adsub_med_claim_lines	No

Validation(s) of "mps transaction no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps transaction date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "mps action ind" Column			
Constraint Name	Min	Max	Rule
ck_asbmdclmlns_mpsactnind			mps_action_ind IN ('N', 'M', 'T', 'D', 'R')

Valid Value(s) of "ck_asbmdclmlns_mpsactnind" Validation		
Data Value	Display Value	Definition
N		New
M		Modify
T		Terminate
D		Delete
R		Rejected

Validation(s) of "mps next trans no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "claim description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "recoupment events" Picture Object	
Name	recoupment_events
Comment	Contains information on each instance of a recoupment transaction.

Column(s) of "recoupment events" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
recoup_event_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each instance of a recoupment.	Yes	No
recoup_agreement_id	NUMBER	NULL	Database generated sequence number that uniquely identifies a RECOUPMENT_AGREEMENTS record.	No	Yes
case_number	VARCHAR2(30)	NULL	Client's case number.	No	No
begin_date	DATE	NULL	Begin date for the recoupment transaction.	No	No
end_date	DATE	NULL	End date for the recoupment transaction.	No	No
repay_type_code	VARCHAR2(1)	NULL	Contains codes for how the recoupment is to be repaid (i.e. manual, automatic deduction from ongoing payments, or lump sum).	No	Yes
event_type_code	NUMBER(2)	NULL	Contains codes for reasons why a recoupment process is occurring.	No	Yes
service_code	VARCHAR2(4)	NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	No	Yes
total_amount	NUMBER(9,2)	NULL	Total amount of the recoupment for a specific transaction.	No	No
ptd_recoup_amount	NUMBER(9,2)	NULL	The paid-to-date (PTD) recoupment amount.	No	No
adjustment_amount	NUMBER(9,2)	NULL	The amount, if any, of any adjustment to the recoupment.	No	No
recipient_id	NUMBER(10)	NULL	The recipient identifying number for the case.	No	No
daily_rate	NUMBER(5,2)	NULL	Dollar amount for the daily rate.	No	No
special_amount	NUMBER(6,2)	NULL	Dollar amount for any special considerations.	No	No
fund_source	NUMBER(1)	NULL	The accounting structure funding source.	No	No
title	NUMBER(2)	NULL	The description of the ACCOUNT_NUMBER that identifies a specific funding allocation.	No	No

index_code	NUMBER(5)	NULL	Contains the 5 digit accounting code for the Index Account.	No	No
pca	NUMBER(6)	NULL	Accounting number that identifies a specific funding allocation.	No	No
object_code	NUMBER(4)	NULL	Contains the 4 digit accounting code for the Agency Object Code (AOC).	No	No
trans_date	DATE	NULL	Transaction date.	No	No
discharge_reason_code	NUMBER(1)	NULL	Contains codes for reasons why a recoupment was discharged/cancelled.	No	Yes
worker_authorized_ind	VARCHAR2(1)	NULL	Indicates that (Y) the worker is authorized; or (N) not.	No	No
worker_load_number	NUMBER(10)	NULL	Ten-digit worker load number.	No	No
event status code	VARCHAR2(1)	NULL		No	Yes
notice_date	DATE	NULL	Date the notice of recoupment was sent.	No	No
notice_app_seq	NUMBER(4)	NULL	Indicates the number of times the notice was sent.	No	No
response_date	DATE	NULL	Date when the response to a notice was received.	No	No
number_followup_letters	NUMBER(1)	NULL	Indicates how many followup letters were sent regarding notification of the recoupment.	No	No
followup_letter_date	DATE	NULL	Date of the notice, followup letter.	No	No
followup_letter_app_seq	NUMBER(4)	NULL	Application generated number for the sequentially occurring followup letters.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_create_date	DATE	NULL	Date on which the record was created.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes
record_modified_date	DATE	NULL	Date on which the record was modified.	No	No

Validation(s) of "recoup event id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recoup event id" Column	
Name	Unique
PK recoupment events	Yes

Validation(s) of "recoup agreement id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "recoup agreement id" Column			
Name	Unique		
IF11 recoupment events	No		

Validation(s) of "case number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "begin date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "repay type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "repay type code" Column	
Name	Unique
IF1 recoupment events	No

Validation(s) of "event type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "event type code" Column	
Name	Unique
IF2 recoupment events	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
IF3 recoupment events	No

Validation(s) of "total amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ptd recoup amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "adjustment amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "recipient id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "daily rate" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "special amount" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "fund source" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "title" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pca" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "object code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "trans date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "discharge reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "discharge reason code" Column	
Name	Unique
IF5 recoupment events	No

Validation(s) of "worker authorized ind" Column			
Constraint Name	Min	Max	Rule
ck_rcpmntevnts_wrkra_842087483			worker_authorized_ind IN ('Y', 'N')

Valid Value(s) of "ck rcpmntevnts wrkra 842087483" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "worker load number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "event status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "event status code" Column	
Name	Unique
IF12 recoupment events	No

Validation(s) of "notice date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "notice app seq" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "response date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "number followup letters" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "followup letter date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "followup letter app seq" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF9 recoupment events	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF10 recoupment events	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "repay type codes" Picture Object	
Name	repay type codes
Comment	Contains codes and descriptions for how the recoupment is to be repaid (i.e. manual, automatic deduction from ongoing payments, or lump sum).

Column(s) of "repay type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
repay_type_code	VARCHAR2(1)	NOT NULL	Contains codes for how the recoupment is to be repaid (i.e. manual, automatic deduction from ongoing payments, or lump sum).	Yes	No
description	VARCHAR2(30)	NULL	Explanation of REPAY_TYPE_CODE.	No	No
end_date	DATE	NULL	Date on which a REPAY_TYPE_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the RECOUPMENT_EVENTS record; unless converted to another code per policy.	No	No

Validation(s) of "repay type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "repay type code" Column	
Name	Unique
PK repay type codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "event type codes" Picture Object	
Name	event type codes
Comment	Contains codes and descriptions for reasons why a recoupment process is occurring.

Column(s) of "event type codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
event_type_code	NUMBER(2)	NOT NULL	Contains codes for reasons why a recoupment process is occurring.	Yes	No
description	VARCHAR2(200)	NULL	Explanation of EVENT_TYPE_CODE.	No	No
end_date	DATE	NULL	Date on which an EVENT_TYPE_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the RECOUPMENT_EVENTS record; unless converted to another code per policy.	No	No

Validation(s) of "event type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "event type code" Column	
Name	Unique
PK_event type codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "discharge reason codes" Picture Object	
Name	discharge reason codes
Comment	Contains codes and descriptions for reasons why a recoupment was discharged/cancelled.

Column(s) of "discharge reason codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
discharge_reason_code	NUMBER(1)	NOT NULL	Contains codes for reasons why a recoupment was discharged/cancelled.	Yes	No
description	VARCHAR2(40)	NULL	Explanation of DISCHARGE_REASON_CODE.	No	No
end_date	DATE	NULL	Date on which a DISCHARGE_REASON_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the RECOUPMENT_EVENTS record; unless converted to another code per policy.	No	No

Validation(s) of "discharge reason code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "discharge reason code" Column	
Name	Unique
PK discharge reason codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "recoupment agreements" Picture Object	
Name	recoupment agreements
Comment	Contains information on the agreement between the agency and the provider (or client) regarding how the recoupment process will occur.

Column(s) of "recoupment agreements" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
recoup_agreement_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies a RECOUPMENT_A-GREEMENTS record.	Yes	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
agr_batch_no	NUMBER(12)	NULL	Legacy MPS identifier for a recoupment agreement batch.	No	No
start_date	DATE	NULL	The agreed upon date for which a recoupment will start.	No	No
repay_type_code	VARCHAR2(1)	NULL	Contains codes for how the recoupment is to be repaid (i.e. manual, automatic deduction from ongoing payments, or lump sum).	No	Yes
recoup_manual_amount	NUMBER(9,2)	NULL	The recoupment amount when the type of recoupment is either manual or lump sum.	No	No
agreement_status_code	VARCHAR2(1)	NULL		No	Yes
default_status_ind	VARCHAR2(1)	NULL	Indicates that (Y) the recoupment agreement with the provider or client is in default; or (N) it is not in default.	No	No
default_date	DATE	NULL	Date when it was determined the recoupment agreement with the provider or client was in default.	No	No
worker_load_number	NUMBER(10)	NULL	Ten-digit worker load number.	No	No
tax_number_ind	VARCHAR2(1)	NULL	Indicates that (F) the TAX_NUMBER is the Federal Tax ID; or (S) it is the Social Security Number.	No	No

tax_number	VARCHAR2(9)	NULL	The provider's or client's tax number (either Federal Tax ID or Social Security Number).	No	No
auto_percent	NUMBER(4,3)	NULL	Percent of the payment to a provider or client that is automatically deducted from the payment to satisfy the recoupment.	No	No
trans_date	DATE	NULL	Legacy date of the transaction.	No	No
prov_elig_type	VARCHAR2(2)	NULL	Codes for the provider eligibility types; e.g. (Code: Description) 60: Relative Home 61: CFC Home 63: Contracted CPA 64: Contracted CCI 65: Non-Contracted CPA etc.	No	Yes
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_create_date	DATE	NULL	Date on which the record was created.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes
record_modified_date	DATE	NULL	Date on which the record was modified.	No	No

Validation(s) of "recoup agreement id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "recoup agreement id" Column

Name	Unique
PK_recoupment_agreements	Yes

Validation(s) of "provider id" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column

Name	Unique
IF7_recoupment_agreements	No

Validation(s) of "provider type" Column

Constraint Name	Min	Max	Rule

Is In Index(s) of "provider type" Column

Name	Unique
IF7_recoupment_agreements	No

Validation(s) of "agr_batch_no" Column

Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "start date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "repay type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "repay type code" Column	
Name	Unique
IF2 recoupment agreements	No

Validation(s) of "recoup manual amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "agreement status code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "agreement status code" Column	
Name	Unique
IF10 recoupment agreements	No

Validation(s) of "default status ind" Column			
Constraint Name	Min	Max	Rule
ck rcpmntagrmnts df 1658174182			default_status_ind IN ('Y', 'N')

Valid Value(s) of "ck rcpmntagrmnts df 1658174182" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "default date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "worker load number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "tax number ind" Column			
Constraint Name	Min	Max	Rule
ck rcpmntagrmnts tx 1466127671			tax_number_ind IN ('F', 'S')

Valid Value(s) of "ck rcpmntagrmnts tx 1466127671" Validation		
Data Value	Display Value	Definition
F	F	Federal Tax ID
S	S	Social Security Number

Validation(s) of "tax number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "auto percent" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "trans date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "prov elig type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov elig type" Column	
Name	Unique
IF9 recoupment agreements	No

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF4 recoupment agreements	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF5 recoupment agreements	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "recoupment repayments" Picture Object	
Name	recoupment repayments
Comment	Contains detailed information on the multiple instances associated with a recoupment event.

Column(s) of "recoupment repayments" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
recoup_event_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies each instance of a recoupment.	Yes	Yes
recoup_repayment_app_seq	NUMBER(2)	NOT NULL	Application generated sequence number (1 through n) that allows for multiple occurrences of RECOUPMENT_REPAYMENTS records for each RECOUPMENT_EVENTS record.	Yes	No
voucher_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each VOUCHERS record.	No	Yes
repay_date	DATE	NULL		No	No
repay_type_code	VARCHAR2(1)	NULL	Contains codes for how the recoupment is to be repaid (i.e. manual, automatic deduction from ongoing payments, or lump sum).	No	Yes
worker_load_number	NUMBER(10)	NULL		No	No
repay_amount	NUMBER(9,2)	NULL		No	No
fund_source	NUMBER(1)	NULL	The accounting structure funding source.	No	No
index_code	NUMBER(5)	NULL	Contains the 5 digit accounting code for the Index Account.	No	No
pca	NUMBER(6)	NULL	Accounting number that identifies a specific funding allocation.	No	No
object_code	NUMBER(4)	NULL	Contains the 4 digit accounting code for the Agency Object Code (AOC).	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_create_date	DATE	NULL	Date on which the record was created.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes
record_modified_date	DATE	NULL	Date on which the record was modified.	No	No
receipt_voucher_number	VARCHAR2(30)	NULL		No	No

Validation(s) of "recoup event id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "recoup event id" Column	
Name	Unique
PK recoupment repayments	Yes
IF1 recoupment repayments	No

Validation(s) of "recoup repayment app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recoup repayment app seq" Column	
Name	Unique
PK recoupment repayments	Yes

Validation(s) of "voucher id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "voucher id" Column	
Name	Unique
IF2 recoupment repayments	No

Validation(s) of "repay date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "repay type code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "repay type code" Column	
Name	Unique
IF3 recoupment repayments	No

Validation(s) of "worker load number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "repay amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "fund source" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "index code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "pca" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "object code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF4 recoupment repayments	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF5 recoupment repayments	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "receipt voucher number" Column			
Constraint Name	Min	Max	Rule

Table(s) of "account funding source codes" Picture Object	
Name	account_funding_source_codes
Comment	Contains codes and descriptions for the accounting funding source (e.g. union dues, CFC board and care, Adoption IVE, etc.).

Column(s) of "account funding source codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
account_funding_source_code	NUMBER(2)	NOT NULL	Contains codes for the accounting funding source (e.g. union dues, CFC board and care, Adoption IVE, etc.).	Yes	No
description	VARCHAR2(30)	NULL	Explanation of ACCOUNT_FUNDING_SOURCE_CODE.	No	No
end_date	DATE	NULL	Date on which an ACCOUNT_FUNDING_SOURCE_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the ACCOUNT_DETAILS record; unless converted to another code per policy.	No	No

Validation(s) of "account funding source code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "account funding source code" Column	
Name	Unique
PK account funding source code	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "rate set codes" Picture Object	
Name	rate set codes
Comment	Contains codes and descriptions for the program that is used to determine the specific set of rates (\$/unit) in determining the payment.

Column(s) of "rate set codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
rate_set_code	NUMBER(1)	NOT NULL	Contains codes for the program that is used to determine the specific set of rates (\$/unit) in determining the payment.	Yes	No
description	VARCHAR2(10)	NULL	Explanation of RATE_SET_CODE.	No	No
end_date	DATE	NULL	Date on which a RATE_SET_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the PENDING_CLAIM_LINES or RESOLVED_CLAIM_LINES record; unless converted to another code per policy.	No	No

Validation(s) of "rate set code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "rate set code" Column	
Name	Unique
PK rate set codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "pended claim errors" Picture Object	
Name	pended claim errors
Comment	This table allows for multiple PENDED_ERROR_CODES to be entered for a PENDED_CLAIM_LINES record.

Column(s) of "pended claim errors" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
claim_id	NUMBER	NOT NULL	Database generated sequence number that uniquely identifies a CLAIMS record	Yes	Yes
pended_claim_app_seq	NUMBER(3)	NOT NULL	Application generated sequence number (1 through n for each CLAIM_ID) that allows for many records for each CLAIM_ID.	Yes	Yes
pended_error_code	VARCHAR2(4)	NOT NULL	Contains codes for reasons why a claim line was pended (modified).	Yes	Yes
record_create_date	DATE	NULL	Date on which the record was created.	No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who created the record.	No	Yes
record_modified_date	DATE	NULL	Date on which the record was modified.	No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker. This is for the worker who modified the record.	No	Yes

Validation(s) of "claim_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "claim_id" Column	
Name	Unique
PK pended claim errors	Yes
IF1 pended claim errors	No

Validation(s) of "pended claim app seq" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pended claim app seq" Column	
Name	Unique
PK pended claim errors	Yes
IF1 pended claim errors	No

Validation(s) of "pended error code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pended error code" Column	
Name	Unique
PK pended claim errors	Yes
IF2 pended claim errors	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF3 pended claim errors	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF4 pended claim errors	No

Table(s) of "pended error codes" Picture Object	
Name	pended error codes
Comment	Contains codes, descriptions, and other information for reasons why a claim line was pended (modified).

Column(s) of "pended error codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
pended_error_code	VARCHAR2(4)	NOT NULL	Contains codes for reasons why a claim line was pended (modified).	Yes	No
description	VARCHAR2(60)	NULL	Explanation of PENDED_ERROR_CODE.	No	No
end_date	DATE	NULL	Date on which a PENDED_ERROR_CODE is no longer available for use by the application. The end-dated code, if used previously, remains in the PENDED_ERRORS record; unless converted to another code per policy.	No	No
create_date	DATE	NULL	Date on which a code was created/inserted.	No	No
force_ind	NUMBER(1)	NULL	Indicates that (0) the PENDED_ERROR_CODE is not forcing the PENDED_CLAIM_LINES record to be resolved; or (1) the PENDED_ERROR_CODE is forcing the PENDED_CLAIM_LINES record to be resolved	No	No

Validation(s) of "pended error code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "pended error code" Column	
Name	Unique
PK pended error codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "force ind" Column			
Constraint Name	Min	Max	Rule
ck pndercds frcind 2138539533			force_ind IN (0, 1)

Valid Value(s) of "ck pndercds frcind 2138539533" Validation		
Data Value	Display Value	Definition

0	0	Not forced; pended claim needs addressing
1	1	Force pended claim to resolved

Table(s) of "prov elig type" Picture Object	
Name	prov elig type
Comment	Contains codes and descriptions for the type of eligibility for which the provider is classified (type of facility or service of the provider).

Column(s) of "prov elig type" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
prov_elig_type	VARCHAR2(2)	NOT NULL	Codes for the provider eligibility types; e.g. (Code: Description) 60: Relative Home 61: CFC Home 63: Contracted CPA 64: Contracted CCI 65: Non-Contracted CPA etc.	Yes	No
service_prog_code	VARCHAR2(3)	NULL	Codes for the SWSS programs, projects, or Child Placing Agency; i.e. CDC for Child Day Care, CFC for Child Foster Care, CPA for Child Placing Agency, and AFC for Adult Foster Care. It is used to distinguish the license_service_type records which are specific to these codes.	No	Yes
description	VARCHAR2(30)	NOT NULL	Explanation of PROV_ELIG_TYPE.	No	No

Validation(s) of "prov elig type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov elig type" Column	
Name	Unique
PK prov elig type	Yes

Validation(s) of "service prog code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service prog code" Column	
Name	Unique
IF1251 prov elig type	No

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Table(s) of "femr_program_codes" Picture Object	
Name	femr_program_codes
Comment	

Column(s) of "femr_program_codes" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
femr_program_code	VARCHAR2(5)	NOT NULL		Yes	No
description	VARCHAR2(30)	NULL		No	No
end_date	DATE	NULL		No	No

Validation(s) of "femr_program_code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "femr_program_code" Column	
Name	Unique
PK_femr_program_codes	Yes

Validation(s) of "description" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "end_date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "femr authorizations" Picture Object	
Name	femr authorizations
Comment	

Column(s) of "femr authorizations" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
femr_authorization_id	NUMBER	NOT NULL		Yes	No
medical_invoice_number	VARCHAR2(30)	NULL		No	No
patient_account_number	VARCHAR2(30)	NULL		No	No
cancel_void_invoice_ind	VARCHAR2(1)	NULL		No	No
missed_appointment_ind	VARCHAR2(1)	NULL		No	No
service_date	DATE	NULL		No	No
provider_id	NUMBER	NULL	An identification number for the provider (unique only when combined with PROVIDER_TYPE); derived from a sequence generator when the PROVIDER_TYPE is 'S' (for SWSS provider), otherwise it is obtained from other systems. It is also used to identify the licensee.	No	Yes
provider_type	VARCHAR2(1)	NULL	Codes for the provider types; i.e. (L) licensee, (M) MPS or model payments, (O) other providers (i.e. services for SDM), and (S) SWSS providers.	No	Yes
case_number	VARCHAR2(30)	NULL		No	No
recipient_id	NUMBER(12)	NULL		No	No
adsub_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
adsub_info_id	NUMBER	NULL	Database generated sequence number that uniquely identifies each Adoption Subsidy case.	No	Yes

group_person_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
sib_grp_id	NUMBER	NULL	System generated number that is used to "group" people associated with sibling cases; this allows for storing a person's information, in regards to these sibling cases, only once.	No	Yes
person_id	NUMBER	NULL	System generated number that uniquely identifies each person in SWSS.	No	Yes
as_case_county_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	Yes
as_case_log_id	NUMBER	NULL	Database generated number that uniquely identifies an Adult Services case	No	Yes
femr_program_code	VARCHAR2(5)	NULL		No	Yes
service_code	VARCHAR2(4)	NULL	Four digit, model payment codes for services; e.g. (Code: Description) 0701: Age Appropriate Rate for 0-12 0702: Age Appropriate Rate for 13+ 0703: Independent Living Allowance etc.	No	Yes
service_code_text	VARCHAR2(4000)	NULL		No	No
med_report_completed_ind	VARCHAR2(1)	NULL		No	No
other_text	VARCHAR2(4000)	NULL		No	No
reports_received_ind	VARCHAR2(1)	NULL		No	No
reports_received_date	DATE	NULL		No	No
exceeds_fee_schedule_ind	VARCHAR2(1)	NULL		No	No
authorization_amount	NUMBER(6,2)	NULL		No	No
created_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes
record_create_date	DATE	NULL		No	No
modified_by_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	Yes

record_modified_date	DATE	NULL		No	No
logical_delete_ind	VARCHAR2(1)	NULL		No	No
prov_elig_type	VARCHAR2(2)	NULL	Codes for the provider eligibility types; e.g. (Code: Description) 60: Relative Home 61: CFC Home 63: Contracted CPA 64: Contracted CCI 65: Non-Contracted CPA etc.	No	Yes
ready_for_payment_date	DATE	NULL		No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK_femr_authorizations	Yes
IF1_femr_authorizations	No

Validation(s) of "femr_authorization_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "femr_authorization_id" Column	
Name	Unique
PK_femr_authorizations	Yes

Validation(s) of "medical_invoice_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "patient_account_number" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cancel_void_invoice_ind" Column			
Constraint Name	Min	Max	Rule
ck_fmrauths_cnclvdap_659491084			cancel_void_invoice_ind IN ('Y', 'N')

Valid Value(s) of "ck_fmrauths_cnclvdap_659491084" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "missed_appointment_ind" Column			
Constraint Name	Min	Max	Rule
ck_fmrauths_msdpapti_2018160284			missed_appointment_ind IN ('Y', 'N')

Valid Value(s) of "ck_fmrauths_msdpapti_2018160284" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "service_date" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "provider id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider id" Column	
Name	Unique
IF2 femr authorizations	No

Validation(s) of "provider type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "provider type" Column	
Name	Unique
IF2 femr authorizations	No

Validation(s) of "case number" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "case number" Column	
Name	Unique
nu femr authorizations	No

Validation(s) of "recipient id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "recipient id" Column	
Name	Unique
nu femr authorizations 1	No

Validation(s) of "adsub county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub county no" Column	
Name	Unique
IF3 femr authorizations	No

Validation(s) of "adsub info id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "adsub info id" Column	
Name	Unique
IF3 femr authorizations	No

Validation(s) of "group person county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "group person county no" Column	
Name	Unique
IF4 femr authorizations	No

Validation(s) of "sib grp id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "sib grp id" Column	
Name	Unique

IF4 femr authorizations	No
-------------------------	----

Validation(s) of "person id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "person id" Column	
Name	Unique
IF4 femr authorizations	No

Validation(s) of "as case county no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "as case county no" Column	
Name	Unique
IF5 femr authorizations	No

Validation(s) of "as case log id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "as case log id" Column	
Name	Unique
IF5 femr authorizations	No

Validation(s) of "femr program code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "femr program code" Column	
Name	Unique
IF7 femr authorizations	No

Validation(s) of "service code" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "service code" Column	
Name	Unique
IF6 femr authorizations	No

Validation(s) of "service code text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "med report completed ind" Column			
Constraint Name	Min	Max	Rule
ck_fmrauths_mdrprtem_574594145			med_report_completed_ind IN ('Y', 'N')

Valid Value(s) of "ck_fmrauths_mdrprtem_574594145" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "other text" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "reports received ind" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "reports received date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "exceeds fee schedule ind" Column			
Constraint Name	Min	Max	Rule
ck_fmrauths_excdfesch_50525560			exceeds_fee_schedule_ind IN ('Y', 'N')

Valid Value(s) of "ck_fmrauths_excdfesch_50525560" Validation		
Data Value	Display Value	Definition
Y	Y	Yes
N	N	No

Validation(s) of "authorization amount" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "created by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "created by worker id" Column	
Name	Unique
IF8_femr_authorizations	No

Validation(s) of "record create date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "modified by worker id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "modified by worker id" Column	
Name	Unique
IF9_femr_authorizations	No

Validation(s) of "record modified date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "logical delete ind" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "prov elig type" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "prov elig type" Column	
Name	Unique
IF10_femr_authorizations	No

Validation(s) of "ready for payment date" Column			
Constraint Name	Min	Max	Rule

Table(s) of "ascap.as case" Picture Object	
Name	ascap.as case
Comment	Contains information pertaining to an Adult Protective Service (APS) case, Independent Living Services (ILS) case, or Adult Community Placement (ACP) case; referenced throughout the application by the county number (COUNTY_NO) and a system generated case number (LOG_ID).

Column(s) of "ascap.as case" Table					
Name	Datatype	Null Option	Comment	Is PK	Is FK
county_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	Yes	No
log_id	NUMBER	NOT NULL	Database generated number that uniquely identifies an Adult Services case	Yes	No
cust_id	NUMBER	NOT NULL	Database generated number that uniquely identifies a customer in the Adult Services application. References the CUSTOMER table.	No	No
ref_no	NUMBER(3)	NOT NULL	Application generated number that will start at one and increase by one for each new case for the customer.	No	No
responsible_co_no	NUMBER(2)	NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	No
responsible_dist_no	NUMBER(2)	NULL	Unique 2 digit district number that the state or local office (depending on valid districts) has designated for each district.	No	No
case_status_code	VARCHAR2(2)	NULL	Contains the code for the current state of a case; e.g. (Code: Description) PA: Pending Assignment PD: Pending Disposition OP: Open, etc.	No	No
creation_date	DATE	NOT NULL	System date for when the case was created in ASCAP.	No	No
ref_date	DATE	NULL	Date the referral was made to Adult Services.	No	No
ref_source_code	VARCHAR2(2)	NULL	Contains the code for the source of the referral; e.g. (Code: Description) 01: Self 02: Health Care Provider 03: Educator, etc.	No	No

ref_last_name	VARCHAR2(30)	NULL	The last name of the person who made the referral to Adult Services.	No	No
ref_first_name	VARCHAR2(30)	NULL	The first name of the person who made the referral to Adult Services.	No	No
ref_mi	VARCHAR2(1)	NULL	The middle initial of the person who made the referral to Adult Services.	No	No
ref_address_id	NUMBER	NULL	Database generated number that uniquely identifies each address entered in the ASCAP system and stored in the AS_ADDRESS table.	No	No
ref_phone_id	NUMBER	NULL	Database generated number that uniquely identifies each phone number entered in the ASCAP system and stored in the AS_PHONE table.	No	No
marital_status_code	VARCHAR2(2)	NULL	Contains the code for the marital status of the customer in the case; e.g. (Code: Description) 01: Married - Living Together 02: Married - Separated 03: Single - Never Married, etc.	No	No
resident_dist_no	NUMBER(2)	NULL	Unique 2 digit district number that the state or local office (depending on valid districts) has designated for each district.	No	No
resident_co_no	NUMBER(2)	NOT NULL	Unique 2 digit number that the state has designated for each county. County number 00 is used for school purposes; 84 is used for the central office.	No	No
program_code	VARCHAR2(3)	NOT NULL	Contains the code for the Adult Services program for the case, i.e.; (Code: Description) APS: Adult Protective Services ILS: Independent Living Services ACP: Adult Community Placement	No	No

init_housing_code	VARCHAR2(2)	NULL	Contains the code for housing accommodations of the customer at the start of the case; e. g. (Code: Description) 01: Own Residence 02: Rental 04: Facility etc.	No	No
cls_housing_code	VARCHAR2(2)	NULL	Contains the code for the housing accommodations of the customer at the close of the case; e. g. (Code: Description) 01: Own Residence 02: Rental 04: Facility etc.	No	No
init_fin_status_code	VARCHAR2(2)	NULL	Contains the code for the financial circumstances of the customer at the start of the case; e.g. (Code: Description) 01: FIA Payment Program 02: Low Income, etc. It has two relationships to AS_CASE to identify the financial circumstances of the customer at case opening and case closing.	No	No
cls_fin_status_code	VARCHAR2(2)	NULL	Contains the code for the financial circumstances of the customer at the close of the case; e. g. (Code: Description) 01: FIA Payment Program 02: Low Income, etc. It has two relationships to AS_CASE to identify the financial circumstances of the customer at case opening and case closing.	No	No
disposition_date	DATE	NULL	Date of the disposition of the referral (Open, Withdrawn, Denied).	No	No
disposition_code	VARCHAR2(2)	NULL	Contains the code for the disposition of the case; i.e. (Code: Description) 01: Open 02: Withdrawn 03: Denied	No	No
open_date	DATE	NULL	Date the case was opened.	No	No
servplan_due_date	DATE	NULL	Date by which the service plan is to be completed.	No	No
servplan_14d_ind	VARCHAR2(1)	NULL	Indicates that (Y) the service plan was completed in the required 14 days; or (N) not.	No	No

servplan_comp_date	DATE	NULL	Date that the service plan was completed for the case.	No	No
eligibility_code	VARCHAR2(2)	NULL	Contains the code for the eligibility of the customer; e.g. (Code: Description) 01: MA Recipient 02: Not MA Recipient/MA Pending 03: MA Spend-down, etc.	No	No
target_grp_code	VARCHAR2(2)	NULL	Contains the code identifying the group the customer is assigned; e.g. (Code: Description) 01: Disabled - Mental Retardation (In Home) 02: Disabled - Mental Illness (In Home) 03: Blind (In Home) 07: Disabled - Other Disability (In Home), etc.	No	No
method_code	VARCHAR2(2)	NULL	Contains the code for the method under which services are being provided to the customer; i.e. (Code: Description) CM: Case Management SS: Supportive Services PI: Protective Intervention	No	No
goal_code	VARCHAR2(2)	NULL	Contains the code of the service goal for the customer; i.e. (Code: Description) 01: Self-sufficiency (ILS) 02: Community Care (ACP) 03: Institutional Care (ACP) 04: Protection (APS)	No	No
goal_status_code	NUMBER(2)	NULL	Contains the code for the status of the service goal; e.g. (Code: Description) 1: Goal achvd-Srvcs cont 2: Goal not achvd-Srvcs cont 3: Goal achvd-Srvcs no longer needed 4: Case term-Srvcs not avail 5: Case term-Client req etc.	No	No

last_review_date	DATE	NULL	Date of the most recent review of the case by the worker.	No	No
next_review_date	DATE	NULL	Date by which the worker must perform another review of the case.	No	No
last_redeter_date	DATE	NULL	Date of the most recent redetermination of the case by the worker.	No	No
next_redeter_date	DATE	NULL	Date by which the worker must perform another redetermination of the case.	No	No
criminal_invest_ref- er_ind	VARCHAR2(1)	NULL	Indicates that (Y) the APS case has been referred for criminal investigation; or (N) not.	No	No
use_resource_ind	VARCHAR2(1)	NULL	Indicates that (Y) the customer will use the resources provided by Adult Services; or (N) not.	No	No
consent_aps_ind	VARCHAR2(1)	NULL	Indicates that (Y) the customer consents to being placed in the Adult Protective Services program; or (N) not.	No	No
substant_status_code	VARCHAR2(2)	NULL	Contains the code for the status of the referral; i.e. (Code: Description) 01: Investigation continues beyond the manual requirement of 14 days 02: Referral Unsubstantiated 03: Referral Substantiated 04: Null	No	No
investigation_comp- _date	DATE	NULL	Date that the investigation for the APS case was completed.	No	No
close_date	DATE	NULL	Date the case was closed.	No	No
close_code	VARCHAR2(2)	NULL	Contains the code for the reasons why the case was closed; e.g. (Code: Description) 01: Died 02: Services Not Available 03: Refused Services 04: Situation Stable, Services no longer needed, etc.	No	No

coll_sop_ind	VARCHAR2(30)	NULL	Indicates that (Y) the Standard of Promptness requirement was met for the first collateral contact; or (N) not.	No	No
cust_sop_ind	VARCHAR2(30)	NULL	Indicates that (Y) the Standard of Promptness requirement was met for the first contact with the customer; or (N) not.	No	No
toface_sop_ind	VARCHAR2(30)	NULL	Indicates that (Y) the Standard of Promptness requirement was met for the first face to face contact with the customer; or (N) not.	No	No
confidential_ind	VARCHAR2(1)	NULL	Indicates that (Y) this is a confidential case; or (N) not. Confidential cases will show up on search screens, but case detail will only be accessible by the assigned worker and their supervisor	No	No
legacy_log_no	VARCHAR2(12)	NULL	If the customer existed in the Adult Services system prior to ASCAP, the log number and reference number from that system will be stored in this column.	No	No
investigation_comp_ind	VARCHAR2(1)	NULL	Indicates that (Y) the investigation of the abuse allegations is complete; or (N) not	No	No
appl_date	DATE	NULL	Date that the customer applied for Independent Living Services or Adult Community Placement programs.	No	No
employ_status_code	VARCHAR2(2)	NULL	Contains the code identifying employment conditions for the customer; i.e. (Code: Description) 01: Employed 02: Retired 03: Never Worked 04: Not able to work	No	No
emp_status_issue_ind	VARCHAR2(1)	NULL	Indicates that (Y) a problem exists with the customer's employment status; or (N) not	No	No
highest_grade_code	VARCHAR2(2)	NULL	Contains the code for the level of academic achievement by the customer; e.g. 01: Special Education 02: No Schooling 03: Elementary School etc.	No	No

education_issue_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an education issue; or (N) there is not.	No	No
grantee_last_name	VARCHAR2(30)	NULL	The last name of the person who is the grantee for the LOA case. This is used when a minor is in the Independent Living Services program and the adult responsible for them is the grantee on the case in LOA.	No	No
grantee_first_name	VARCHAR2(30)	NULL	The first name of the person who is the grantee for the LOA case. This is used when a minor is in the Independent Living Services program and the adult responsible for them is the grantee on the case in LOA.	No	No
grantee_mi	VARCHAR2(1)	NULL	The middle initial of the person who is the grantee for the LOA case. This is used when a minor is in the Independent Living Services program and the adult responsible for them is the grantee on the case in LOA.	No	No
fis_score	NUMBER	NULL	The Functional Index Score (FIS) is defined as a measurement of relative dependence on human assistance. It is a calculated total score of the customer's rankings for performing daily activities.	No	No
waiver_ind	VARCHAR2(1)	NULL	Indicates that (Y) the case is a Department of Community Health case and they supply the funding; or (N) not.	No	No
diagnosis_cert_dt	DATE	NULL	Date that a medical diagnosis is certified for the customer.	No	No
third_party_first_name	VARCHAR2(30)	NULL	The first name of the person that a payment will be made to other than the customer.	No	No
third_party_last_name	VARCHAR2(30)	NULL	The last name of the person that a payment will be made to other than the customer.	No	No
third_party_mi	VARCHAR2(1)	NULL	The middle initial of the person that a payment will be made to other than the customer.	No	No
third_party_address_id	NUMBER	NULL	Database generated number that uniquely identifies each address entered in the ASCAP system and stored in the AS_ADDRESS table.	No	No

third_party_phone_id	NUMBER	NULL	Database generated number that uniquely identifies each phone number entered in the ASCAP system and stored in the AS_PHONE table.	No	No
spenddown_amt	NUMBER(10,2)	NULL	Dollar amount for the spend down (client pay amount).	No	No
time_task_issue_ind	VARCHAR2(1)	NULL	Indicates that (Y) there is an issue with the reported time for the task; or (N) there is not.	No	No
legacy_load_no	VARCHAR2(10)	NULL	Worker's load number from the legacy system.	No	No
level_of_care	VARCHAR2(1)	NULL	Indicates that the client's care is considered (P) Personal; or (D) Domiciliary.	No	No
monthly_wt_rec	VARCHAR2(1)	NULL	Indicates that ?????-????????? Values are Y for yes, N for no, and X for not applicable.	No	No
funds_valuables	VARCHAR2(1)	NULL	Indicates that (Y) the client has funds or valuables that are accounted for benefits; (N) they don't; or (X) not applicable.	No	No
last_change_date	DATE	NULL	Date of the last change to the record.	No	No
no legal int iss ind	VARCHAR2(1)	NULL		No	No
no legal cls iss ind	VARCHAR2(1)	NULL		No	No
last_change_worker_id	NUMBER	NULL	System generated number that uniquely identifies each worker.	No	No
ref_after_hours_ind	VARCHAR2(1)	NULL	Indicates that (Y) the referral was taken after hours; or (N/Null) not.	No	No
gen_narr_conv_ind	VARCHAR2(1)	NULL	Indicates that (Y) the general narrative for this case has been converted to the new format; or (N) not.	No	No
initial_setting_choi- ce_code	VARCHAR2(2)	NULL	Contains codes for yes, no, and not yet determined, which are used for answering questions relating to whether the customer is satisfied with their initial and closing placement (setting).	No	No
closing_setting_cho- ice_code	VARCHAR2(2)	NULL	Contains codes for yes, no, and not yet determined, which are used for answering questions relating to whether the customer is satisfied with their initial and closing placement (setting).	No	No

team_meeting_utilized_code	VARCHAR2(1)	NULL		No	No
team_improved_ind	VARCHAR2(1)	NULL		No	No
law_investigation_ind	VARCHAR2(1)	NULL		No	No
law_prosecution_ind	VARCHAR2(1)	NULL		No	No
law_conviction_ind	VARCHAR2(1)	NULL		No	No
pco_ind	VARCHAR2(1)	NULL		No	No
pco_code	VARCHAR2(30)	NULL		No	No
pco_begin_date	DATE	NULL		No	No
pco_end_date	DATE	NULL		No	No

Validation(s) of "county_no" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "county_no" Column	
Name	Unique
PK as case	Yes

Validation(s) of "log_id" Column			
Constraint Name	Min	Max	Rule

Is In Index(s) of "log_id" Column	
Name	Unique
PK as case	Yes

Validation(s) of "cust_id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "responsible_co_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "responsible_dist_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "case_status_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "creation_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref_source_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref_last_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref_first_name" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "ref mi" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref address id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref phone id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "marital status code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "resident dist no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "resident co no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "program code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "init housing code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cls housing code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "init fin status code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "cls fin status code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "disposition date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "disposition code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "open date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "servplan due date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "servplan 14d ind" Column			
Constraint Name	Min	Max	Rule

ck_ascase_serv14dind			servplan_14d_ind IN ('Y', 'N')
----------------------	--	--	--------------------------------

Valid Value(s) of "ck_ascase_serv14dind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "servplan_comp_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "eligibility_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "target_grp_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "method_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "goal_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "goal_status_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last_review_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "next_review_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "last_redeter_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "next_redeter_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "criminal_invest_refer_ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_criminvestind			criminal_invest_refer_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_criminvestind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "use_resource_ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_usersrcind			use_resource_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_usersrcind" Validation		
Data Value	Display Value	Definition

Y		Yes
N		No

Validation(s) of "consent aps ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_cnsntind			consent_aps_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_cnsntind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "substant status code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "investigation comp date" Column			
Constraint Name	Min	Max	Rule
ck_ascase_investcompind			investigation_comp_date IN ('Y', 'N')

Valid Value(s) of "ck_ascase_investcompind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "close date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "close code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "coll sop ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_collsopind			coll_sop_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_collsopind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "cust sop ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_custsopind			cust_sop_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_custsopind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "toface sop ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_tofacesopind			toface_sop_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_tofacesopind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "confidential ind" Column			
Constraint Name	Min	Max	Rule

ck_ascase_confind			confidential_ind IN ('Y', 'N')
-------------------	--	--	--------------------------------

Valid Value(s) of "ck_ascase_confind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "legacy_log_no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "investigation_comp_ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_investcompind1			investigation_comp_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_investcompind1" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "appl_date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "employ_status_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "emp_status_issue_ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_empstatissind			emp_status_issue_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_empstatissind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "highest_grade_code" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "education_issue_ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_eduissind			education_issue_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_eduissind" Validation			
Data Value	Display Value	Definition	
Y		Yes	
N		No	

Validation(s) of "grantee_last_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "grantee_first_name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "grantee_mi" Column			
Constraint Name	Min	Max	Rule

--	--	--	--

Validation(s) of "fis score" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "waiver ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_waiverind			waiver_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_waiverind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "diagnosis cert dt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "third party first name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "third party last name" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "third party mi" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "third party address id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "third party phone id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "spenddown amt" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "time task issue ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_timetaskissind			time_task_issue_ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_timetaskissind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "legacy load no" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "level of care" Column			
Constraint Name	Min	Max	Rule
ck_ascase_levcare			level_of_care IN ('P', 'D')

Valid Value(s) of "ck_ascase_levcare" Validation		
Data Value	Display Value	Definition

P		Personal
D		Domiciliary

Validation(s) of "monthly wt rec" Column			
Constraint Name	Min	Max	Rule
ck_ascase_monthlywtrec			monthly wt rec IN ('Y', 'N', 'X')

Valid Value(s) of "ck_ascase_monthlywtrec" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
X		N/A

Validation(s) of "funds valuables" Column			
Constraint Name	Min	Max	Rule
ck_ascase_fundsval			funds valuables IN ('Y', 'N', 'X')

Valid Value(s) of "ck_ascase_fundsval" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No
X		N/A

Validation(s) of "last change date" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "no legal int iss ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_nolegintissind			no legal int iss ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_nolegintissind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "no legal cls iss ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_nolegclsissind			no legal cls iss ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_nolegclsissind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "last change worker id" Column			
Constraint Name	Min	Max	Rule

Validation(s) of "ref after hours ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_refaftrhrsind			ref after hours ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_refaftrhrsind" Validation		
Data Value	Display Value	Definition
Y		Yes
N		No

Validation(s) of "gen narr conv ind" Column			
Constraint Name	Min	Max	Rule
ck_ascase_gennarrconvind			gen narr conv ind IN ('Y', 'N')

Valid Value(s) of "ck_ascase_gennarrconvind" Validation		
Data Value	Display Value	Definition